

# CTH151 XP

**Spare parts**

**Ersatzteile**

**Pièces détachées**


**Reserve onderdelen**

**Repuestos**

**Reservdelar**


**GPL®**

TRACTOR- -MODEL NO. CTH151 XP (HAUCT15H36H), PRODUCT NO. 954 17 02-30  
SCHEMATIC



# REPAIR PARTS

TRACTOR- -MODEL NO. CTH151 XP (HAUCT15H36H), PRODUCT NO. 954 17 02-30  
ELECTRICAL



# REPAIR PARTS


TRACTOR- -MODEL NO. CTH151 XP (HAUCT15H36H), PRODUCT NO. 954 17 02-30  
ELECTRICAL

| KEY<br>NO. | PART<br>NO.  | DESCRIPTION                       |
|------------|--------------|-----------------------------------|
| 1          | 532 14 49-27 | Battery                           |
| 2          | 874 76 04-12 | Bolt Hex Hd 1/4-20 unc x 3/4      |
| 16         | 532 17 61-38 | Switch Interlock                  |
| 21         | 532 17 56-88 | Harness Asm Light W/4152J         |
| 22         | 532 00 41-52 | Bulb Light                        |
| 24         | 532 12 47-80 | Cable Starter 6 Ga. 11" Red       |
| 25         | 532 16 59-87 | Cable Battery Crd 56" Red         |
| 26         | 532 17 51-58 | Fuse                              |
| 27         | 873 51 04-00 | Nut Keps Hex 1/4-20 unc           |
| 28         | 532 12 77-25 | Cable Ground 6 Ga. 18" Black      |
| 29         | 532 12 13-05 | Switch Plunger Normal NC Gray     |
| 30         | 532 17 55-66 | Switch Ignition                   |
| 33         | 532 14 04-01 | Key Ign                           |
| 40         | 532 18 80-39 | Harness Ign                       |
| 41         | 871 11 04-08 | Bolt Flk Fin Hex 1/4-20 unc x 1/2 |
| 42         | 532 13 15-63 | Cover Terminal Red                |
| 43         | 532 17 88-61 | Solenoid                          |
| 45         | 532 17 75-00 | Ammeter                           |
| 46         | 532 17 75-01 | Meter Hour Round                  |
| 50         | 532 17 46-51 | Switch PTO                        |
| 58         | 532 16 94-19 | Buzzer Crd                        |
| 59         | 532 18 03-79 | Switch FBI CRD                    |
| 66         | 817 49 06-08 | Screw Thdrol 3/8-16 x 1/2 Ty-Tt   |
| 79         | 532 17 52-42 | Socket Asm. Bulb                  |
| 81         | 532 10 97-48 | Relay Asm                         |

**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm.

# REPAIR PARTS

TRACTOR- -MODEL NO. CTH151 XP (HAUCT15H36H), PRODUCT NO. 954 17 02-30  
CHASSIS AND ENCLOSURES



# REPAIR PARTS


**TRACTOR- -MODEL NO. CTH151 XP (HAUCT15H36H), PRODUCT NO. 954 17 02-30**  
**CHASSIS AND ENCLOSURES**

| KEY NO. | PART NO.     | DESCRIPTION                                     | KEY NO. | PART NO.     | DESCRIPTION                         |
|---------|--------------|-------------------------------------------------|---------|--------------|-------------------------------------|
| 1       | 532 17 46-20 | Chassis                                         | 163     | 532 18 03-83 | Bracket Exten Chassis Rh CRD        |
| 2       | 532 18 03-84 | Drawbar                                         | 164     | 532 16 56-05 | Support Battery CRD                 |
| 3       | 817 06 06-12 | Screw 3/8-16 x 3/4                              | 165     | 532 18 11-00 | Cover Battery                       |
| 6       | 532 18 44-19 | Saddle                                          | 170     | 532 17 88-62 | Backplate Asm CRD                   |
| 8       | 532 12 64-71 | Clip Insulator 13/32 Mtg. Hole                  | 171     | 872 14 06-20 | Bolt Rdhd Sqnk 3/8-16 x 2-1/2 Gr. 5 |
| 9       | 532 19 58-86 | Dash                                            | 172     | 819 13 20-16 | Washer 13/32 x 1-1/4 x 16 Ga.       |
| 10      | 872 14 06-08 | Bolt, Carriage 3/8-16 x 3/4                     | 173     | 873 51 06-00 | Nut, Keps Hex 3/8-16 unc            |
| 11      | 532 16 72-03 | Panel, Dash, L.H.                               | 175     | 532 18 82-03 | Door Trap                           |
| 13      | 532 17 82-98 | Panel, Asm. Dash R.H.                           | 179     | 532 18 82-02 | Rod Pivot FBI CRD                   |
| 17      | 532 19 00-55 | Hood                                            | 184     | 532 17 46-62 | Bracket Actuator Bagger CRD         |
| 24      | 874 78 06-16 | Bolt                                            | 185     | 532 18 11-01 | Knob Rod Brake Parking              |
| 25      | 819 13 13-12 | Washer 13/32 x 13/16 x 12 Ga.                   | 186     | 532 16 07-93 | Latch Asm Mulch/Bagger              |
| 26      | 873 80 06-00 | Nut                                             | 187     | 532 12 50-04 | Nut Weld                            |
| 28      | 532 18 28-73 | Grille                                          | 188     | 819 06 12-16 | Washer #10                          |
| 29      | 532 18 82-12 | Light box Asm.<br>(Includes key nos. 258 & 259) | 189     | 810 07 10-00 | Washer Lock #10                     |
| 30      | 532 19 73-76 | Fender                                          | 190     | 871 08 10-10 | Screw Pan Hd Phillip 10-24 x 5/8    |
| 31      | 532 16 51-56 | Bracket, Fender Support                         | 198     | 532 16 89-37 | Nut, Push                           |
| 33      | 532 18 10-57 | Footrest, L.H.                                  | 205     | 817 49 06-08 | Screw Thdrol 3/8-16 x 1/2           |
| 34      | 532 18 10-58 | Footrest, R.H.                                  | 207     | 817 67 05-08 | Screw Thdrol 5/16-18 x 1/2          |
| 35      | 872 11 06-06 | Bolt                                            | 209     | 817 00 06-12 | Screw Hex Wsh Thdr 3/8-16 x 3/4     |
| 37      | 817 49 05-08 | Screw Thdrol 5/16-18 x 1/2 TYT                  | 213     | 532 17 75-87 | Skirt Grille LH                     |
| 38      | 532 18 17-48 | Bracket Asm Pivot Mower Rear                    | 214     | 532 17 75-86 | Skirt Grille RH                     |
| 58      | 532 18 98-75 | Duct Air Engine                                 | 256     | 532 18 13-61 | Cover Fender Rack CRD               |
| 64      | 532 18 43-40 | Bracket Dash Lower                              | 258     | 532 16 18-42 | Lens RH                             |
| 69      | 532 14 24-32 | Screw Hex Wsh                                   | 259     | 532 16 18-41 | Lens LH                             |
| 89      | 532 19 73-77 | Console                                         | 265     | 532 18 57-04 | Seal RH Side Bagger                 |
| 145     | 532 15 65-24 | Rod Pivot Chassis/Hood                          | 266     | 532 18 57-03 | Seal LH Side Bagger                 |
| 154     | 532 18 39-25 | Bracket Dash RH                                 | 278     | 532 19 16-11 | Screw 10 x 3/4 Single lead Hex      |
| 155     | 532 18 39-26 | Bracket Dash LH                                 | --      | 532 19 39-35 | Plug Switch Light                   |
| 161     | 532 16 46-55 | Bumper Extrusion                                |         |              |                                     |
| 162     | 532 18 03-82 | Bracket Exten Chassis Lh CRD                    |         |              |                                     |

**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm.

## REPAIR PARTS

**TRACTOR- -MODEL NO. CTH151 XP (HAUCT15H36H), PRODUCT NO. 954 17 02-30  
DRIVE**



# REPAIR PARTS

**TRACTOR- -MODEL NO. CTH151 XP (HAUCT15H36H), PRODUCT NO. 954 17 02-30  
DRIVE**

| KEY NO. | PART NO.     | DESCRIPTION                                                                | KEY NO. | PART NO.     | DESCRIPTION                         |
|---------|--------------|----------------------------------------------------------------------------|---------|--------------|-------------------------------------|
| 1       | -----        | Transaxle Hydro Gear 321-0510<br>(Order parts from transaxle manufacturer) | 82      | 532 16 57-11 | Spring, Torsion                     |
| 8       | 532 16 56-19 | Rod, Shift Fender Adjust Lt                                                | 83      | 819 17 12-16 | Washer 17/32 x 3/4 x 16 Ga.         |
| 9       | 532 18 02-20 | Clutch Ele                                                                 | 84      | 532 17 00-07 | Link, Transaxle                     |
| 10      | 876 02 04-16 | Pin, Cotter 1/8 x 1                                                        | 95      | 532 17 00-15 | Control Asm Bypass Hydro            |
| 14      | 810 04 04-00 | Washer, Lock Hvy Helical                                                   | 96      | 532 12 47-88 | Spring, Retainer 1"                 |
| 15      | 874 49 05-44 | Bolt Hex FGHD 5/16-18 x Gr. 5                                              | 112     | 819 09 12-10 | Washer 9/32 x 3/4 x 10 Ga.          |
| 16      | 873 80 05-00 | Nut, Lock Hex w/Ins 5/16-18 unc                                            | 116     | 872 14 06-08 | Bolt RDHD SQNK 3/8-16 x 1           |
| 17      | 532 12 61-97 | Washer 1-1/2 OD x 15/32 ID x .250                                          | 120     | 873 90 06-00 | Nut Lock Flg. 3/8-16 unc            |
| 19      | 873 80 06-00 | Nut Lock Hex w/Ins 3/8-16 unc                                              | 150     | 532 16 58-50 | Bushing, Bellcrank Grnd Dr          |
| 20      | 532 17 39-37 | Bolt, Hex 7/16-20 x 4 Gr. 5                                                | 151     | 819 13 32-10 | Washer 13/32 x 2 x 10 Ga.           |
| 21      | 532 12 12-74 | Knob Duckhead 1/4-13 unc Blk                                               | 156     | 532 16 60-02 | Washer Srrted 5/16ID x 1.125        |
| 22      | 532 17 56-07 | Rod, Brake                                                                 | 158     | 532 16 55-89 | Bracket Shift Mount                 |
| 24      | 873 35 06-00 | Nut                                                                        | 159     | 532 18 39-00 | Hub Shift                           |
| 25      | 532 19 20-36 | Spring, Rod, Brake                                                         | 161     | 872 14 04-06 | Bolt Rdhd Sqnk 1/4-20 x 3/4 Gr. 5   |
| 26      | 819 13 13-16 | Washer 13/32 x 7/8 x 16 Ga.                                                | 162     | 873 68 04-00 | Nut Crownlock 1/4-20 unc            |
| 27      | 876 02 04-12 | Pin, Cotter 1/8 x 3/4                                                      | 163     | 874 78 04-16 | Bolt Hex Fin 1/4-20 unc x 1 Gr. 5   |
| 28      | 532 17 57-65 | Rod, Parking Brake                                                         | 165     | 532 16 56-23 | Bracket Pivot Lever                 |
| 29      | 532 07 16-73 | Cap, Parking Brake                                                         | 166     | 817 49 05-10 | Screw 5/16-18 x 5/8                 |
| 30      | 532 16 95-92 | Bracket, Mfg. Transaxle                                                    | 167     | 532 16 55-88 | Bracket Support Shift CRD           |
| 34      | 532 17 55-78 | Shaft, Asm Pedal Foot CRD                                                  | 168     | 532 16 54-92 | Bolt Shoulder 5/16-18 x .561        |
| 35      | 532 12 01-83 | Bearing, Nylon                                                             | 169     | 532 16 55-80 | Plate Fastening Lt                  |
| 36      | 819 21 16-16 | Washer 21/32 x 1 x 16 Ga.                                                  | 171     | 817 49 06-08 | Screw Thdrol 3/8-16 x 1/2 Ty-Tt     |
| 37      | 532 12 49-63 | Pin, Roll 3/16 x 1"                                                        | 172     | 532 17 02-71 | Shaft Asm Shifter Frt CRD           |
| 38      | 532 16 59-36 | Pulley Flat Composite 3.06"                                                | 177     | 532 16 59-32 | Keeper Flat Idler 3.06" CRD         |
| 39      | 874 76 06-44 | Bolt Fin Hex 3/8-16 unc x 2-3/4                                            | 178     | 532 16 59-33 | Keeper Belt Idler 1.88" CRD         |
| 40      | 532 12 49-65 | Spacer, Split 395 x 59 Bzp                                                 | 179     | 532 12 09-58 | Washer Sintered                     |
| 42      | 819 13 13-12 | Washer 13/32 x 13/16 x 12 Ga.                                              | 180     | 532 16 56-30 | Pulley, Idler, Flat 1.88"CRD        |
| 43      | 819 11 10-12 | Washer 11/32 x 5/8 x 12 Ga.                                                | 181     | 532 18 02-11 | Bracket Idler Ground Drive CRD      |
| 47      | 532 12 77-83 | Pulley, Idler, V Groove Plasic                                             | 182     | 532 18 26-82 | Keeper Belt 2.5" Od V-Idler CRD     |
| 48      | 532 15 44-07 | Bellcrank Clutch Grnd Drv                                                  | 183     | 532 18 60-07 | Pulley V-Idler 2.50" Od CRD         |
| 49      | 532 12 32-05 | Retainer, Belt Style Spring                                                | 184     | 817 49 06-44 | Screw Hexwsh Thdrol 3/8-16 x 2-3/4  |
| 50      | 872 11 06-12 | Bolt Carr. SH 3/8-16 x 1-1/2 Gr. 5                                         | 185     | 532 17 00-08 | Link Shift                          |
| 51      | 873 68 06-00 | Nut, Crownlock 3/8-16 unc                                                  | 186     | 532 16 56-14 | Hub Tapered Round CRD               |
| 52      | 873 68 05-00 | Nut Crownlock 5/16-18                                                      | 187     | 817 58 05-20 | Screw Thdrol 5/16-18 x 1.25         |
| 53      | 532 10 57-10 | Link, Clutch 7.66                                                          | 197     | 532 16 96-13 | Nyliner Snap-In 5/8                 |
| 55      | 532 10 57-09 | Spring, Return, Clutch                                                     | 199     | 532 16 96-12 | Bolt Shoulder 5/16-18 unc           |
| 56      | 817 06 06-20 | Screw 3/8-16 x 1-1/4                                                       | 200     | 872 14 05-08 | Bolt RDHD SQNK 5/16-18 x 1          |
| 57      | 532 17 01-40 | V-Belt Kev 112" 0650 CRD                                                   | 202     | 872 11 06-14 | Bolt Carr. Sh. 3/8-16 x 1-3/4 Gr. 5 |
| 62      | 532 12 35-33 | Cover, Pedal                                                               | 207     | 532 16 98-45 | Washer Nylon Rear                   |
| 63      | 532 18 03-97 | Pulley, Engine                                                             | 212     | 532 14 52-12 | Nut Hex Flange Lock                 |
| 65      | 810 04 07-00 | Washer                                                                     | 214     | 532 17 56-09 | Shaft Asm. Brake                    |
| 66      | 532 15 47-78 | Keeper, Belt Engine F-Proof                                                | 215     | 532 17 56-52 | Rod Brake Hydro                     |
| 71      | 532 16 91-83 | Strap, Torque, Lh                                                          | 243     | 532 19 07-36 | Bracket Anti-Rotation               |
| 73      | 532 16 91-82 | Strap, Torque, Rh                                                          | 255     | 532 17 56-08 | Brace Shaft Brake Mtg.              |
| 74      | 532 13 70-57 | Spacer, Split                                                              | 258     | 532 17 80-62 | Clip Retainer                       |
| 75      | 532 12 17-49 | Washer 25/32 x 1-1/4 x 16 Ga.                                              | 259     | 532 18 02-12 | Bracket Pulley IDL Hydro Grd. Dr.   |
| 76      | 812 00 00-01 | Ring, E                                                                    | 260     | 532 18 17-81 | Bracket Idler Chassis               |
| 77      | 532 12 35-83 | Key, Square                                                                | 261     | 532 13 14-94 | Pulley Idler flat                   |
| 78      | 532 12 17-48 | Washer 25/32 x 1-5/8 x 16 Ga.                                              | 263     | 817 00 06-12 | Screw Hxwsh Thdrol 3/8-16 x 3/4 Blk |
| 81      | 532 17 00-06 | Asm, Shaft                                                                 | 254     | 817 00 06-16 | Screw 3/8-16 x 1                    |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR- -MODEL NO. CTH151 XP (HAUCT15H36H), PRODUCT NO. 954 17 02-30**  
**STEERING ASSEMBLY**



# REPAIR PARTS


TRACTOR- -MODEL NO. CTH151 XP (HAUCT15H36H), PRODUCT NO. 954 17 02-30  
STEERING ASSEMBLY

| KEY<br>NO. | PART<br>NO.  | DESCRIPTION                      |
|------------|--------------|----------------------------------|
| 1          | 532 19 36-51 | Steering Wheel                   |
| 2          | 532 18 47-06 | Front Axle Assembly              |
| 3          | 532 16 98-40 | Spindle Assembly, L.H.           |
| 4          | 532 16 98-39 | Spindle Assembly, R.H.           |
| 5          | 532 12 49-31 | Bearing, Race, Thrust, Hardened  |
| 6          | 532 12 17-48 | Washer 25/32 x 1-5/8 x 16 Ga.    |
| 8          | 812 00 00-29 | Ring, Klip                       |
| 10         | 532 17 51-21 | Link, Drag                       |
| 11         | 810 04 06-00 | Washer, Lock                     |
| 12         | 873 94 08-00 | Nut Hex Jam Toplock 1/2-20 unf   |
| 13         | 532 13 65-18 | Spacer Axle                      |
| 15         | 532 14 52-12 | Nut Hex Flange Lock              |
| 17         | 532 17 78-83 | Shaft Assembly, Steering         |
| 29         | 817 00 06-12 | Screw 3/8-16 x 3/4               |
| 32         | 532 17 18-88 | Rod, Tie                         |
| 33         | 819 11 12-16 | Washer 11/32 x 3/4 x 16 Ga.      |
| 34         | 810 04 05-00 | Washer Lock Hvy Hlcl Spr 5/16    |
| 35         | 873 54 05-00 | Crownlock Nut 5/16-24 unf        |
| 36         | 532 14 52-07 | Bushing, Steering                |
| 37         | 532 15 29-27 | Screw TT #10-32 x 5 x 3/8 Flange |
| 38         | 532 19 36-52 | Cap Wheel Steer                  |
| 39         | 819 18 38-12 | Washer ID x 2-3/8 OD 12 Ga. Zin  |
| 40         | 873 54 06-00 | Nut Crownlock 3/8-24             |
| 41         | 532 18 67-37 | Adaptor, Steering Wheel          |
| 42         | 532 19 01-12 | Boot, Steering                   |
| 43         | 532 12 17-49 | Washer 25/32 x 1-1/4 x 16 Ga.    |
| 46         | 532 19 56-02 | Cap, Spindle                     |
| 65         | 532 16 03-67 | Spacer Axle                      |
| 67         | 872 11 06-18 | Bolt Rdhd Sq 3/8-16 x 2-1/4      |
| 68         | 532 16 98-27 | Brace Axle                       |
| 71         | 532 17 51-46 | Steering Asm.                    |
| 82         | 532 16 98-35 | Bracket Susp. Chassis Front      |
| 87         | 532 17 39-66 | Washer Flat .781 x 1-1/2 x .14   |
| 88         | 532 17 51-18 | Bolt Shoulder 7/16-20 unc        |
| 91         | 532 17 55-53 | Clip Steering                    |
| 95         | 532 18 89-67 | Washer                           |

**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm.

# REPAIR PARTS

TRACTOR- -MODEL NO. CTH151 XP (HAUCT15H36H), PRODUCT NO. 954 17 02-30  
ENGINE



# REPAIR PARTS


TRACTOR- -MODEL NO. CTH151 XP (HAUCT15H36H), PRODUCT NO. 954 17 02-30  
ENGINE

| KEY<br>NO. | PART<br>NO.  | DESCRIPTION                                                   |
|------------|--------------|---------------------------------------------------------------|
| 1          | 532 17 83-85 | Control Throttle                                              |
| 2          | 532 17 18-75 | Screw Hwhd Hi-Lo #13-16 x 5/8                                 |
| 3          | -----        | Engine Kawa FH430V<br>(Order parts from engine manufacturer)  |
| 4          | 532 14 97-23 | Muffler Twin Lo-Twin                                          |
| 5          | 532 18 14-44 | Tube, Exhaust Lh                                              |
| 6          | 532 18 14-42 | Tube, Exhaust Rh                                              |
| 8          | 532 17 18-77 | Bolt 5/16-18 unc x 3/4 w/Sems                                 |
| 10         | 532 14 66-29 | Shield Browning Intek                                         |
| 13         | -----        | Gasket Muffler<br>(Order parts from engine manufacturer)      |
| 14         | 532 14 84-56 | Tube Drain Oil Easy                                           |
| 23         | 532 16 98-37 | Shield Brn/Dbr Guard                                          |
| 25         | 532 19 15-96 | Choke Control                                                 |
| 29         | 532 13 71-80 | Kit Spark Arrestor (Flat Scrn)                                |
| 31         | 532 18 55-34 | Tank Fuel 2.00                                                |
| 32         | 532 14 05-27 | Cap Asm Fuel W/sym Vented                                     |
| 33         | 532 12 34-87 | Clamp Hose Blk                                                |
| 37         | 532 13 70-40 | Line Fuel                                                     |
| 38         | -----        | Plug Drain Oil Easy<br>(Order parts from engine manufacturer) |
| 44         | 817 67 04-12 | Screw Hexwsh Thdrol 1/4-20 x 3/4                              |
| 45         | 817 00 06-12 | Screw Hexwsh Thdrol 3/8-16 x 3/4                              |
| 46         | 819 09 14-16 | Washer 9/32 x 7/8 x 16 Ga.                                    |
| 81         | 873 5104-00  | Nut Keps Hex 1/4-20 unc                                       |
| 101        | 532 18 43-62 | Nut Flange M8-1.25                                            |
| 105        | 817 12 06-16 | Screw 3/8-16 x 1 SMGML TAP/R                                  |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# REPAIR PARTS

TRACTOR- -MODEL NO. CTH151 XP (HAUCT15H36H), PRODUCT NO. 954 17 02-30  
SEAT ASSEMBLY



seat\_lt.knob\_7(CRD)


| KEY NO. | PART NO.     | DESCRIPTION                    |
|---------|--------------|--------------------------------|
| 1       | 532 18 87-15 | Seat                           |
| 2       | 532 14 05-51 | Bracket Pnt Pivot Seat (blk )  |
| 3       | 871 11 06-16 | Bolt Fin Hex 3/8-16 x 1 Blk    |
| 4       | 819 13 16-10 | Washer Flat 13/32 x 1 x 10 Ga. |
| 5       | 532 14 50-06 | Clip Push In Hinged            |
| 6       | 873 80 06-00 | Nut Lock Hex w/Insert 3/8-16   |
| 7       | 532 12 41-81 | Spring Seat Cprsn 2 250 Blk Zi |
| 8       | 817 00 06-16 | Screw 3/8-16 x 1.5             |
| 9       | 819 13 16-14 | Washer 13/32 x 1 x 14 Ga.      |
| 10      | 532 18 24-93 | Pan Pnt Seat                   |
| 11      | 532 16 63-69 | Knob Seat Adj. Wingnut         |
| 12      | 532 12 12-46 | Bracket Pnt Mounting Switch    |

| KEY NO. | PART NO.     | DESCRIPTION                     |
|---------|--------------|---------------------------------|
| 13      | 532 12 12-48 | Bushing Snap Blk Nyl 50 Id      |
| 14      | 872 05 04-12 | Bolt Rdhd Sht Nk 1/4-20 x 1-1/2 |
| 15      | 532 12 12-49 | Spacer Split                    |
| 16      | 532 12 37-40 | Spring Cprsn                    |
| 17      | 532 12 39-76 | Nut Lock 1/4 Lge Flg Gr. 5 Zinc |
| 21      | 532 17 18-52 | Bolt Shoulder 5/16-18 unc-2A    |
| 22      | 873 80 05-00 | Nut Hex Lock w/Ins 5/16-18      |
| 24      | 819 17 19-12 | Washer 17/32 x 1-3/16 x 12 Ga.  |
| 25      | 532 12 70-18 | Bolt Shoulder 5/16-18 x 62      |

**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm


# REPAIR PARTS

TRACTOR- -MODEL NO. CTH151 XP (HAUCT15H36H), PRODUCT NO. 954 17 02-30  
DECALS



| KEY NO. | PART NO.     | DESCRIPTION                   | KEY NO. | PART NO.            | DESCRIPTION                  |
|---------|--------------|-------------------------------|---------|---------------------|------------------------------|
| 1       | 532 14 54-98 | Decal Read Owner's Manual Sym | 14      | 532 15 97-36        | Decal Chassis Hot Muffler    |
| 3       | 532 18 89-21 | Decal Hood                    | 17      | 532 14 08-37        | Decal Saddle Brake Parking   |
| 5       | 532 18 89-25 | Decal Wheel Steering          | 20      | 532 16 69-60        | Decal Bypass Fender CRD      |
| 7       | 532 19 11-58 | Decal Panel Side              | 21      | 532 16 62-86        | Decal Hex Belt Sch 92 CRD    |
| 8       | 532 16 88-69 | Decal Tick Mark               | --      | 532 18 04-35        | Decal Rear plate CRD Symbols |
| 9       | 532 18 99-12 | Decal Fender Logo             | --      | 532 18 26-21        | Decal Bagger Frame           |
| 10      | 532 14 50-05 | Decal Bat Dan/Poi P/L Sym Wpn | --      | 532 18 10-90        | Pad Footrest RH              |
| 11      | 532 18 21-66 | Decal Mower Cut Finger Symbol | --      | 532 18 10-91        | Pad Footrest LH              |
| 12      | 532 15 97-37 | Decal Brake/Clutch Symbol Lt  | --      | <b>532 19 89-57</b> | Manual Owner's (Eng)         |

## WHEELS & TIRES




| KEY NO. | PART NO.     | DESCRIPTION                     |
|---------|--------------|---------------------------------|
| 1       | 532 05 91-92 | Cap Value Tire                  |
| 2       | 532 06 51-39 | Stem Value                      |
| 3       | 532 10 62-22 | Tire F Ts 15 x 6.0 - 6 Service  |
| 4       | 532 05 99-04 | Tube Inner Front #35060         |
| 5       | 532 13 83-36 | Rim Asm 6" front Silver Service |
| 6       | 532 12 49-57 | Fitting Grease                  |
| 7       | 532 12 49-59 | Bearing Flange                  |
| 8       | 532 13 83-37 | Rim Asm 8" rear Silver Service  |
| 9       | 532 12 20-82 | Tire R Ts 20 x 10-8 Service     |
| 10      | 532 12 49-26 | Tube Rear 9.5 x 8 Service       |
| 11      | 532 17 50-39 | Cap Axle Blk 1 50 x 1 00        |
| --      | 532 14 43-34 | Sealant, Tire (10 oz. tube)     |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

## REPAIR PARTS

**TRACTOR- -MODEL NO. CTH151 XP (HAUCT15H36H), PRODUCT NO. 954 17 02-30  
MOWER**



36(92cm)\_deck-elect.(CRD)

# REPAIR PARTS


TRACTOR- -MODEL NO. CTH151 XP (HAUCT15H36H), PRODUCT NO. 954 17 02-30  
MOWER

| KEY<br>NO. | PART<br>NO.  | DESCRIPTION                                                                                              |
|------------|--------------|----------------------------------------------------------------------------------------------------------|
| 1          | 532 16 55-52 | Housing Asm. Mower                                                                                       |
| 2          | 872 14 05-06 | Bolt Rdhd Sqnk 5/16-18 unc x 3/4                                                                         |
| 3          | 532 16 55-69 | Bracket Asm. S-Bar Chass                                                                                 |
| 4          | 532 16 55-58 | Bracket Bar Sway Deck                                                                                    |
| 5          | 532 12 46-70 | Retainer Spring                                                                                          |
| 6          | 532 16 55-57 | Bar Sway                                                                                                 |
| 8          | 532 18 17-12 | Bolt 3/8-24 x 1.25 Gr. 8 Patched                                                                         |
| 9          | 810 03 06-00 | Washer Lock Hvy 3/8 Unplated                                                                             |
| 10         | 532 14 02-96 | Washer Head Blade Mower                                                                                  |
| 11         | 532 18 63-85 | Blade 3-1 Lh                                                                                             |
| 13         | 532 13 76-45 | Shaft Asm. W/Lower Bearing                                                                               |
| 14         | 532 12 87-74 | Housing Mandrel Vented (Machd)                                                                           |
| 15         | 532 11 04-85 | Bearing Ball Mandrel                                                                                     |
| 16         | 532 18 63-86 | Blade 3-1 Rh                                                                                             |
| 17         | 872 14 06-10 | Bolt Carriage 3/8-16 x 1-1/4                                                                             |
| 18         | 872 11 06-06 | Bolt Rdhd Sqnk 3/8-16 x 3/4                                                                              |
| 19         | 532 13 28-27 | Bolt Shoulder 5/16-18 Thd Form                                                                           |
| 20         | 532 18 17-13 | Bolt 3/8-24 x 1.25 Gr. 8 Ptch Lhthd                                                                      |
| 21         | 873 68 05-00 | Nut Crown Lock 5/16-18                                                                                   |
| 22         | 532 16 52-43 | Bracket Idler Sprr RR                                                                                    |
| 23         | 532 16 54-46 | Bracket Idler Sprr RF                                                                                    |
| 24         | 532 16 52-42 | Bracket Suspension LF                                                                                    |
| 25         | 532 16 52-44 | Bracket Suspension RF                                                                                    |
| 26         | 532 16 52-37 | Brace Support Susp Frt CRD                                                                               |
| 27         | 532 16 55-68 | Bracket Asm. Susp RR                                                                                     |
| 28         | 532 16 55-67 | Bracket Asm. Susp LR                                                                                     |
| 30         | 532 17 39-84 | Screw Thd Rolling Washer Head                                                                            |
| 31         | 532 18 76-90 | Washer Spacer                                                                                            |
| 32         | 532 15 35-31 | Mandrel Pulleys 36 & 46                                                                                  |
| 33         | 532 17 83-42 | Nut Flg Top Lock                                                                                         |
| 34         | 532 16 52-39 | Bracket Gauge Wheel Lf                                                                                   |
| 35         | 532 16 52-38 | Bracket Gauge Wheel Rf                                                                                   |
| 36         | 532 14 67-63 | Pulley Idler V-Groove Dim 4.25                                                                           |
| 40         | 873 68 06-00 | Nut Crownlock 3/8-16 unc                                                                                 |
| 41         | 873 90 06-00 | Nut Crownlock 3/8-16 unc                                                                                 |
| 44         | 532 17 55-38 | Cover Mandrel Lh                                                                                         |
| 45         | 532 17 55-39 | Cover Mandrel Rh                                                                                         |
| 46         | 532 13 77-29 | Screw Thd Roll 1/4-20 x 5/8                                                                              |
| 55         | 532 16 54-45 | Arm Idler                                                                                                |
| 56         | 532 16 57-23 | Spacer Retainer PM Mower                                                                                 |
| 61         | 532 16 59-45 | Spring Tension Belt                                                                                      |
| 68         | 532 18 02-17 | Hex-Belt 92 Mower                                                                                        |
| 69         | 532 16 54-82 | Shaft Asm W/Lwr Brg Rh Thd CRD                                                                           |
| 84         | 532 15 60-85 | Keeper Belt Idler                                                                                        |
| 116        | 532 18 42-19 | Bolt Shoulder                                                                                            |
| 117        | 532 13 39-57 | Wheel Gage Donut Wide                                                                                    |
| 118        | 873 93 06-00 | Nut Centerlock 3/8-16 unc                                                                                |
| 119        | 819 12 14-14 | Washer 3/8 x 7/8 x 14 Ga.                                                                                |
| 124        | 872 11 06-12 | Bolt Carr Sh 3/8-16 x 1-1/2 Gr. 5                                                                        |
| 130        | 872 11 05-06 | Bolt Rdhdsqnk 5/16-18 unc x 3/4                                                                          |
| 131        | 532 16 56-61 | Chute Bagger CRD                                                                                         |
| --         | 532 18 18-57 | Mandrel Asm Service                                                                                      |
| --         | 532 18 18-58 | Mandrel Asm CRD Lh Threads SVC                                                                           |
| --         | 532 18 99-49 | Replacement Mower Complete- -<br>(Std. deck Order separately gauge wheel<br>components Key Nos. 116-119) |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# REPAIR PARTS

TRACTOR- -MODEL NO. CTH151 XP (HAUCT15H36H), PRODUCT NO. 954 17 02-30  
MOWER LIFT



lift-rh.1piece\_9


| KEY NO. | PART NO.     | DESCRIPTION                       |
|---------|--------------|-----------------------------------|
| 1       | 532 19 84-17 | Washer Asm Inner Spring W/Plunger |
| 2       | 532 19 80-70 | Shaft Asm. Lift                   |
| 3       | 532 18 88-22 | Pin Groove                        |
| 4       | 812 00 00-02 | E Ring #5133-62                   |
| 5       | 819 21 16-21 | Washer 21/32 x 1 x 21 Ga.         |
| 6       | 532 12 01-83 | Bearing Nylon                     |
| 7       | 532 12 56-31 | Grip Handle Fluted                |
| 8       | 532 12 45-26 | Button Plunger Black              |
| 11      | 532 16 58-29 | Link Asm Lift L.H.                |
| 12      | 532 16 58-31 | Link Asm Lift R.H.                |
| 13      | 532 12 46-70 | Retainer Spring                   |
| 15      | 532 17 32-88 | Link Front                        |
| 16      | 873 35 08-00 | Nut Jam Hex 1/2-13 unc            |
| 17      | 532 17 56-89 | Trunnion Blk Zinc                 |
| 18      | 873 80 08-00 | Nut Lock w/wsh 1/2-13 unc         |
| 19      | 532 13 98-68 | Arm Suspension Mower              |
| 20      | 532 19 42-09 | Pin Cotter 7/16 Bow Tie Lock      |
| 23      | 532 11 08-07 | Nut Special                       |

| KEY NO. | PART NO.     | DESCRIPTION                   |
|---------|--------------|-------------------------------|
| 24      | 819 13 10-16 | Washer 13/32 x 5/8 x 16 Ga.   |
| 25      | 532 13 71-50 | Spring                        |
| 26      | 532 16 94-84 | Retainer Clip                 |
| 27      | 532 13 71-67 | Rod Adj Lift                  |
| 28      | 873 35 06-00 | Nut Hex Jam 3/8-16 unc        |
| 29      | 532 13 80-57 | Knob Inf 3/8-16 Unc Blk w/sym |
| 30      | 532 15 02-33 | Trunnion Infin Height         |
| 31      | 532 16 98-65 | Bearing, Pvt. Lift.           |
| 32      | 873 54 06-00 | Nut Crownlock 3/8-24          |
| 36      | 532 15 50-97 | Pointer Height Indicator      |
| 37      | 532 12 39-35 | Plug Hole Blk 1.485/1.515 Dia |
| 38      | 817 06 05-16 | Screw 5/16-18 x 1             |
| 40      | 819 11 24-10 | Washer 11/32 x 1-1/2 x 10 Ga. |
| 41      | 532 12 39-34 | Scale Ind Height Blk          |
| 49      | 532 14 52-12 | Nut hex Flange Lock           |
| 50      | 532 11 04-52 | Nut Push Phos & Oil           |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# REPAIR PARTS

TRACTOR- -MODEL NO. CTH151 XP (HAUCT15H36H), PRODUCT NO. 954 17 02-30  
BAGGER



| KEY NO. | PART NO.     | DESCRIPTION                           | KEY NO. | PART NO.     | DESCRIPTION                    |
|---------|--------------|---------------------------------------|---------|--------------|--------------------------------|
| 1       | 532 16 52-49 | Tube Handle Bagger CRD                | 24      | 532 16 57-83 | Tube Pivot Bagger CRD          |
| 2       | 872 14 04-16 | Bolt Carriage 1/4-20 x 2.0 Gr. 5      | 25      | 532 18 01-24 | Tube Front Bagger CRD          |
| 3       | 532 12 39-76 | Nut Lock 1/4 Lge Flg Gr. 5 Zinc       | 26      | 532 16 57-85 | Tube Lower Bagger CRD          |
| 4       | 532 16 99-16 | Handle Bagger w/Lvrs Blk CRD          | 28      | 532 16 57-87 | Grip Handle Black              |
| 5       | 874 98 10-24 | Screw Pan Head #10-24 x 1.50 Blk      | 31      | 532 16 94-84 | Retainer Clip                  |
| 6       | 874 98 10-32 | Screw Pan Hd                          | 32      | 532 12 68-75 | Rivet Rd Hd Drilled 3/8 Dia    |
| 7       | 873 40 10-00 | Nut Wiz Lock Hex Serr/Hd 10-24        | 33      | 532 16 55-71 | Plug Mulcher 92 CRD            |
| 8       | 532 18 10-95 | Cover Bagger                          | 34      | 532 16 55-70 | Handle Mulcher                 |
| 9       | 872 14 04-18 | Bolt Carriage 1/4-20 x 2.25 d x Gr. 5 | 35      | 532 16 55-72 | Pin Mulcher                    |
| 10      | 532 18 12-82 | Tube Support Bagger CRD               | 36      | 819 13 20-12 | Washer 13/32 x 1-1/4 x 12 Ga.  |
| 11      | 532 16 57-19 | Bracket Support Upper Bag CRD         | 37      | 532 17 54-01 | Plug Support Bagger CRD        |
| 12      | 532 18 88-48 | Bracket Pivot Lh                      | 38      | 872 01 05-20 | Bolt 5/16-18 x 2-1/2           |
| 15      | 532 12 46-70 | Retainer Spring                       | 39      | 532 18 09-85 | Seal Trim                      |
| 17      | 872 14 05-06 | Bolt Rdhd Sht Sqnk 5/16 -18 unc x 3/4 | 41      | 532 16 96-83 | Bracket Pnt Adj Pvt Bagger CRD |
| 19      | 873 90 05-00 | Nut Lock Hex Flange 5/16-18           | 43      | 532 17 40-83 | Plug Tubing End                |
| 20      | 532 18 88-47 | Bracket Pivot Rh                      | 44      | 532 19 33-12 | Pin Clevis 3/8 x 11/16         |
| 21      | 532 18 08-80 | Bag Asm CRD                           | 45      | 532 19 33-13 | Pin Clevis 3/8 x 2.00          |
| 22      | 532 16 57-81 | Bracket Side Bagger CRD               |         |              |                                |
| 23      | 532 16 57-82 | Tube Upper Bagger CRD                 |         |              |                                |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm