

# CTH171

**Spare parts**

**Ersatzteile**

**Pièces détachées**

**Reserve onderdelen**

**Repuestos**

**Reservdelar**


**GPL<sup>®</sup>**

# ILLUSTRATED PARTS LIST

**MFG. ID NO. 96061018303**


**CUSTOMER CATALOG NO. CTH171**

**PRODUCT NO. 960 61 01-83**



413388


**TRACTOR - - MODEL NO. CTH171 (96061018303), PRODUCT NO. 960 61 01-83**  
**DECALS 27**



| KEY NO. | PART NO.     | DESCRIPTION                   |
|---------|--------------|-------------------------------|
| 1       | 532 40 96-39 | Decal Side Panel              |
| 2       | 532 40 03-89 | Decal Warning Symbols CE      |
| 3       | 532 40 28-32 | Decal Hood                    |
| 4       | 532 41 33-88 | Decal Replacement             |
| 6       | 532 19 68-41 | Decal Warning Engine Symbols  |
| 8       | 532 15 97-37 | Decal Brake/Clutch Symbol     |
| 10      | 532 14 50-05 | Decal Bat Dan/Poi P/L Sym Wpn |
| 11      | 532 18 21-66 | Decal Mower Cut Finger Symbol |
| 12      | 532 18 04-32 | Decal Fender 100 DB/CE        |
| 13      | 532 16 62-86 | Decal Belt Schematic          |
| 14      | 532 15 97-36 | Decal Chassis Hot Muffler     |

| KEY NO. | PART NO.     | DESCRIPTION                |
|---------|--------------|----------------------------|
| 15      | 532 19 68-42 | Decal Warning Cut Finger   |
| 17      | 532 14 08-37 | Decal Saddle Brake Parking |
| 20      | 532 16 69-60 | Decal Bypass Fender        |
| --      | 532 13 83-11 | Decal Lift Handle          |
| --      | 532 18 19-16 | Pad Footrest LH            |
| --      | 532 18 19-17 | Pad Footrest RH            |
| --      | 532 40 91-87 | Manual Operator's (Euro)   |
| --      | 532 40 91-88 | Manual Operator's (Scan)   |
| --      | 532 40 91-89 | Manual Operator's (E-Bloc) |
| --      | 532 40 91-90 | Manual Operator's (Baltic) |

**WHEELS & TIRES**




| KEY NO. | PART NO.     | DESCRIPTION                    |
|---------|--------------|--------------------------------|
| 1       | 532 05 91-92 | Cap Valve Tire                 |
| 2       | 532 06 51-39 | Stem Valve                     |
| 3       | 532 10 62-22 | Tire F Ts 15 x 6 0 - 6 Service |
| 4       | 532 05 99-04 | Tube Inner Front #35060        |
| 5       | 532 13 83-36 | Rim Asm 6" Front Service       |
| 6       | 532 12 49-57 | Fitting Grease                 |
| 7       | 532 12 49-59 | Bearing Flange                 |
| 8       | 532 13 83-37 | Rim Asm 8" Rear Service        |
| 9       | 532 12 20-82 | Tire R Ts 20 x 10- 8 Service   |
| 10      | 532 12 49-26 | Tube Rear 9 5 x 8 Service      |
| 11      | 532 17 50-39 | Cap Axle Blk 1 50 x 1 00       |
| --      | 532 14 43-34 | Sealant, Tire (10 oz. tube)    |

**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm


TRACTOR - - MODEL NO. CTH171 (96061018303), PRODUCT NO. 960 61 01-83  
SCHEMATIC 38

SCH05



TRACTOR - - MODEL NO. CTH171 (96061018303), PRODUCT NO. 960 61 01-83  
ELECTRICAL **32**

C03




**TRACTOR - - MODEL NO. CTH171 (96061018303), PRODUCT NO. 960 61 01-83**  
**ELECTRICAL 32**

| KEY NO. | PART NO.     | DESCRIPTION                       |
|---------|--------------|-----------------------------------|
| 1       | 532 16 34-65 | Battery                           |
| 2       | 874 76 04-12 | Bolt Hex Hd 1/4-20 unc x 3/4      |
| 16      | 532 17 61-38 | Switch Interlock                  |
| 21      | 532 40 02-52 | Harness Asm Light w/4152J         |
| 22      | 532 00 41-52 | Bulb Light #1156                  |
| 24      | 532 12 47-80 | Cable Starter 6 Ga. 11" Red       |
| 25      | 532 16 59-87 | Cable Battery CRD 56" Red         |
| 26      | 532 17 51-58 | Fuse                              |
| 27      | 873 51 04-00 | Nut Keps Hex 1/4-20 unc           |
| 28      | 532 12 77-25 | Cable Ground 6 Ga. 18" Black      |
| 29      | 532 19 27-49 | Switch Seat                       |
| 30      | 532 19 33-50 | Switch Ignition                   |
| 33      | 532 41 19-35 | Key/Chain                         |
| 34      | 532 11 07-12 | Switch Light                      |
| 40      | 532 19 74-34 | Harness Ign                       |
| 41      | 871 11 04-08 | Bolt Flk Fin Hex 1/4-20 unc x 1/2 |
| 42      | 532 13 15-63 | Cover Terminal Red                |
| 43      | 532 19 25-07 | Solenoid                          |
| 48      | 532 14 08-44 | Adapter Ammeter Rectangular       |
| 50      | 532 17 46-51 | Switch PTO                        |
| 58      | 532 16 94-19 | Buzzer CRD                        |
| 59      | 532 18 03-79 | Switch FBI CRD                    |
| 66      | 817 49 06-08 | Screw Thdrol 3/8-16 x 1/2 Ty-Tt   |
| 79      | 532 17 52-42 | Socket Asm Bulb                   |
| 81      | 532 10 97-48 | Relay Asm                         |
| 92      | 532 19 66-15 | Harness Pigtail                   |
| 93      | 532 19 25-40 | Screw Plastite 10-14 x 2.0        |
| 94      | 532 19 18-34 | Module Reverse                    |
| --      | 532 41 11-15 | Plug, Dash, SRVMNDR               |

**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm.

**TRACTOR - - MODEL NO. CTH171 (96061018303), PRODUCT NO. 960 61 01-83**  
**CHASSIS AND ENCLOSURES 39**






**TRACTOR - - MODEL NO. CTH171 (96061018303), PRODUCT NO. 960 61 01-83  
CHASSIS AND ENCLOSURES 39**

| KEY NO. | PART NO.     | DESCRIPTION                                  | KEY NO. | PART NO.     | DESCRIPTION                         |
|---------|--------------|----------------------------------------------|---------|--------------|-------------------------------------|
| 1       | 532 17 46-20 | Chassis                                      | 171     | 872 14 06-20 | Bolt Rdhd Sqnk 3/8-16 x 2-1/2 Gr. 5 |
| 2       | 532 18 03-84 | Drawbar                                      | 172     | 819 13 20-16 | Washer 13/32 x 1-1/4 x 16 Ga.       |
| 3       | 817 06 06-12 | Screw 3/8-16 x 3/4                           | 173     | 873 51 06-00 | Nut, Keps Hex 3/8-16 unc            |
| 6       | 532 18 44-19 | Saddle                                       | 175     | 532 18 82-03 | Door Trap                           |
| 8       | 532 12 64-71 | Clip Insulator 13/32 Mtg. Hole               | 179     | 532 18 82-02 | Rod Pivot FBI CRD                   |
| 9       | 532 40 94-67 | Dash, Upper                                  | 184     | 532 17 46-62 | Bracket Actuator Bagger CRD         |
| 10      | 872 14 06-08 | Bolt, Carriage 3/8-16 x 3/4                  | 185     | 532 18 11-01 | Knob Rod Brake Parking              |
| 11      | 532 17 49-96 | Panel, Dash, LH                              | 186     | 532 16 07-93 | Latch Asm Mulch/Bagger              |
| 13      | 532 17 21-06 | Panel, Asm. Dash RH                          | 187     | 532 12 50-04 | Nut Weld                            |
| 15      | 874 18 05-12 | Screw, Machine, Truss Head 5/16-18 unc x 3/4 | 188     | 819 06 12-16 | Washer #10                          |
| 16      | 873 51 05-00 | Nut Keps 5/16-18 unc                         | 189     | 810 07 10-00 | Washer Lock #10                     |
| 17      | 532 41 10-73 | Hood                                         | 190     | 871 08 10-10 | Screw Pan Hd Phillip 10-24 x 5/8    |
| 18      | 532 40 47-42 | Bumper Hood                                  | 198     | 532 16 89-37 | Nut, Push                           |
| 24      | 874 78 06-16 | Bolt                                         | 205     | 817 49 06-08 | Screw Thdrol 3/8-16 x 1/2           |
| 25      | 819 13 13-12 | Washer 13/32 x 13/16 x 12 Ga.                | 207     | 817 67 05-08 | Screw Thdrol 5/16-18 x 1/2          |
| 26      | 873 80 06-00 | Nut                                          | 208     | 817 67 06-08 | Screw Thdrol 3/8-16 x 1/2           |
| 28      | 532 40 66-67 | Grille/Lens Asm                              | 209     | 817 00 06-12 | Screw Hex Wsh Thdrol 3/8-16         |
| 30      | 532 19 73-76 | Fender                                       | 212     | 532 40 66-65 | Insert Lens Reflect                 |
| 31      | 532 16 51-56 | Bracket, Fender Support                      | 213     | 532 41 10-77 | Side Skirt LH                       |
| 33      | 532 18 10-57 | Footrest, LH                                 | 214     | 532 41 10-76 | Side Skirt RH                       |
| 34      | 532 18 10-58 | Footrest, RH                                 | 216     | 817 67 04-12 | Screw Hex Wsh Thdrol 1/4-20 x 3/4   |
| 35      | 872 11 06-06 | Bolt                                         | 256     | 532 18 13-61 | Cover Fender Rack                   |
| 37      | 817 49 05-08 | Screw Thdrol 5/16-18 x 1/2 TYT               | 258     | 532 41 10-78 | Lens RH                             |
| 38      | 532 18 17-48 | Bracket Asm Pivot Mower Rear                 | 259     | 532 41 10-79 | Lens LH                             |
| 39      | 532 40 78-07 | Bracket Pivot                                | 265     | 532 18 57-04 | Seal RH Side Bagger                 |
| 58      | 532 40 75-37 | Duct Air                                     | 266     | 532 18 57-03 | Seal LH Side Bagger                 |
| 64      | 532 40 81-27 | Dash Lower                                   | 272     | 532 41 10-74 | Vent Hood RH                        |
| 69      | 532 14 24-32 | Screw HxWsh Hi-Lo                            | 273     | 532 41 10-75 | Vent Hood LH                        |
| 89      | 532 19 75-31 | Console CRD                                  | 278     | 532 19 16-11 | Screw 10 x 3/4 Single Lead Hex      |
| 145     | 532 40 91-67 | Rod Pivot Chassis/Hood                       | 294     | 532 40 75-90 | Bumper Hood/Dash                    |
| 154     | 532 40 81-22 | Bracket Mounting Dash RH                     | 295     | 532 41 11-16 | Vent Top Hood                       |
| 155     | 532 40 81-23 | Bracket Mounting Dash LH                     | 296     | 532 41 11-19 | Trim                                |
| 162     | 532 18 03-82 | Bracket Exten Chassis RH CRD                 | 297     | 532 19 91-45 | Clip Retainer                       |
| 163     | 532 18 03-83 | Bracket Exten Chassis LH CRD                 | 298     | 532 11 04-52 | Nut Push                            |
| 164     | 532 16 56-05 | Support Battery CRD                          | 299     | 532 40 50-12 | Logo Husq Crown Grill               |
| 165     | 532 18 11-00 | Cover Battery                                | --      | 532 18 78-01 | Plug Dome Plastic                   |
| 170     | 532 19 94-88 | Backplate CRD                                |         |              |                                     |

**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm.



TRACTOR - - MODEL NO. CTH171 (96061018303), PRODUCT NO. 960 61 01-83  
 DRIVE **40**




**TRACTOR - - MODEL NO. CTH171 (96061018303), PRODUCT NO. 960 61 01-83**  
**DRIVE 40**

| KEY NO. | PART NO.     | DESCRIPTION                         | KEY NO. | PART NO.     | DESCRIPTION                        |
|---------|--------------|-------------------------------------|---------|--------------|------------------------------------|
| 1       | -----        | Transaxle Hydro Gear 321-0510       | 96      | 532 12 47-88 | Spring, Retainer 1"                |
| 8       | 532 19 27-06 | Rod, Shift Fender Adjust Lt         | 112     | 819 09 12-10 | Washer 9/32 x 3/4 x 10 Ga.         |
| 9       | 532 19 81-43 | Clutch Elect                        | 120     | 873 90 06-00 | Nut Lock Flg. 3/8-16 unc           |
| 10      | 876 02 04-16 | Pin, Cotter 1/8 x 1                 | 150     | 532 16 58-50 | Bushing, Bellcrank Grnd Dr         |
| 14      | 810 04 04-00 | Washer, Lock Hvy Helical            | 151     | 819 13 32-10 | Washer 13/32 x 2 x 10 Ga.          |
| 15      | 874 49 05-44 | Bolt Hex FGHD 5/16-18 x Gr. 5       | 156     | 532 16 60-02 | Washer Srrted 5/16 ID x 1.125      |
| 16      | 873 80 05-00 | Nut Lock Hex w/Ins 5/16-18 unc      | 158     | 532 16 55-89 | Bracket Shift Mount                |
| 17      | 532 12 61-97 | Washer 1-1/2 OD x 15/32 ID x .250   | 159     | 532 18 39-00 | Hub Shift                          |
| 19      | 873 80 06-00 | Nut Lock Hex w/Ins 3/8-16 unc       | 161     | 872 14 04-06 | Bolt Rdhd Sqnk 1/4-20 x 3/4 Gr. 5  |
| 20      | 532 17 39-37 | Bolt Hex 7/16-20 x 4 x Gr. 5-1      | 162     | 873 68 04-00 | Nut Crownlock 1/4-20 unc           |
| 21      | 532 12 12-74 | Knob Duckhead 1/4-13 unc Blk        | 163     | 874 78 04-16 | Bolt Hex Fin 1/4-20 unc x 1 Gr. 5  |
| 22      | 532 17 56-07 | Rod, Brake                          | 165     | 532 16 56-23 | Bracket Pivot Lever                |
| 24      | 873 35 06-00 | Nut                                 | 166     | 817 49 05-10 | Screw 5/16-18 x 5/8                |
| 25      | 532 19 20-36 | Spring, Rod, Brake                  | 167     | 532 16 55-88 | Bracket Support Shift CRD          |
| 27      | 876 02 04-12 | Pin, Cotter 1/8 x 3/4               | 168     | 532 16 54-92 | Bolt Shoulder 5/16-18 x .561       |
| 28      | 532 17 57-65 | Rod, Parking Brake                  | 169     | 532 16 55-80 | Plate Fastening Lt                 |
| 29      | 532 12 42-36 | Cap, Parking Brake Red              | 171     | 817 49 06-08 | Screw Thdrol 3/8-16 x 1/2 Ty-Tt    |
| 30      | 532 16 95-92 | Bracket, Mfg. Transaxle             | 172     | 532 17 02-71 | Shaft Asm Shifter Frt CRD          |
| 34      | 532 17 55-78 | Shaft, Asm Pedal Foot CRD           | 177     | 532 16 59-32 | Keeper Flat Idler 3.06" CRD        |
| 35      | 532 12 01-83 | Bearing, Nylon                      | 181     | 532 18 02-11 | Bracket Idler Ground Drive CRD     |
| 36      | 819 21 16-16 | Washer 21/32 x 1 x 16 Ga.           | 182     | 532 18 26-82 | Keeper Belt 2.5" Od V-Idler CRD    |
| 37      | 532 12 49-63 | Pin, Roll 3/16 x 1"                 | 183     | 532 19 95-32 | Pulley V-Idler                     |
| 38      | 532 16 59-36 | Pulley Flat Composite 3.06"         | 185     | 532 17 00-08 | Link Shift                         |
| 39      | 874 76 06-44 | Bolt Fin Hex 3/8-16 unc x 2-3/4     | 186     | 532 16 56-14 | Hub Tapered Round CRD              |
| 40      | 532 12 49-65 | Spacer, Split 395 x 59 Bzp          | 187     | 817 58 05-20 | Screw Thdrol 5/16-18 x 1.25        |
| 42      | 819 13 13-12 | Washer 13/32 x 13/16 x 12 Ga.       | 197     | 532 16 96-13 | Nyliner Snap-In 5/8                |
| 43      | 819 11 10-12 | Washer 11/32 x 5/8 x 12 Ga.         | 199     | 532 16 96-12 | Bolt Shoulder 5/16-18 unc          |
| 47      | 532 12 77-83 | Pulley, Idler, V Groove Plastic     | 200     | 872 14 05-08 | Bolt RDHD SQNK 5/16-18 x 1         |
| 48      | 532 15 44-07 | Bellcrank Clutch Grnd Drv           | 207     | 532 16 98-45 | Washer Nylon Rear                  |
| 49      | 532 12 32-05 | Retainer, Belt Style Spring         | 214     | 532 17 56-09 | Shaft Asm. Brake                   |
| 50      | 872 11 06-12 | Bolt Carr. Sh. 3/8-16 x 1-1/2 Gr. 5 | 215     | 532 17 56-52 | Rod Brake Hydro                    |
| 51      | 873 68 06-00 | Nut, Crownlock 3/8-16 unc           | 243     | 532 19 07-36 | Bracket Anti-Rotation              |
| 52      | 873 68 05-00 | Nut Crownlock 5/16-18               | 252     | 819 13 16-16 | Washer 13/32 x 1 16 Ga.            |
| 53      | 532 19 96-52 | Link, Clutch 7.66                   | 254     | 817 00 06-16 | Screw 3/8-16 x 1                   |
| 55      | 532 10 57-09 | Spring, Return, Clutch              | 255     | 532 17 56-08 | Brace Shaft Brake Mtg.             |
| 56      | 817 06 06-20 | Screw 3/8-16 x 1-1/4                | 258     | 532 17 80-62 | Clip Retainer                      |
| 57      | 532 17 01-40 | V-Belt Kev 112" 0650 CRD            | 259     | 532 18 02-12 | Bracket Pulley                     |
| 62      | 532 12 48-72 | Cover, Pedal                        | 260     | 532 19 76-07 | Bracket Idler Chassis              |
| 63      | 532 18 03-97 | Pulley Engine                       | 261     | 532 13 14-94 | Pulley Idler                       |
| 65      | 810 04 07-00 | Washer                              | 262     | 872 11 06-22 | Bolt Rdhd 3/8-16 unc x 2-3/4 Gr. 5 |
| 66      | 532 15 47-78 | Keeper, Belt Engine F-Proof         | 263     | 817 00 06-12 | Screw 3/8-16 x 3/4                 |
| 71      | 532 16 91-82 | Strap, Torque, RH                   | 266     | 532 18 20-61 | Shield Idler Mower                 |
| 73      | 532 16 91-83 | Strap, Torque, LH                   | 268     | 532 18 24-02 | Guard Muffler RH                   |
| 74      | 532 13 70-57 | Spacer, Split                       | 275     | 819 13 16-14 | Washer 13/32 x 1 x 14 Ga.          |
| 75      | 532 12 17-49 | Washer 25/32 x 1-1/4 x 16 Ga.       | 279     | 872 11 06-16 | Bolt RDHD SQ 3/8-16 unc x 2        |
| 76      | 812 00 00-01 | Ring, E                             | 292     | 532 40 02-71 | Spacer Noram                       |
| 77      | 532 12 35-83 | Key, Square                         | 295     | 532 17 91-14 | Pulley Idler Composite             |
| 78      | 532 12 17-48 | Washer 25/32 x 1-5/8 x 16 Ga.       |         |              |                                    |
| 81      | 532 17 00-06 | Asm, Shaft,Cross Rear               |         |              |                                    |
| 82      | 532 16 57-11 | Spring, Torsion                     |         |              |                                    |
| 83      | 819 17 12-16 | Washer 17/32 x 3/4 x 16 Ga.         |         |              |                                    |
| 84      | 532 17 00-07 | Link, Transaxle                     |         |              |                                    |
| 95      | 532 17 00-15 | Control Asm Bypass Hydro            |         |              |                                    |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - - MODEL NO. CTH171 (96061018303), PRODUCT NO. 960 61 01-83**  
**ENGINE [24]**




engine-kohler\_52

| KEY NO. | PART NO.     | DESCRIPTION                    |
|---------|--------------|--------------------------------|
| 1       | 532 18 38-97 | Control Throt/Ch Cobra         |
| 2       | 532 19 16-11 | Screw 10 x 3/4 Single Lead Hex |
| 3       | -----        | Engine Kohler SV530            |
| 4       | 532 18 86-55 | Muffler Exhaust                |
| 8       | 532 17 18-77 | Bolt 5/16-18 x 3/4             |
| 13      | 532 18 59-09 | Gasket                         |
| 14      | 532 14 84-56 | Tube Drain Oil Easy            |
| 23      | 532 16 98-37 | Shield Browning/Debris Guard   |
| 29      | 532 13 71-80 | Arrester Spark                 |
| 31      | 532 40 75-45 | Tank Fuel                      |
| 32      | 532 19 77-25 | Cap Asm Fuel                   |
| 33      | 532 12 34-87 | Clamp Hose Blk                 |
| 37      | 532 13 70-40 | Line Fuel 20"                  |

| KEY NO. | PART NO.     | DESCRIPTION                      |
|---------|--------------|----------------------------------|
| 38      | 532 18 16-54 | Plug Drain Oil Easy              |
| 44      | 817 67 04-12 | Screw Hexwsh Thdrol 1/4-20 x 3/4 |
| 45      | 817 00 06-12 | Screw Hexwsh Thdr 3/8-16 x 3/4   |
| 46      | 819 09 14-16 | Washer 9/32 x 7/8 x 16 Ga.       |
| 79      | 532 19 23-34 | Screw Socket HD 5/16-18 x .75    |
| 81      | 873 51 04-00 | Nut Keps 1/4-20 unc              |
| 91      | 532 18 74-95 | Bushing 1.375 OD                 |
| 105     | 817 12 06-16 | Screw 3/8-16 x 1                 |
| 117     | 532 18 86-54 | Tube Exhaust                     |

**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm.

**TRACTOR - - MODEL NO. CTH171 (96061018303), PRODUCT NO. 960 61 01-83**  
**SEAT ASSEMBLY 42**




seat\_lt.knob\_7(CRD)

| KEY NO. | PART NO.     | DESCRIPTION                    |
|---------|--------------|--------------------------------|
| 1       | 532 18 87-15 | Seat                           |
| 2       | 532 14 05-51 | Bracket Pnt Pivot Seat (Blk)   |
| 3       | 871 11 06-16 | Bolt Fin Hex 3/8-16 x 1        |
| 4       | 819 13 16-10 | Washer Flat 13/32 x 1 x 10 Ga. |
| 5       | 532 14 50-06 | Clip Push In Hinged            |
| 6       | 873 80 06-00 | Nut Lock Hx w/Ins. 3/8-16      |
| 7       | 532 12 41-81 | Spring Seat Cprsn 2 250 Blk Zi |
| 8       | 817 00 06-16 | Screw 3/8-16 x 1-1/2           |
| 9       | 819 13 16-14 | Washer 13/32 x 1 x 14 Ga.      |
| 10      | 532 19 55-30 | Pan Pnt Seat                   |
| 11      | 532 16 63-69 | Knob Seat Adj. Wingnut         |
| 12      | 532 17 46-48 | Bracket Pnt Mounting Switch    |

| KEY NO. | PART NO.     | DESCRIPTION                     |
|---------|--------------|---------------------------------|
| 13      | 532 12 12-48 | Bushing Snap Blk Nyl 50 Id      |
| 14      | 872 05 04-12 | Bolt Rdhd Sht Nk 1/4-20 x 1-1/2 |
| 15      | 532 12 12-49 | Spacer Split                    |
| 16      | 532 12 37-40 | Spring Cprsn Plate SW 1.310 Ga. |
| 17      | 532 12 39-76 | Nut Lock 1/4 Lge Flg Gr. 5 Zinc |
| 21      | 532 17 18-52 | Bolt Shoulder 5/16-18 unc-2A    |
| 22      | 873 80 05-00 | Nut Hex Lock w/Ins 5/16-18      |
| 24      | 819 17 19-12 | Washer 17/32 x 1-3/16 x 12 Ga.  |
| 25      | 532 12 70-18 | Bolt Shoulder 5/16-18 x 62      |

**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm

TRACTOR - - MODEL NO. CTH171 (96061018303), PRODUCT NO. 960 61 01-83  
STEERING ASSEMBLY **41**




**TRACTOR - - MODEL NO. CTH171 (96061018303), PRODUCT NO. 960 61 01-83**  
**STEERING ASSEMBLY 41**

| KEY<br>NO. | PART<br>NO.  | DESCRIPTION                          |
|------------|--------------|--------------------------------------|
| 1          | 532 41 64-80 | Steering Wheel Husq SR               |
| --         | 532 19 36-51 | Steering Wheel Prem 2                |
| 2          | 532 18 47-06 | Axle Asm Cast Iron Lt                |
| 3          | 532 16 98-40 | Spindle Assembly, LH                 |
| 4          | 532 16 98-39 | Spindle Assembly, RH                 |
| 5          | 532 12 49-31 | Washer, Thrust, .75 x 1.230          |
| 6          | 532 12 17-48 | Washer 25/32 x 1-5/8 x 16 Ga.        |
| 8          | 812 00 00-29 | Ring, Klip                           |
| 10         | 532 17 51-21 | Link, Drag                           |
| 11         | 810 04 06-00 | Washer, Lock                         |
| 13         | 532 13 65-18 | Spacer Brg Axle Front                |
| 15         | 532 14 52-12 | Nut Hex Flange Lock                  |
| 17         | 532 19 07-53 | Shaft, Steering                      |
| 29         | 817 00 06-12 | Screw 3/8-16 x 3/4                   |
| 32         | 532 17 18-88 | Rod, Tie                             |
| 33         | 819 11 12-16 | Washer 11/32 x 3/4 x 16 Ga.          |
| 34         | 810 04 05-00 | Washer Lock Hvy Hlcl Spr 5/16        |
| 35         | 873 54 05-00 | Crownlock Nut 5/16-24 unf 3847       |
| 36         | 532 15 50-99 | Bushing, Steering                    |
| 37         | 532 15 29-27 | Screw TT #10-32 x 5 x 3/8 Flange     |
| 38         | 532 41 59-87 | Cap Wheel Steering Husq SR           |
| --         | 532 19 36-52 | Cap Wheel Steering Prem 2            |
| 39         | 819 11 38-12 | Washer 11/32 ID x 2- 3/8 OD x 12 Ga. |
| 40         | 873 54 06-00 | Nut Lock 3/8-24                      |
| 41         | 532 18 67-37 | Adaptor, Steering Wheel              |
| 42         | 532 41 11-39 | Boot, Steering Dash P/L Mtl          |
| 43         | 532 12 17-49 | Washer 25/32 x 1-1/4 x 16 Ga.        |
| 44         | 532 19 07-52 | Extension Steering Shaft             |
| 46         | 532 12 12-32 | Cap, Spindle                         |
| 65         | 532 16 03-67 | Spacer Brace Axle                    |
| 67         | 872 11 06-18 | Bolt Rdhd Sqnk 3/8-16 x 2-1/4        |
| 68         | 532 16 98-27 | Brace Axle                           |
| 71         | 532 17 51-46 | Steering Asm.                        |
| 82         | 532 19 99-78 | Bracket Susp Chassis Front           |
| 87         | 532 17 39-66 | Washer Flat .781 x 1 1/2 x .14       |
| 88         | 532 17 51-18 | Bolt Shoulder 7/16-20 unc            |
| 91         | 532 17 55-53 | Clip Steering                        |
| 95         | 532 18 89-67 | Washer                               |
| 97         | 874 78 05-64 | Bolt 5/16-18 unc x 4" L. Gr. 5       |
| 118        | 532 40 60-13 | Bushing                              |
| 228        | 532 40 44-84 | Decal, Wheel Steering                |

**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm.



TRACTOR - - MODEL NO. CTH171 (96061018303), PRODUCT NO. 960 61 01-83  
MOWER DECK **44**



36(92cm)\_deck-elect.(CRD)\_6



**TRACTOR - - MODEL NO. CTH171 (96061018303), PRODUCT NO. 960 61 01-83**  
**MOWER DECK 44**

| KEY NO. | PART NO.     | DESCRIPTION                         | KEY NO. | PART NO.     | DESCRIPTION                                                                                                                   |
|---------|--------------|-------------------------------------|---------|--------------|-------------------------------------------------------------------------------------------------------------------------------|
| 1       | 532 40 01-08 | Housing Asm. Mower 92 CRD           | 41      | 873 90 06-00 | Nut Lock Flg. 3/8-16 unc                                                                                                      |
| 2       | 872 14 05-06 | Bolt Rdhd Sqnk 5/16-18 unc x 3/4    | 44      | 532 17 55-38 | Cover Mandrel LH 92 CRD                                                                                                       |
| 3       | 532 16 55-69 | Bracket Asm. S-Bar Chass 92 CRD     | 45      | 532 17 55-39 | Cover Mandrel RH 92 CRD                                                                                                       |
| 4       | 532 16 55-58 | Bracket Bar Sway Deck 92 CRD        | 46      | 532 13 77-29 | Screw Thd Roll 1/4-20 x 5/8                                                                                                   |
| 5       | 532 12 46-70 | Retainer Spring                     | 55      | 532 19 94-98 | Arm Idler 92 CRD                                                                                                              |
| 6       | 532 16 55-57 | Bar Sway 92 CRD                     | 56      | 532 16 57-23 | Spacer Retainer Mower                                                                                                         |
| 8       | 532 18 17-12 | Bolt 3/8-24 x 1.25 Gr. 8 Patched    | 61      | 532 19 94-86 | Spring Tension Belt                                                                                                           |
| 9       | 810 03 06-00 | Washer Lock Hvy 3/8 Unplated        | 68      | 532 40 20-08 | Hex-Belt 92 Mower                                                                                                             |
| 10      | 532 14 02-96 | Washer Blade                        | 69      | 532 16 54-82 | Shaft Asm w/Lwr Brg RH Thd CRD                                                                                                |
| 11      | 532 18 63-85 | Blade 3-1 LH 92 CRD                 | 84      | 532 15 60-85 | Keeper Belt Idler                                                                                                             |
| 13      | 532 13 76-45 | Shaft Asm. w/Lower Bearing          | 116     | 532 19 34-06 | Bolt Shoulder                                                                                                                 |
| 14      | 532 12 87-74 | Housing Mandrel Vented (Machd)      | 117     | 532 17 48-73 | Wheel Gauge                                                                                                                   |
| 15      | 532 11 04-85 | Bearing Ball Mandrel                | 118     | 873 93 06-00 | Nut Centerlock 3/8-16 unc                                                                                                     |
| 16      | 532 18 63-86 | Blade 3-1 RH 92 CRD                 | 119     | 819 13 20-12 | Washer 3/8 x 7/8 x 14 Ga.                                                                                                     |
| 17      | 872 14 06-10 | Bolt Carriage 3/8-16 x 1-1/4        | 124     | 872 11 06-12 | Bolt Carr Sh 3/8-16 x 1-1/2 Gr. 5                                                                                             |
| 18      | 872 11 06-06 | Bolt Rdhd Sqnk 3/8-16 x 3/4         | 130     | 872 11 05-06 | Bolt Rdhdsqnk 5/16-18 unc x 3/4                                                                                               |
| 19      | 532 13 28-27 | Bolt Shoulder 5/16-18 Thd Form      | 131     | 532 16 56-61 | Chute Bagger CRD 92cm                                                                                                         |
| 20      | 532 18 17-13 | Bolt 3/8-24 x 1.25 Gr. 8 Ptch Lhthd | 254     | 817 00 06-16 | Screw 3/8-16 x 1                                                                                                              |
| 21      | 873 68 05-00 | Nut Crown Lock 5/16-18              | 295     | 532 41 21-71 | Front Baffle                                                                                                                  |
| 22      | 532 19 95-90 | Bracket Idler Sprt 92 CRD           | 296     | 872 14 04-06 | Bolt 1/4-20 x 3/4 Gr. 5                                                                                                       |
| 23      | 532 16 54-46 | Bracket Idler Sprt                  | 297     | 873 93 04-00 | Nut Centerlock 1/4-20 unc                                                                                                     |
| 24      | 532 16 52-42 | Bracket Suspension LF 92 CRD        | --      | 532 18 18-57 | Mandrel Assembly (Includes housing, shaft assembly, and bearing only - pulley/nut/washer and blade bolt/washers not included) |
| 25      | 532 16 52-44 | Bracket Suspension RF 92 CRD        | --      | 532 18 18-58 | Mandrel Asm CRDLH Threads SVC                                                                                                 |
| 26      | 532 40 01-10 | Brace Susp Frt CRD                  | --      | 532 41 37-11 | Replacement Mower, Complete (Std. Deck - Order separately gauge wheel components key nos. 116 - 119)                          |
| 27      | 532 16 55-68 | Bracket Asm. Susp RR 92 CRD         |         |              |                                                                                                                               |
| 28      | 532 16 55-67 | Bracket Asm. Susp LR 92 CRD         |         |              |                                                                                                                               |
| 30      | 532 17 39-84 | Screw Thd Rolling                   |         |              |                                                                                                                               |
| 31      | 532 18 76-90 | Washer Spacer Mower Vented          |         |              |                                                                                                                               |
| 32      | 532 15 35-32 | Mandrel Pulleys                     |         |              |                                                                                                                               |
| 33      | 532 40 02-34 | Nut Flg Top Lock                    |         |              |                                                                                                                               |
| 34      | 532 40 01-07 | Bracket Gauge Wheel LF 92 CRD       |         |              |                                                                                                                               |
| 35      | 532 40 01-06 | Bracket Gauge Wheel RF 92 CRD       |         |              |                                                                                                                               |
| 36      | 532 14 67-63 | Pulley Idler V-Groove Dim 4.25      |         |              |                                                                                                                               |
| 40      | 873 68 06-00 | Nut Crownlock 3/8-16 unc            |         |              |                                                                                                                               |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm




**TRACTOR - - MODEL NO. CTH171 (96061018303), PRODUCT NO. 960 61 01-83**  
**MOWER LIFT 45**

| KEY<br>NO. | PART<br>NO.  | DESCRIPTION                     |
|------------|--------------|---------------------------------|
| 1          | 532 15 94-60 | Wire Asm Inner Spring w/Plunger |
| 2          | 532 15 94-71 | Shaft Asm. Lift                 |
| 3          | 532 10 57-67 | Pin Groove                      |
| 4          | 812 00 00-02 | E Ring #5133-62                 |
| 5          | 819 21 16-21 | Washer 21/32 x 1 x 21 Ga.       |
| 6          | 532 12 01-83 | Bearing Nylon                   |
| 7          | 532 12 56-31 | Grip Handle                     |
| 8          | 532 12 23-65 | Button Plunger Red              |
| 11         | 532 16 58-29 | Link Lift LH                    |
| 12         | 532 16 58-31 | Link Lift RH                    |
| 13         | 532 12 46-70 | Retainer Spring                 |
| 15         | 532 17 32-88 | Link Front                      |
| 16         | 873 35 08-00 | Nut Jam Hex 1/2-13 unc          |
| 17         | 532 17 56-89 | Trunnion                        |
| 18         | 873 80 08-00 | Nut Lock w/Wsh 1/2-13 unc       |
| 19         | 532 13 98-68 | Arm Suspension Mower            |
| 20         | 532 19 42-09 | Pin Cotter 7/16 Bow Tie Lock    |
| 23         | 532 11 08-07 | Nut Special                     |
| 24         | 819 13 10-16 | Washer 13/32 x 5/8 x 16 Ga.     |
| 25         | 532 16 40-24 | Spring Comp                     |
| 26         | 532 16 94-84 | Retainer Clip                   |
| 27         | 532 16 45-43 | Rod Adj Lift                    |
| 28         | 873 35 06-00 | Nut Hex Jam 3/8-16 unc          |
| 29         | 532 13 80-57 | Knob Inf 3/8-16 unc             |
| 30         | 532 15 02-33 | Trunnion Infin Height           |
| 31         | 532 16 98-65 | Bearing, Pvt. Lift.             |
| 32         | 873 54 06-00 | Nut Crownlock 3/8-24            |
| 36         | 532 15 50-97 | Pointer Height Indicator        |
| 37         | 532 12 39-35 | Plug Hole Blk                   |
| 38         | 817 06 05-16 | Screw 5/16-18 x 1               |
| 40         | 819 11 24-10 | Washer 11/32 x 1-1/2 x 10 Ga.   |
| 41         | 532 12 39-34 | Scale Ind Height Blk            |
| 49         | 532 14 52-12 | Nut Hex Flange Lock             |
| 50         | 532 11 04-52 | Nut Push Phos & Oil             |

**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm

TRACTOR - - MODEL NO. CTH171 (96061018303), PRODUCT NO. 960 61 01-83  
BAGGER **46**



**TRACTOR - - MODEL NO. CTH171 (96061018303), PRODUCT NO. 960 61 01-83  
BAGGER 46**

| KEY<br>NO. | PART<br>NO.  | DESCRIPTION                           |
|------------|--------------|---------------------------------------|
| 1          | 532 16 52-49 | Tube Handle Bagger CRD                |
| 3          | 532 12 39-76 | Nut Lock 1/4 Lge Flg Gr. 5 Zinc       |
| 4          | 532 16 99-16 | Handle Bagger w/Lvrs Blk CRD          |
| 5          | 874 98 10-24 | Screw Pan Head #10-24 x 1.50 Blk      |
| 6          | 874 98 10-32 | Screw Pan Hd                          |
| 7          | 873 40 10-00 | Nut Wiz Lock Hex Serr/Hd 10-24        |
| 8          | 532 18 10-95 | Cover Bagger CRD MS422                |
| 9          | 872 14 04-18 | Bolt Carriage 1/4-20 x 2.25d x Gr. 5  |
| 10         | 532 18 12-82 | Tube Support Bagger CRD               |
| 11         | 532 16 57-19 | Bracket Support Upper Bag CRD         |
| 12         | 532 18 88-48 | Bracket Pivot LH                      |
| 13         | 874 76 06-12 | Bolt Fin Hex 3/8-16 unc x 3/4         |
| 14         | 874 52 06-36 | Bolt Carr.                            |
| 15         | 532 12 46-70 | Retainer Spring                       |
| 16         | 873 90 06-00 | Nut Lock Flg. 3/8-16 unc              |
| 17         | 872 14 05-06 | Bolt Rdhd Sht Sqnk 5/16 -18 unc x 3/4 |
| 19         | 873 90 05-00 | Nut Lock Hexflange 5/16-18            |
| 20         | 532 18 88-47 | Bracket Pivot RH                      |
| 21         | 532 40 61-80 | Bag Asm CRD                           |
| 22         | 532 16 57-81 | Bracket Side Bagger CRD               |
| 24         | 532 16 57-83 | Tube Pivot Bagger CRD                 |
| 25         | 532 19 37-05 | Tube Front Bagger CRD                 |
| 28         | 532 16 57-87 | Grip Handle Black                     |
| 31         | 532 16 94-84 | Retainer Clip                         |
| 32         | 532 12 68-75 | Rivet Rd Hd Drilled 3/8 Dia           |
| 33         | 532 16 55-71 | Plug Mulcher                          |
| 34         | 532 16 55-70 | Handle Mulcher 92/107 CRD             |
| 35         | 532 16 55-72 | Pin Mulcher 92/107 CRD                |
| 36         | 819 13 20-12 | Washer 13/32 x 1-1/4 x 12 Ga.         |
| 37         | 532 17 54-01 | Plug Support Bagger CRD               |
| 38         | 872 01 05-20 | Bolt 5/16-18 x 2-1/2                  |
| 39         | 532 41 62-57 | Seal 37"                              |
| 41         | 532 16 96-83 | Bracket Vert Adj Bagger CRD           |
| 43         | 532 17 40-83 | Plug Tubing                           |
| 46         | 872 11 05-10 | Bolt Carr. 5/16-18 x 1-1/4 Gr. 5      |
| 47         | 532 19 37-04 | Tube Upper Bagger                     |
| 49         | 532 19 33-05 | Bar Spreader                          |
| 50         | 872 80 05-00 | Nut Lock Thx w/Ins. 5/16-18 unc       |
| 51         | 532 19 99-03 | Latch Spring Bagger                   |
| 53         | 873 51 04-00 | Nut Keps Hex 1/4-20 unc               |
| 54         | 872 14 04-06 | Bolt RDHD SQNK 1/4-20 x 3/4 Gr. 5     |

**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm

