

# LR12 36"

# LR12 U 36"

Spare parts

Ersatzteile

Pièces détachées

Reserve onderdelen

Repuestos

Reservdelar


**Product No:**

**LR12: 954 00 34-11**

**LR12U: 954 82 01-81**

GPL®

## HOOD




| KEY NO. | PART NO.     | DESCRIPTION                |
|---------|--------------|----------------------------|
| 23      | 532 13 99-69 | Latch Hood                 |
| 24      | 532 13 91-58 | Bracket Pivot Hood         |
| 32      | 532 13 96-24 | Duct Air Hood              |
| 35      | 817 49 05-12 | Screw Thdrol 5/16-28 x 3/4 |
| 37      | 874 76 04-12 | Bolt Fin Hex 1/4-20 x 3/4  |
| 38      | 819 09 20-16 | Washer                     |

2

# B

## FENDER / CHASSIS




| KEY NO. | PART NO.     | DESCRIPTION                          |
|---------|--------------|--------------------------------------|
| 1       | 532 14 49-40 | Case, Battery                        |
| 2       | 819 13 20 12 | Washer 13/32 x 1-1/4 x 12 Ga.        |
| 3       | 817 49 06 12 | Screw, Hex Wsh. Thrdrol 3/8-16 x 3/4 |
| 4       | 532 12 41-81 | Spring, Compression, Seat            |
| 5       | 532 12 54-31 | Plate, Asm. Battery                  |
| 6       | 532 10 95-96 | Clamp, Hose                          |
| 7       | 532 12 41-44 | Pad, Footrest                        |
| 8       | 817 49 05-12 | Screw Thdrol 5/16-18 x 3/4           |
| 9       | 532 12 69-97 | Console, Shift Control               |
| 10      | 532 13 97-83 | Bar, Shift Lock                      |

| KEY NO. | PART NO.     | DESCRIPTION                        |
|---------|--------------|------------------------------------|
| 11      | 532 12 43-46 | Nut, Self-Threading, Wsher Hd 3/16 |
| 12      | 532 14 51-90 | Assembly, Frame                    |
| 13      | 532 10 92-38 | Tube, Battery Drain                |
| 15      | 873 64 04-00 | Nut, Keps 1/4-20 UNC               |
| 16      | 532 14 17-36 | Switch Actuator                    |
| 17      | 532 14 07-82 | Drawbar                            |
| 18      | 532 12 64-70 | Clip, Insulated                    |
| 19      | 532 14 16-50 | Fender/Footrest                    |
| 20      | 819 09 14-13 | Washer 9/32 x 7/8 x 13 Ga.         |
| 25      | 817 19 05-16 | Scr-Hx Wsh Thd Rol 5/16-18 x 1     |

HARDWARE SHOWN LARGER FOR EASIER IDENTIFICATION

# C

## SEAT



| KEY NO. | PART NO. | DESCRIPTION |
|---------|----------|-------------|
|---------|----------|-------------|

|    |              |                               |
|----|--------------|-------------------------------|
| 1  | 872 05 04-11 | Bolt, Carriage 1/4-20 x 1-3/8 |
| 2  | 532 12 74-27 | Seat                          |
| 3  | 532 14 05-52 | Pan, Seat                     |
| 4  | 873 80 05-00 | Nut, Lock Hex w/Ins. 5/16-18  |
| 5  | 532 15 32-36 | Bolt, Shoulder 5/16-18 UNC    |
| 6  | 532 14 50-06 | Clip, Push-in                 |
| 8  | 874 76 06-16 | Bolt, Fin Hex 3/8-16 UNC x 1  |
| 9  | 532 14 05-51 | Bracket, Pivot Seat           |
| 10 | 532 12 64-71 | Clip Insulator                |
| 11 | 819 13 32-10 | Washer 12/32 x 2 x 10 Ga.     |


| KEY NO. | PART NO. | DESCRIPTION |
|---------|----------|-------------|
|---------|----------|-------------|

|    |              |                                  |
|----|--------------|----------------------------------|
| 12 | 873 80 06-00 | Nut, Lock Hex w/Wsh 3/8-16 UNC   |
| 13 | 874 78 08-14 | Bolt Hex 1/2-13 x 7/8            |
| 14 | 810 04 08-00 | Washer Lock Hvy. Hlcl Spring 1/2 |
| 15 | 819 17 19-12 | Washer, 17/32 x 1-3/16 x 12 Ga.  |
| 16 | 532 12 70-18 | Bolt, Shoulder                   |
| 17 | 532 12 12-46 | Bracket, Switch, Mounting        |
| 18 | 532 12 39-76 | Nut, Hex Large Flange Lock       |
| 19 | 532 12 12-48 | Bushing, Snap                    |
| 20 | 532 12 12-50 | Spring, Compression              |
| 21 | 532 13 43-00 | Spacer, Split 28 Id. x .88 Lg.   |

HARDWARE SHOWN LARGER FOR EASIER IDENTIFICATION

# D

## DASH




| KEY NO. | PART NO.     | DESCRIPTION                   | KEY NO. | PART NO.     | DESCRIPTION                       |
|---------|--------------|-------------------------------|---------|--------------|-----------------------------------|
| 1       | 532 14 15-23 | Cap, Fuel                     | 12      | 532 00 37-20 | Spring                            |
| 2       | 532 13 83-92 | Assembly, Dash & Fuel Tank    | 13      | 532 12 64-50 | Clip, Height Adjustment           |
| 3       | 532 12 34-87 | Clamp, Hose                   | 14      | 532 12 61-15 | Knob, Height Stop                 |
| 4       | 532 00 85-44 | Line, Fuel                    | 15      | 532 12 20-23 | Adjustment, Quadrant Height       |
| 5       | 532 00 85-48 | Line, Fuel                    | 16      | 532 12 43-46 | Nut, Self-Threading 3/16-18       |
| 6       | 873 64 04-00 | Nut, Hex, Keps 1/4-20         | 17      | 872 11 04-04 | Bolt, Carriage 1/4-20 x 1/2 Gr. 5 |
| 7       | 532 12 49-96 | Clip, Fuel Line               | 18      | 532 13 07-45 | Support Assembly, Dash            |
| 8       | 819 09 12-16 | Washer 9/32 x 3/4 x 16 Ga.    | 19      | 532 13 47-44 | Brace, Cross                      |
| 9       | 874 76 04-28 | Bolt, Hex, Fin 1/4-20 x 1-3/4 | 20      | 817 06 04-08 | Screw, Self-Tapping 1/4-20 x 1/2  |
| 10      | 819 09 14-13 | Washer 11/32 x 11/16 x 16 Ga. | 21      | 532 13 40-14 | Plug Dome Black                   |
| 11      | 532 12 12-49 | Spacer, Split                 |         |              |                                   |

HARDWARE SHOWN LARGER FOR EASIER IDENTIFICATION

# E

## STEERING WHEEL




| KEY NO. | PART NO.     | DESCRIPTION                  |
|---------|--------------|------------------------------|
| 1       | 532 14 01-75 | Insert, Wheel, Steering      |
| 2       | 810 04 06-00 | Washer Lock Heavy H/Cl       |
| 3       | 819 13 38-08 | Washer 12/32 x 2-3/8 x 8 Ga. |
| 4       | 532 13 97-68 | Wheel, Steering              |
| 5       | 532 12 18-97 | Sleeve, Steering             |
| 6       | 532 15 29-27 | Screw                        |
| 7       | 532 15 51-04 | Bushing, Steering            |
| 8       | 532 14 73-91 | Shaft, Steering              |

| KEY NO. | PART NO.     | DESCRIPTION                      |
|---------|--------------|----------------------------------|
| 9       | 532 12 42-10 | Clip, Steering                   |
| 10      | 532 12 34-38 | Bushing, Lower, Steering         |
| 11      | 812 00 00-45 | Ring, Retaining                  |
| 12      | 819 21 16-16 | Washer 21/32 x 1 x 16 Ga.        |
| 13      | 532 10 07-11 | Adaptor, Wheel, Steering         |
| 14      | 532 15 37-20 | Extension Shaft Steering         |
| 15      | 874 78 05-20 | Bolt Fin Hex 5/16-18 UNC x 1-1/4 |
| 16      | 873 80 05-00 | Nut Lock W/Ins 5/416-18 UNC      |
| 17      | 874 78 06-16 | Bolt Fin Hex 3/8-16unc x 1       |

HARDWARE SHOWN LARGER FOR EASIER IDENTIFICATION

# F

## ENGINE




| KEY NO. | PART NO.     | DESCRIPTION                            | KEY NO. | PART NO.     | DESCRIPTION                                    |
|---------|--------------|----------------------------------------|---------|--------------|------------------------------------------------|
| 1       | 817 06 04-08 | Screw, Hex Thd.Cut 1/4-20 x 1/2        | 12      | 532 13 74-37 | Mfg.) Muffler                                  |
| 2       | 532 13 30-25 | Control, Throttle                      | 13      | 532 10 13-26 | Deflector, Muffler                             |
| 3       | -----        | Engine                                 | 14      | 817 03 08-08 | Screw, Spiderloc                               |
| 4       | 871 07 05-12 | Screw, Hex, Cap 5/16-18 x 3/4          | 15      | 532 13 71-80 | Arrester, Spark (Optional equipment)           |
| 5       | 810 04 05-00 | Washer, Lock Heavy Helical Spring 5/16 | 16      | 532 12 79-51 | Stop, Throttle                                 |
| 6       | 532 27 22-93 | Gasket, Exhaust                        | 17      | 817 49 06-24 | Screw, Hex Washer Head, Thdrol. 3/8-16 x 1-1/2 |
| 7       | 811 05 06-00 | Washer Lock Ext. Tooth 3/8             | 18      | 873 51 06-00 | Nut, Keps Hex 3/8-16                           |
| 9       | 819 10 12-16 | Washer 5/16 x 3/4 x 16                 | 19      | 532 12 49-96 | Clip, Line Fuel                                |
| 10      | 810 04 04-00 | Washer, Lock Hvy Hlcl Spring 1/4       | 39      | 532 12 88-61 | Nut Flange 1/4-20                              |
| 11      | -----        | Bolt, Hex Fin.(Order From Eng.         |         |              |                                                |

HARDWARE SHOWN LARGER FOR EASIER IDENTIFICATION

# G

## SECTOR GEAR / AXLE SUPPORT




| KEY NO. | PART NO.     | DESCRIPTION                        | KEYP NO. | ART NO.      | DESCRIPTION                     |
|---------|--------------|------------------------------------|----------|--------------|---------------------------------|
| 1       | 532 13 25-66 | Link, Drag                         | 9        | 873 68 08-00 | Nut, Crownlock 3/8-16           |
| 2       | 874 78 08-28 | Bolt, Fin Hex 1/2-13 x 1-3/4       | 10       | 876 02 04-12 | Pin, Cotter 1/8 x 3/4           |
| 3       | 873 68 05-00 | Nut, Crownlock 5/16-18             | 11       | 819 13 13-16 | Washer, 13/32 x 13/16 x 16 Ga.  |
| 4       | 873 68 06-00 | Nut, Crownlock 3/8-16              | 12       | 532 12 68-47 | Bushing                         |
| 5       | 532 12 19-26 | Gear, Sector                       | 13       | 874 76 05-12 | Bolt, Hex Hd. 5/16-18 UNC x 3/4 |
| 6       | 532 12 19-27 | Bushing                            | 14       | 819 11 14-16 | Washer 11/32 x 7/8 x 16 Ga      |
| 7       | 873 03 08-00 | Nut, Heavy Hex Top Lock 1/2-13 UNC | 15       | 872 11 06-06 | Bolt, Carriage 3/8-16 UNC x 3/4 |
| 8       | 532 12 64-72 | Clip, Insulated                    | 16       | 532 13 70-96 | Support, Front Axle             |

HARDWARE SHOWN LARGER FOR EASIER IDENTIFICATION

# H

## FRONT AXLE



| KEY NO. | PART NO. | DESCRIPTION |
|---------|----------|-------------|
|---------|----------|-------------|

|   |              |                               |
|---|--------------|-------------------------------|
| 1 | 532 12 12-32 | Cap, Spindle                  |
| 2 | 812 00 00-29 | Ring, Clip                    |
| 3 | 532 12 17-48 | Washer 25/32 x 1-5/8 x 16 Ga. |
| 4 | 532 12 49-37 | Nyliner                       |
| 5 | 532 14 20-33 | Axle, Front                   |
| 6 | 532 12 49-31 | Bearing, Thrust               |
| 7 | 532 13 70-62 | Spindle, R.H. Asm.            |
| 8 | 532 12 17-49 | Washer 25/32 x 1-1/4 x 16 Ga. |
| 9 | 876 02 04-12 | Pin, Cotter 1/8 x 3/4         |


| KEY NO. | PART NO. | DESCRIPTION |
|---------|----------|-------------|
|---------|----------|-------------|

|    |              |                               |
|----|--------------|-------------------------------|
| 10 | 819 13 13-16 | Washer 13/32 x 13/16 x 16 Ga. |
| 11 | 532 12 68-47 | Bushing                       |
| 12 | 532 13 04-65 | Rod, Tie                      |
| 13 | 532 13 70-61 | Spindle, L H. Asm             |
| 14 | 874 01 10-56 | Bolt Hex 5/1-11 x 3-1/2       |
| 15 | 873 90 10-00 | Nut, Lock Flange 5/8-11       |
| 16 | 532 11 04-38 | Spacer Bearing Axle           |
| 17 | 532 12 48-36 | Fitting Grease                |
| 18 | 819 27 20-16 | Washer 27/32 x 1-1/4 x 16 Ga. |

HARDWARE SHOWN LARGER FOR EASIER IDENTIFICATION

# J

## BRAKE / REAR MOWER LIFT ASSEMBLY




| KEY NO. | PART NO.     | DESCRIPTION                          | KEY NO. | PART NO.     | DESCRIPTION                      |
|---------|--------------|--------------------------------------|---------|--------------|----------------------------------|
| 1       | 532 07 16-73 | Cap, Plunger                         | 16      | 819 25 18-16 | Washer 25/32 x 1-1/8 x 16 Ga.    |
| 2       | 532 12 34-36 | Rod, Parking Brake                   | 17      | 812 00 00-34 | Ring, Klip                       |
| 3       | 532 12 34-37 | Bracket, Parking Brake               | 18      | 532 15 13-32 | Spring, Brake Rod                |
| 4       | 532 12 48-72 | Cover, Pedal                         | 19      | 873 35 06-00 | Nut, Hex, Jam 3/8-16 UNC         |
| 5       | 532 12 25-04 | Bracket, Clutch/Brake Pedal, L.H.    | 20      | 873 80 06-00 | Nut, Lock, Hex W/Ins 3/8-16 UNC  |
| 6       | 876 02 03-12 | Pin, Cotter 3/32 x 3/4               | 21      | 532 13 14-60 | Rod, Rear Brake                  |
| 7       | 819 13 10-16 | Washer 13/32 x 5/8 x 16 Ga.          | 22      | 532 14 45-85 | Trunnion, Lift                   |
| 8       | 817 49 05-08 | Screw, Hex, Thd. Roll. 5/16-18 x 1/2 | 24      | 819 13 20-12 | Washer 13/32 x 1-1/4 x 12 Ga.    |
| 9       | 876 02 04-12 | Pin, Cotter 1/8 x 3/4                | 25      | 532 12 49-61 | Spring, Retainer                 |
| 10      | 819 13 13-16 | Washer 13/32 x 13/16 x 16 Ga.        | 26      | 873 93 06-00 | Nut, Centerlock 3/8-16 UNC       |
| 11      | 532 12 35-43 | Rod, Brake Front                     | 27      | 532 12 73-69 | Link, Threaded                   |
| 12      | 532 13 99-33 | Assembly Clutch/Brake Pedal          | 28      | 532 40 77-76 | Assembly, Rear Mower Lift        |
| 13      | 532 12 33-94 | Rod, Clutch                          | 29      | 872 11 05-06 | Bolt, Garriage 5/16-18 UNC x 3/4 |
| 14      | 532 12 19-78 | Bracket, Lift, Shaft                 | 30      | 873 51 05-00 | Nut, Keps 5/16-16 UNC            |
| 15      | 532 13 33-32 | Assembly, Brake, Pivot, Arm          | 31      | 532 12 46-60 | Retainer, Spacer                 |
|         |              |                                      | 34      | 873 68 06-00 | Nut, Crownlock 3/8-16 UNC        |

HARDWARE SHOWN LARGER FOR EASIER IDENTIFICATION

# K

## GROUND DRIVE




| KEY NO. | PART NO.     | DESCRIPTION                     | KEY NO. | PART NO.     | DESCRIPTION                     |
|---------|--------------|---------------------------------|---------|--------------|---------------------------------|
| 1       | 873 68 05-00 | Nut, Crownlock 5/16-18          | 14      | 873 93 06-00 | Nut, Centerlock 3/8-16 UNC      |
| 2       | 874 76 05-12 | Bolt, Hex Hd 5/16-18 UNC x 3/4  | 15      | 873 68 06-00 | Nut, Crownlock 3/8-16           |
| 3       | 532 14 13-42 | Keeper, Mower Drive, R.H.       | 16      | 532 12 64-71 | Clip, Insulated                 |
| 4       | 532 13 80-29 | Pulley, Engine                  | 17      | 532 15 09-32 | Spacer, Retainer                |
| 5       | 810 04 07-00 | Washer, Lock 7/16               | 18      | 532 13 14-59 | Spring Extension                |
| 6       | 871 17 07-44 | Bolt Hex 7/16-20 Gr. 5          | 19      | 873 51 05-00 | Nut, Keps 5/16-18 UNC           |
| 7       | 531 01 31-29 | Traction, V-Belt Drive          | 20      | 532 13 99-19 | Keeper, T/A Ground Drive Belt   |
| 8       | 532 12 34-05 | Keeper, T/A Ground Drive Belt   | 21      | 819 11 10-16 | Washer 11/32 x 5/8 x 16 Ga.     |
| 9       | 872 14 06-12 | Bolt, Carr. 3/8-16 UNC x 1-1/2  | 22      | 532 12 34-04 | Keeper, Frame Ground Drive Belt |
| 10      | 532 12 33-96 | Keeper, Belt Ground Drive Idler | 23      | 532 14 09-16 | Keeper, Mower Drive, L.H.       |
| 11      | 532 15 09-26 | Arm, Ground Drive Clutch        | 24      | 817 72 04-08 | Screw, Thd. Cut 1/4-20 x 1/2    |
| 12      | 532 12 36-74 | Idler, Flat                     | 25      | 532 15 09-35 | Bushing, Nylon                  |
| 13      | 819 13 13-16 | Washer 13/32 x 13/16 x 16 Ga.   |         |              |                                 |

HARDWARE SHOWN LARGER FOR EASIER IDENTIFICATION

# L

## TRANSAXLE



| KEY NO. | PART NO. | DESCRIPTION |
|---------|----------|-------------|
|---------|----------|-------------|


|    |              |                                  |
|----|--------------|----------------------------------|
| 1  | 532 12 33-85 | Pulley                           |
| 2  | 812 00 00-28 | Ring, Retainer                   |
| 3  | -----        | Transaxle                        |
| 4  | 532 12 50-96 | Key, Woodruff #9                 |
| 5  | 873 68 05-00 | Nut, Crownlock 5/16-18           |
| 6  | 872 14 05-06 | Bolt, Carriage 5/16-18 UNC x 3/4 |
| 7  | 532 12 33-78 | Strap, Torque                    |
| 8  | 817 49 05-12 | Screw 5/16-18 x 3/4              |
| 9  | 532 14 66-82 | Spring, Brake                    |
| 10 | 532 12 17-49 | Washer 25/32 x 1-1/4 x 16 Ga.    |
| 11 | 532 12 35-83 | Key, Square                      |
| 15 | 819 17 16-16 | Washer 17/32 x 1 x 16 Ga.        |
| 16 | 532 12 46-00 | Support Handle Shift LH          |
| 17 | 532 12 62-93 | Link, Shift                      |
| 18 | 874 55 04-12 | Bolt 1/4-28 UNF Gr. 8 W/Patch    |

| KEY NO. | PART NO. | DESCRIPTION |
|---------|----------|-------------|
|---------|----------|-------------|

|    |              |                              |
|----|--------------|------------------------------|
| 19 | 810 04 04-00 | Washer, Lock 1/4             |
| 20 | 819 09 12-10 | Washer 9/32 x 3/4 x 10 Ga.   |
| 21 | 532 12 62-92 | Arm, Shift                   |
| 22 | 532 10 57-01 | Washer, Shift Plate          |
| 23 | 532 12 12-74 | Knob, Duckhead               |
| 24 | 532 12 82-15 | Rod Shift                    |
| 25 | 876 02 04-16 | Pin, Cotter 1/8 x 1          |
| 26 | 873 81 05-00 | Locknut 5/16-24 UNF          |
| 28 | 532 12 80-85 | Extension, Spring            |
| 29 | 532 12 80-84 | Support Handle Shift RH      |
| 32 | 819 11 11-16 | Washer 11/32 x 11/16 x 16    |
| 31 | 532 13 70-57 | Spacer Axle                  |
| 35 | 612 00 00-01 | E-Ring                       |
| 36 | 817 72 04-08 | Screw, Thdrol 5/16-18 x 1/2  |
| 38 | 874 49 05-44 | Bolt, Hex Hd 5/16-18 x 2-3/4 |

HARDWARE SHOWN LARGER FOR EASIER IDENTIFICATION

## MOWER LIFT LEVER




| KEY NO. | PART NO.     | DESCRIPTION                        | KEY NO. | PART NO.     | DESCRIPTION                          |
|---------|--------------|------------------------------------|---------|--------------|--------------------------------------|
| 1       | 532 12 64-70 | Clip, Insulated                    | 15      | 819 13 12-12 | Washer 13/32 x 3/4 x 12 Ga.          |
| 2       | 532 12 20-18 | Bracket, Mower Clutch              | 16      | 532 12 49-61 | Retainer, Spring                     |
| 3       | 871 11 04-08 | Bolt, Fin. Hex<br>1/4-20 UNC x 1/2 | 17      | 532 12 73-59 | Link, Front Lift                     |
| 4       | 873 68 06-00 | Nut, Crownlock 3/8-16              | 18      | 532 14 20-28 | Trunnion, Threaded 3/8-16            |
| 5       | 532 14 51-87 | Assembly, Clutch Lever             | 19      | 873 68 04-00 | Nut, Crownlock 1/4-20                |
| 6       | 532 10 64-51 | Bolt, Shoulder                     | 20      | 874 76 06-44 | Bolt, Fin. Hex<br>3/8-16 UNC x 2-3/4 |
| 7       | 532 13 53-71 | Assembly, Mower Clutch Arm         | 23      | 876 02 04-16 | Pin, Cotter 1/8 x 1                  |
| 8       | 874 76 06-36 | Bolt, Hex 3/8-16 UNC x 2-1/4       | 24      | 819 17 16-12 | Washer 17/32 x 1 x 12 Ga.            |
| 9       | 532 12 19-30 | Assembly, Bellcrank Lift           | 25      | 532 12 19-33 | Tube, Spacer                         |
| 10      | 876 02 04-12 | Pin, Cotter 1/8 x 3/4              | 26      | 532 14 14-70 | Rod, Mower Lift                      |
| 11      | 819 13 13-16 | Washer 13/32 x 13/16 x 16 Ga.      | 27      | 532 12 14-66 | Knob                                 |
| 12      | 532 12 20-27 | Grip, Handle                       | 28      | 876 02 03-12 | Pin, Cotter 3/32 x 3/4               |
| 13      | 532 13 93-52 | Assembly, Lift Handle              | 29      | 532 13 16-55 | Link, Mower Clutch                   |
| 14      | 532 12 34 96 | Spring, Compression                | 30      | 873 35 06-00 | Nut Hex Jam 3/8-16 x 1.30            |
|         |              |                                    | 31      | 819 13 20-12 | Washer 13/32 x 1-1/4 x 12 Ga.        |

## HARDWARE SHOWN LARGER FOR EASIER IDENTIFICATION

# M

## MOWER DECK



# M


## MOWER DECK

| KEY NO. | PART NO.     | DESCRIPTION                                               |
|---------|--------------|-----------------------------------------------------------|
| 1       | 532 14 00-64 | Spring, Mower Clutch                                      |
| 2       | 532 12 20-52 | Spacer, Retainer                                          |
| 3       | 873 68 06-00 | Nut, Crownlock 3/8-16                                     |
| 4       | 532 13 08-40 | Brake Asm.                                                |
| 5       | 532 13 12-51 | Guide, Belt Idler                                         |
| 6       | 532 12 13-16 | Pulley, Flat Idler                                        |
| 7       | 872 11 06-16 | Bolt, Carr. 3/8-16 x 1-3/4 Gr. 5                          |
| 8       | 819 13 14-10 | Washer 13/21 x 7/8 x 10 Ga.                               |
| 9       | 532 12 77-44 | Arm Asm., Idler Mower                                     |
| 10      | 872 14 06-10 | Bolt, Carriage 3/8-16 x 1-1/4                             |
| 11      | 532 13 08-41 | Rod, Brake                                                |
| 12      | 532 12 73-56 | Bracket, Lift R. H. Rear                                  |
| 13      | 872 14 05-06 | Bolt, Carriage 5/16-18 x 3/4                              |
| 14      | 873 68 05-00 | Nut, Crownlock 5/16-18                                    |
| 15      | 532 12 73-57 | Bracket, Lift L. H. Rear                                  |
| 16      | 532 15 32-98 | Keeper, R. H.                                             |
| 17      | 532 12 85-08 | Link, Asm. Mower Stabilizer                               |
| 18      | 532 12 85-11 | Pin, Drive                                                |
| 19      | 532 12 73-80 | Bracket, Asm. Front                                       |
| 20      | 531 01 31-26 | Blade, High Lift                                          |
| 21      | 532 14 02-96 | Washer, Hard                                              |
| 22      | 810 03 06-00 | Washer, Lock 3/8                                          |
| 23      | 532 85 08-57 | Bolt 3/8-24 x 1-1/4 Gr. 8                                 |
| 24      | 532 14 03-29 | Stripper                                                  |
| 25      | 532 13 87-76 | Screw Thdrol Hex Hd                                       |
| 27      | 532 12 99-83 | Deck Assembly                                             |
| 28      | 532 15 35-31 | Pulley, Mandrel                                           |
| 29      | 532 13 72-66 | Nut, Flangelock 9/16                                      |
| 30      | 532 13 66-31 | Bracket, Asm. Deflector                                   |
| 31      | 817 49 05-08 | Screw, Hex Wsh. Thdrol. 5/16-18 x 1/2                     |
| 32      | 532 12 20-51 | Arm, Support Idler Mower                                  |
| 33      | 532 13 90-83 | Deflector                                                 |
| 36      | 532 12 19-80 | Rod, Hinge                                                |
| 37      | 532 12 37-13 | Spring, Torsion Deflector                                 |
| 38      | 532 10 53-04 | Cap, Sleeve                                               |
| 39      | 819 11 10-16 | Washer 11/32 x 5/8 x 16 Ga.                               |
| 40      | 532 11 04-52 | Pushnut                                                   |
| 41      | 531 01 31-33 | V-Belt                                                    |
| 42      | 819 17 16-16 | Washer 11/32 x 5/8 16 Ga.                                 |
| 43      | 532 12 46-60 | Retainer, Spring                                          |
| 44      | 532 14 06-08 | Keeper, L. H.                                             |
| 45      | 532 11 04-85 | Bearing                                                   |
| 46      | 532 12 87-74 | Housing Mandrel Vented                                    |
| 47      | 532 12 98-95 | Bearing                                                   |
| 48      | 532 13 76-45 | Shaft, Mandrel (Includes Key # 47)                        |
| 49      | 532 13 39-43 | Washer Hardened                                           |
| 50      | 871 16 10-10 | Screw Truss Hd Phil 10-24 x 5/8                           |
| 51      | 532 13 63-83 | Guard, Dftr., Mwr. 36" TUV (W/Form)                       |
| 52      | 819 07 07-18 | Washer 7/32 x 7/16 x 18 Ga.                               |
| 53      | 532 06 08-67 | Nut, Acorn # 10-24                                        |
| 62      | 532 15 33-90 | Washer, Felt                                              |
| --      | 532 13 07-94 | Mandrel Asm. (Includes Key No.'s 22-23, 26, 29 and 45-48) |
| --      | 532 14 49-73 | Deck, Mower Complete                                      |

HARDWARE SHOWN LARGER FOR EASIER IDENTIFICATION

# P

## ELECTRICAL




# P

## ELECTRICAL

| KEY NO. | PART NO.     | DESCRIPTION                                 |
|---------|--------------|---------------------------------------------|
| 1       | 873 64 04-00 | Nut, Hex Keps 1/4-20                        |
| 2       | 532 10 84-23 | Assembly, Cable                             |
| 3       | 532 12 38-99 | Battery                                     |
| 4       | 532 06 91-80 | Nut, Lock#10-24 UNC                         |
| 5       | 532 10 82-36 | Bracket, Switch                             |
| 6       | 532 10 95-53 | Switch, Interlock (4-terminal)              |
| 7       | 532 14 63-74 | Keeper Actuator                             |
| 8       | 817 02 10-08 | Screw, Hex Hd. Self-Tapping<br>#10-24 x 1/2 |
| 9       | 532 14 04-01 | Key, Molded                                 |
| 10      | 532 14 12-26 | Cover, Key Ignition                         |
| 11      | 532 14 04-00 | Nut, Ignition                               |
| 12      | 532 14 49-21 | Switch, Ignition                            |
| 15      | 532 12 13-05 | Switch, Plunger                             |
| 17      | 532 10 88-24 | Fuse                                        |
| 18      | 532 12 83-53 | Assembly, Cable                             |
| 19      | 532 14 60-64 | Harness, Ignition                           |
| 20      | 873 35 04-00 | Nut, Hex Jam 1/4-20                         |
| 21      | 810 09 04-00 | Washer, Lock 1/4                            |
| 22      | 871 11 04-08 | Bolt, Fin. Hex<br>1/4-20 UNC x 1/2          |
| 24      | 532 13 15-63 | Cover, Terminal                             |
| 25      | 532 14 56-73 | Solenoid                                    |
| 26      | 874 76 04-12 | Bolt, Hex Hd. 1/4-20 UNC x 3/4              |
| 27      | 819 09 10-16 | Washer 9/32 x 5/8 x 16                      |
| 28      | 810 04 04-00 | Washer, Lock 1/4                            |
| 30      | 873 22 04-00 | Nut, Fin. Hex 1/4-20 UNC                    |
| 31      | 532 00 41-52 | Bulb, Light                                 |
| 32      | 532 13 68-50 | Harness, Headlight                          |
| 33      | 532 11 07-12 | Switch, Light                               |
| 36      | 811 15 04-00 | Washer Lock inter. Tooth 1/4                |
| 39      | 532 14 17-35 | Bracket Switch Clutch                       |
| 55      | 817 49 05-08 | Screw Thdrol 5/16 - 18 x 1/2                |
| 70      | 532 14 04-13 | Harness Engine                              |

**HARDWARE SHOWN LARGER FOR EASIER IDENTIFICATION**


DECALS




| KEY NO. | PART NO.     | DESCRIPTION        |
|---------|--------------|--------------------|
| 3       | 532 15 22-40 | Decal, Hood, L. H. |
| 4       | 532 15 22-39 | Decal, Hood, R. H. |

R

WHEELS & TIRES



| KEY NO. | PART NO.     | DESCRIPTION                               |
|---------|--------------|-------------------------------------------|
| 1       | 532 05 91-92 | Cap, Valve                                |
| 2       | 532 06 51-39 | Stem, Valve                               |
| 3       | 532 12 49-57 | Fitting, Grease\ (Front Wheels Only)      |
| 4       | 532 13 74-22 | Tire, Front                               |
| 4       | 532 13 27-03 | Tire, Rear                                |
| 5       | 532 05 99-04 | Tube, Front (Optional Service Items Only) |
| 5       | 532 00 81-34 | Tube, Rear (Optional Service Items Only)  |
| 6       | 532 14 20-39 | Rim, Front                                |
| 6       | 532 14 16-52 | Rim, Rear                                 |
| 7       | 532 10 47-57 | Cap Axle                                  |
| 8       | 532 12 49-59 | Bearing Flange                            |
| 9       | 532 12 17-48 | Washer 25/32 x 1-5/8 x 16 Ga.             |



KEY PART  
NO. NO.

|    |              |                            |
|----|--------------|----------------------------|
| 2  | 532 06 91-80 | Locknut # 10-24            |
| 3  | 532 12 75-33 | Screen, Cover              |
| 4  | 532 14 06-54 | Cover                      |
| 5  | 532 12 85-98 | Chute, Upper               |
| 6  | 818 02 10-08 | Screw, Special             |
| 7  | 532 14 05-72 | Indicator, Dump Bag        |
| 8  | 532 08 71-75 | Screw, # 10-24 x 1-1/8     |
| 9  | 819 06 12-16 | Washer 3/16 x 3/4 x 16 Ga. |
| 10 | 532 00 72-06 | Spacer, Split              |
| 11 | 532 06 08-67 | Nut, Acorn # 10-24         |
| 12 | 810 07 10-00 | Washer, lock               |
| 13 | 532 10 98-08 | Latch, Chute               |
| 14 | 532 12 50-04 | Nut, Weld                  |
| 15 | 874 93 05-16 | Bolt, Hex 5/16-18 x 1      |
| 17 | 532 13 07-58 | Latch Assy., Bagger        |
| 18 | 532 12 85-99 | Chute, Lower               |
| 19 | 532 13 38-41 | Nut, Acorn 5/16-18         |
| 20 | 871 18 10-10 | Screw # 10-24 x 5/8        |
| 21 | 532 13 27-96 | Spring, Cover L.H. (black) |
| 22 | 532 13 32-35 | Spacer, Cover              |
| 23 | 532 13 29-83 | Spring, Cover R.H. (gray)  |
| 24 | 532 12 77-20 | Post, Support              |
| 25 | 532 06 31-24 | Locknut 5/16 x 18          |

KEY PART  
NO. NO.

|    |              |                                     |
|----|--------------|-------------------------------------|
| 26 | 532 12 46-70 | Spring, Retainer                    |
| 27 | 874 76 05-12 | Bolt, Hex 5/16-18 x 3/4             |
| 26 | 532 13 06-89 | Bracket, Mounting                   |
| 29 | 817 49 05-08 | Screw, Thread Rolling 5/16-18 x 1/2 |
| 30 | 532 13 11-37 | Pin, Support Post                   |
| 31 | 532 13 44-96 | Cap, Tubing End                     |
| 32 | 532 12 69-19 | Bagger, Frame                       |
| 33 | 532 12 86-00 | Pin, Hinge                          |
| 34 | 532 12 75-34 | Gasket, Cover                       |
| 35 | 532 12 95-85 | Container, Top                      |
| 36 | 532 13 24-31 | Container, Bottom                   |
| 37 | 532 13 22-56 | Seal, Cover                         |
| 38 | 532 13 08-95 | Latch Handle, Cover                 |
| 39 | 532 13 54-95 | Strip, Seal                         |
| 40 | 871 16 10-10 | Screw # 10-24 x 5/8                 |
| 41 | 873 80 06-00 | Locknut 3/8-16                      |
| 42 | 532 13 70-31 | U-Bolt                              |
| 43 | 532 12 36-35 | Weight, Wheel                       |
| 44 | 531 01 31-26 | Blade, High Lift                    |