

# LT13

**Spare parts**

**Ersatzteile**

**Pièces détachées**

**Reserve onderdelen**

**Repuestos**


**Reservdelar**

**GPL®**

## REPAIR PARTS

**TRACTOR - MODEL NO. LT13 (JLT13A), PRODUCT NO. 954 13 00-45**

## ELECTRICAL



# REPAIR PARTS

TRACTOR - MODEL NO. LT13 (JLT13A), PRODUCT NO. 954 13 00-45

## ELECTRICAL


| KEY NO. | PART NO.  | DESCRIPTION                          |
|---------|-----------|--------------------------------------|
| 1       | 532144925 | Battery 12 Volt 25 AMP               |
| 2       | 874760412 | Bolt Hex Hd 1/4-20unc X 3/4          |
| 8       | 532156417 | Case Battery Mech Hinge              |
| 16      | 532153664 | Switch Interlock Push-In             |
| 21      | 532166182 | Harness Asm Light W/4152j            |
| 22      | 532004152 | Bulb Light #1156                     |
| 24      | 532124780 | Cable Battery 6 Ga 11" red           |
| 25      | 532146147 | Cable Battery 6 Ga 44" red w/16 wire |
| 26      | 532175158 | Fuse 20 AMP                          |
| 27      | 873510400 | Nut Keps Hex 1/4-20 Unc              |
| 28      | 532124773 | Cable Ground 6 Ga 12" black          |
| 29      | 532121305 | Switch Plunger Nc Gray               |
| 30      | 532175566 | Switch Ign                           |
| 33      | 532140401 | Key Ign                              |
| 40      | 532170217 | Harness Ign.                         |
| 41      | 871110408 | Bolt Blk Fin Hex 1/4 - 20 x 1/2      |
| 42      | 532131563 | Cover Terminal Red                   |
| 43      | 532175141 | Solenoid                             |
| 48      | 532140844 | Adapter Ammeter                      |
| 52      | 532141940 | Protection Wire Loop                 |

**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm.

# REPAIR PARTS

TRACTOR - MODEL NO. LT13 (JLT13A), PRODUCT NO. 954 13 00-45

## CHASSIS AND ENCLOSURES



# REPAIR PARTS

## TRACTOR - MODEL NO. LT13 (JLT13A), PRODUCT NO. 954 13 00-45 CHASSIS AND ENCLOSURES


| KEY<br>NO. | PART<br>NO. | DESCRIPTION                    |
|------------|-------------|--------------------------------|
| 1          | 532169830   | Chassis Weldment               |
| 2          | 532169061   | Drawbar                        |
| 3          | 817060612   | Screw 3/8-16 x .75 SMGML       |
| 5          | 532155272   | Bumper Hood/Dash               |
| 9          | 532172151   | Dash P/L                       |
| 10         | 872140608   | Bolt Carriage 3/8-16 x 1       |
| 11         | 532155927   | Panel Dash Lh                  |
| 12         | 532145660   | Clip Tinnerman Grille P/L      |
| 13         | 532172107   | Panel Dash Rh                  |
| 17         | 532150760   | Hood LT/PL with Louvers        |
| 18         | 532126938   | Bumper Hood                    |
| 25         | 819131312   | Washer 13/32 X 13/16 X 12 Ga   |
| 26         | 873800600   | Nut Lock Hex W/Ins 3/8-16 Unc  |
| 28         | 532169509   | Grill/Lens Asm.                |
| 29         | 532166603   | Lens LT/PL Grille Shark Plain  |
| 30         | 532172157   | Fender Footrest                |
| 31         | 532139976   | Bracket Support Fender         |
| 37         | 817490508   | Screw Thdrol 6/16-18 x 1/2 TYT |
| 38         | 532169834   | Bracket, Asm. Pivot            |
| 51         | 873800400   | Nut Lock Hex W/Ins 1/4-20      |
| 52         | 819091416   | Washer 9/32 x 7/8 x 16 Ga.     |
| 53         | 532145201   | Bracket Pnt. Pickoff LH        |
| 54         | 532161464   | Screw Hex Wshd 8-18 x 7/8      |
| 55         | 532145202   | Bracket Grille Pickoff RH      |
| 57         | 874780412   | Bolt Hex 1/4-20 x 3/4          |
| 58         | 532150127   | Duct Air Engine                |
| 60         | 872140606   | Bolt Rdhd Sqnk 3/8-16unc x 3/4 |
| 64         | 532154798   | Dash Lower STLT                |
| 74         | 873680600   | Nut Crownlock 3/8-16 UNC       |
| 142        | 532165867   | Plate Reinforcement STLT       |
| 143        | 532154966   | Bracket Swaybar Chassis        |
| 144        | 532154207   | Bracket Pnt Footrest STLT      |
| 145        | 532156524   | Rod Pivot Chassis/Hood         |
| 206        | 532170165   | Bolt Shoulder 5/16-18          |
| 207        | 817670508   | Screw Thdrol 5/16-18 x 1/2     |
| 208        | 817670608   | Screw Thdrol 3/8-16 x 1/2      |
| 212        | 532165919   | Insert Lens Reflective         |
| --         | 532005479   | Plug Button                    |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# REPAIR PARTS

TRACTOR - MODEL NO. LT13 (JLT13A), PRODUCT NO. 954 13 00-45

## DRIVE



# REPAIR PARTS

TRACTOR - MODEL NO. LT13 (JLT13A), PRODUCT NO. 954 13 00-45

## DRIVE


| KEY NO. | PART NO.  | DESCRIPTION                                                            | KEY NO. | PART NO.  | DESCRIPTION                        |
|---------|-----------|------------------------------------------------------------------------|---------|-----------|------------------------------------|
| 1       | -----     | Transaxle Peerless 206-545C<br>Order parts from transaxle manufacturer | 59      | 532169691 | Keeper Belt Span Ctr               |
| 2       | 532146682 | Spring Return Brake T/a Zinc                                           | 61      | 817060612 | Screw 3/8-16 x .75                 |
| 3       | 532123666 | Pulley Transaxle 18" tires                                             | 62      | 532124872 | Cover Pedal Round                  |
| 4       | 812000028 | Ring Retainer # 5100-62                                                | 63      | 532140186 | Engine Pulley LT/YT                |
| 5       | 532121520 | Strap Torque 30 Degrees                                                | 64      | 871170764 | Bolt Hex                           |
| 6       | 817060512 | Screw Thdrol 5/16-18                                                   | 65      | 810040700 | Washer Lock Hvy Hlcl Spr 7/16      |
| 8       | 532165866 | Rod Shift Fender Adjust Lt                                             | 66      | 532154778 | Keeper Belt Engine Foolproof       |
| 10      | 876020416 | Pin Cotter 1/8 X 1 Cad                                                 | 70      | 532134683 | Guide Belt Mower Drive RH          |
| 11      | 532105701 | Washer Plate Shf 388 Sq Hole                                           | 72      | 819132012 | Washer 13/32 X 1-1/4 X 12 Ga       |
| 13      | 874550412 | Bolt 1/4-28 Unf Gr 8 W/Patch                                           | 74      | 532137057 | Spacer Axle                        |
| 14      | 810040400 | Washer Lock Hvy Helical                                                | 75      | 532121749 | Washer 25/32 X 1 1/4 X 16 Ga       |
| 16      | 873800500 | Nut Lock Hex w/lms 5/16-18                                             | 76      | 812000001 | E-ring #5133-75                    |
| 18      | 874780616 | Bolt, Fin Hex 3/8-16 UNC x 1 Gr. 5                                     | 77      | 532123583 | Key Square 2 0 X 1845/ 1865        |
| 19      | 873800600 | Nut Lock 3/8-16 Unc                                                    | 78      | 532121748 | Washer 25/32 X 1-5/8 X 16 Ga       |
| 21      | 532121274 | Knob                                                                   | 79      | 532125096 | Key Woodruff #9 3/16 x 3/4         |
| 22      | 532130804 | Rod Brake Blk Zinc 26 840                                              | 80      | 532131486 | Arm Shift                          |
| 24      | 873350600 | Nut Hex Jam 3/8-16 Unc                                                 | 81      | 532165594 | Shaft Asm Cross 18"t               |
| 25      | 532106888 | Spring Rod Brake 2 00 Zinc                                             | 82      | 532165711 | Spring Torsion T/a                 |
| 26      | 819131316 | Washer 13/32 X 13/16 X 16 Ga                                           | 83      | 819171216 | Washer 17/32 X 3/4 X 16 Ga         |
| 27      | 876020412 | Pin Cotter 1/8 X 3/4 Cad                                               | 84      | 532166228 | Link Transaxle                     |
| 28      | 532145204 | Rod Brake Parking LT/YT                                                | 85      | 532150360 | Nut Lock Center 1/4 - 28 FNTHD     |
| 29      | 532071673 | Cap Brake Parking Black                                                | 89      | 532166556 | Console Shift STLT                 |
| 30      | 532174973 | Bracket Mtg Transaxle                                                  | 90      | 532124346 | Nut Self-thd Wsh-hd 1/4 Zinc       |
| 31      | 532127275 | Keeper Belt LH                                                         | 96      | 532124788 | Retainer Spring 1"                 |
| 32      | 874760512 | Bolt Hex Hd 5/16-18unc X 3/4                                           | 112     | 819091210 | Washer 9/32 x 3/4 x 10 Ga.         |
| 34      | 532155071 | Shaft Asm Pedal Foot                                                   | 113     | 532127285 | Strap Torque LT                    |
| 35      | 532120183 | Bearing Nylon Blk 629 Id                                               | 116     | 872110610 | Bolt Rdhd Sq Neck 3/8-16 x 1.25    |
| 36      | 819211616 | Washer 21/32 X 1 X 16 Ga                                               | 145     | 874490540 | Bolt Hex 5/16-18 Gr. 5             |
| 37      | 532124963 | Pin Roll 3/16 X 1"                                                     | 150     | 532165850 | Bushing Bellcrank Grd Drive        |
| 38      | 532131494 | Pulley Idler Flat                                                      | 151     | 819133210 | Washer 13/32 x 2 x 10 Ga.          |
| 39      | 874760644 | Bolt Fin Hex 3/8-16 Unc x 2-3/4                                        | 156     | 532166002 | Washer Srrtd 5/16ID x 1.125        |
| 40      | 532124965 | Spacer Split 395 X 59 Bzp                                              | 158     | 532165589 | Bracket Shift Mount                |
| 41      | 532165838 | Keeper Belt Idler Flat                                                 | 159     | 532165494 | Hub Tapered Flange Shift Lt        |
| 42      | 819131312 | Washer 13/32 X 13/16 X 12 Ga                                           | 161     | 872140406 | Bolt Rdhd Sqnk 1/4-20 x 3/4 Gr 5   |
| 47      | 532127783 | Pulley Idler V Groove Plastic                                          | 162     | 873680400 | Nut Crownlock 1/4-20 Unc           |
| 48      | 532154407 | Bellcrank Clutch Grnd Driv                                             | 163     | 874780416 | Bolt Hex Fin 1/4-20 Unc x 1 Gr 5   |
| 49      | 532123205 | Retainer Belt Style Spring                                             | 164     | 819091010 | Washer 5/8 x .281 x 10 Ga          |
| 50      | 874760624 | Bolt Hex Hd 3/8-16unc X 1-1/2                                          | 165     | 532165623 | Bracket Pivot Lever                |
| 51      | 873680600 | Nut Crownlock 3/8-16 Unc                                               | 166     | 532166880 | Screw 5/16-18 x 5/8                |
| 52      | 873680500 | Nut Crownlock 5/16-18 Unc                                              | 168     | 532165492 | Bolt Shoulder 5/16-18 x .561       |
| 53      | 532105710 | Link Clutch                                                            | 169     | 532165580 | Plate Fastening Lt                 |
| 55      | 532105709 | Spring Return Clutch 6 75                                              | 197     | 532169613 | Nyliner Snap-In                    |
| 56      | 874760620 | Bolt Fin Hx 3/8-16 X 1/4                                               | 198     | 532169593 | Washer Nyl 7/8 ID x 105"           |
| 57      | 532130801 | V-Belt Ground Drive 95 25                                              | 202     | 872110612 | Bolt Carr. SH 3/8-16 x 1-1/2 Gr. 5 |
| 58      | 532127274 | Keeper Belt RH                                                         |         |           |                                    |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# REPAIR PARTS

TRACTOR - MODEL NO. LT13 (JLT13A), PRODUCT NO. 954 13 00-45

## STEERING ASSEMBLY



# REPAIR PARTS

TRACTOR - MODEL NO. LT13 (JLT13A), PRODUCT NO. 954 13 00-45

## STEERING ASSEMBLY


| KEY NO. | PART NO.  | DESCRIPTION                      |
|---------|-----------|----------------------------------|
| 1       | 532177182 | Wheel Steering                   |
| 2       | 532154427 | Axle Asm STMP Dropped STL        |
| 3       | 532169840 | Spindle Asm LH                   |
| 4       | 532169839 | Spindle Asm RH                   |
| 5       | 532124931 | Bearing Race Thrust Harden       |
| 6       | 532121748 | Washer 25/32 X 1-5/8 X 16 Ga     |
| 7       | 819272016 | Washer 27/32 X 1-1/4 X 16 Ga     |
| 8       | 812000029 | Ring Klip #t5304-75              |
| 9       | 532124937 | Bearing Col Strg Blk             |
| 10      | 532169832 | Link Drag                        |
| 11      | 810040600 | Washer Lock Hvy Hlcl Spr 3/8     |
| 13      | 532136518 | Bearing Axle STL/GT              |
| 15      | 532145212 | Nut Hexflange Lock               |
| 17      | 532156546 | Shaft Asm Strg                   |
| 18      | 532057079 | Washer Thrust 515x 750x 033      |
| 19      | 532160395 | Support Shaft                    |
| 22      | 532165857 | Screw Hex Wsh hd Torx            |
| 23      | 532165851 | Shaft Asm Pittman                |
| 25      | 532154406 | Bracket Steering                 |
| 26      | 532126847 | Bushing Link Drag Blk LR         |
| 27      | 532136874 | Gear Sector                      |
| 28      | 819131416 | Washer 13/32 X 7/8 X 16 Ga       |
| 29      | 817060612 | Screw 3/8-16x3/4 SMGML           |
| 30      | 876020412 | Pin Cotter 1/8 X 3/4 Cad         |
| 32      | 532130465 | Rod Tie Wire Form 19 75 Mech     |
| 36      | 532155099 | Bushing Strg                     |
| 37      | 532152927 | Screw                            |
| 38      | 532177183 | Insert Cap Strg Wh               |
| 39      | 819133812 | Washer 13/32 X 2-3/8 X 8 Ga      |
| 40      | 532124701 | Lock nut                         |
| 41      | 532100711 | Adaptor Wheel Strg               |
| 42      | 532169633 | Boot Steering Shaft              |
| 43      | 532121749 | Washer 25/32 X 1 1/4 X 16 Ga     |
| 44      | 532153720 | Extension Steering Shaft LR/LT   |
| 46      | 532121232 | Cap Spindle Fr Top Blk           |
| 47      | 532124836 | Fitting Grease                   |
| 51      | 873800500 | Nut Lock Hex w/Ins 5/16-18       |
| 54      | 874780520 | Bolt Fin Hex 5/16-18 Unc x 1-1/4 |
| 62      | 532167902 | Kit, Steering Assembly Svc       |
| 63      | 874780616 | Bolt Fin Hex 3/8-16unc x 1 Gr. 5 |
| 65      | 532160367 | Spacer Axle                      |
| 66      | 532154404 | Bearing Arm Pittman              |
| 67      | 872140618 | Bolt RDHD SQNK 3/8-16 x 2-1/4    |
| 68      | 532169827 | Axle, Brace                      |
| 79      | 819132012 | Washer 13/32 x 1-1/4 x 12 Ga     |
| 80      | 874950612 | Bolt Hex Nylon 3/8-16 x 3/4      |
| 82      | 532169835 | Bracket Susp Chassis Front       |
| 85      | 532133835 | Fastner Christmas Tree           |

**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm.

# REPAIR PARTS

TRACTOR - MODEL NO. LT13 (JLT13A), PRODUCT NO. 954 13 00-45

## ENGINE



# REPAIR PARTS

TRACTOR - MODEL NO. LT13 (JLT13A), PRODUCT NO. 954 13 00-45

## ENGINE


| KEY NO. | PART NO.  | DESCRIPTION                                                           |
|---------|-----------|-----------------------------------------------------------------------|
| 1       | 532170865 | Control Th/ch LH Flag                                                 |
| 2       | 817720410 | Screw Hex Thd Cut 1/4-20x5/8 T                                        |
| 3       | -----     | Engine B&S Model No. 28R707<br>(Order parts from engine manufacturer) |
| 4       | 532137348 | Muffler                                                               |
| 13      | 532165291 | Gasket                                                                |
| 14      | 532148456 | Tube Drain Oil Easy                                                   |
| 16      | 811050600 | Washer Lock Ext Tooth 3/8                                             |
| 23      | 532169837 | Shield Brn/Dbr Guard                                                  |
| 29      | 532137180 | Kit Spark Arrestor (Flat Scrn)                                        |
| 31      | 532109202 | Tank Fuel Front                                                       |
| 32      | 532140527 | Cap Asm Fuel W/sym Vented                                             |
| 33      | 532123487 | Clamp Hose Black                                                      |
| 37      | 532137040 | Line Fuel 20"                                                         |
| 38      | 532148315 | Plug Drain Oil Easy                                                   |
| 40      | 532124028 | Bushing Snap Nyl Blk Fuel Line                                        |
| 44      | 817670412 | Screw Hexwsh Thdrol 1/4-20x3/4                                        |
| 45      | 817000612 | Screw 3/8-16 x 3/4                                                    |
| 46      | 819091416 | Washer 9/32 X 7/8 X 16 Ga                                             |
| 62      | 810040500 | Washer Lock Hvy Hlcl Spr 5/16                                         |
| 66      | 532127951 | Stop Throttle 3000 RPM                                                |
| 72      | 871070512 | Screw Hexhd Cap 5/16-18 x 3/4                                         |
| 78      | 817060620 | Screw 3/8-16 x 1-1/4 SMGML                                            |
| 81      | 873510400 | Nut Keps Hex 1/4-20                                                   |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

## REPAIR PARTS

**TRACTOR - MODEL NO. LT13 (JLT13A), PRODUCT NO. 954 13 00-45**

## SEAT ASSEMBLY



| KEY NO. | PART NO.  | DESCRIPTION                    |
|---------|-----------|--------------------------------|
| 1       | 532140116 | Seat                           |
| 2       | 532140551 | Bracket Pivot Seat 8 720       |
| 3       | 871110616 | Bolt Fin Hex 3/8-16 Unc x 1    |
| 4       | 819131610 | Washer 13/32 X 1 X 10 Ga       |
| 5       | 532145006 | Clip Push-In                   |
| 6       | 873800600 | Nut Hex w/Ins. 3/8-16 Unc      |
| 7       | 532124181 | Spring Seat Cprsn 2 250 Blk Zi |
| 8       | 817000616 | Screw 3/8-16 x 1.5 SMGML       |
| 9       | 819131614 | Washer 13/32 X 1 X 14 Ga.      |
| 10      | 532174894 | Pan Seat                       |
| 12      | 532121246 | Bracket Mounting Switch        |
| 13      | 532121248 | Bushing Snap Blk Nyl 50 Id     |


| KEY NO. | PART NO.   | DESCRIPTION                    |
|---------|------------|--------------------------------|
| 14      | 872050412  | Bolt Rdhd Sqnk 1/4-20x1-1/2    |
| 15      | 532134300  | Spacer Split 28x96 Yel Zinc    |
| 16      | 532121250  | Spring Cprsn 1.27 Blk Pnt      |
| 17      | 532123976  | Nut Lock 1/4 Lge Flg Gr 5 Zinc |
| 21      | 532171852  | Bolt SHLD 5/16-18 Unc-2A       |
| 22      | 873800500  | Nut Hex Lock W/Ins 5/16-18     |
| 23      | 8711110814 | Bolt Hex                       |
| 24      | 819171912  | Washer 17/32 X 1-3/16 X 12 Ga. |
| 25      | 532127018  | Bolt Shoulder 5/16-18 X 62     |
| 26      | 810040800  | Washer Lock Hvy HLCL Spr. 1/2  |

**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm

# REPAIR PARTS

TRACTOR - MODEL NO. LT13 (JLT13A), PRODUCT NO. 954 13 00-45


## DECALS



| KEY NO. | PART NO.  | DESCRIPTION                     |
|---------|-----------|---------------------------------|
| 1       | 532126187 | Decal 100 DBA                   |
| 2       | 532152262 | Decal Grille                    |
| 3       | 532170598 | Decal Hood RH                   |
| 4       | 532170599 | Decal Hood LH                   |
| 5       | 532170848 | Decal HP Engine                 |
| 6       | 532145437 | Decal Europe Stand CE           |
| 7       | 532175884 | Decal, Ins. Strg Whl.           |
| 8       | 532145494 | Decal Mower Cutfinger           |
| 9       | 532141761 | Decal Fender Jonsered           |
| 10      | 532145498 | Decal Read Owner's Manual Syms. |
| 11      | 532162927 | Decal Hood Insert B&S White     |

| KEY NO. | PART NO.  | DESCRIPTION                     |
|---------|-----------|---------------------------------|
| 12      | 532159736 | Decal Chassis Hot Muffler       |
| 13      | 532159737 | Decal Brake/Clutch Symbol LT    |
| 14      | 532136832 | Decal V-Belt Schematic          |
| 15      | 532162598 | Decal Drawbar Load Limit        |
| 16      | 532140837 | Decal Saddle Brake Parking      |
| 20      | 532145005 | Decal Bat Dan/Psn               |
| --      | 532171284 | Pad Footrest LH STLT            |
| --      | 532171285 | Pad Footrest RH STLT            |
| --      | 532138311 | Decal Handle Lift Height Adjust |
| --      | 532176379 | Manual Operator's (Euro.)       |
| --      | 532176380 | Manual Operator's (Scan.)       |

## WHEELS & TIRES




| KEY NO. | PART NO.  | DESCRIPTION                       |
|---------|-----------|-----------------------------------|
| 1       | 532059192 | Cap Valve Tire                    |
| 2       | 532065139 | Stem Valve                        |
| 3       | 532106222 | Tire F Ts 15 X 6 0 - 6 Service    |
| 4       | 532059904 | Tube Front (Service Item Only)    |
| 5       | 532138336 | Rim Asm 6"front Silver Service    |
| 6       | 532124957 | Fitting Grease (Front Wheel Only) |
| 7       | 532124959 | Bearing Flange (Front Wheel Only) |
| 8       | 532138337 | Rim Asm 8"rear Silver Service     |
| 9       | 532124635 | Tire R Ts 18x9 5-8 C Service      |
| 10      | 532124926 | Tube Rear (Service Item Only)     |
| 11      | 532175039 | Cap Axle Blk 1 50 X 1 00          |
| --      | 532144334 | Sealant, Tire ( 10 oz. Tube)      |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

## REPAIR PARTS

**TRACTOR - MODEL NO. LT13 (JLT13A), PRODUCT NO. 954 13 00-45**

## MOWER DECK



# REPAIR PARTS

TRACTOR - MODEL NO. LT13 (JLT13A), PRODUCT NO. 954 13 00-45

## MOWER DECK


| KEY NO. | PART NO.  | DESCRIPTION                                        | KEY NO. | PART NO.  | DESCRIPTION                                                     |
|---------|-----------|----------------------------------------------------|---------|-----------|-----------------------------------------------------------------|
| 1       | 532174595 | Mower Deck Assembly                                | 55      | 532133840 | Idler Arm Assembly                                              |
| 2       | 872140506 | Bolt                                               | 56      | 532165723 | Spacer, Retainer                                                |
| 3       | 532138017 | Bracket Assembly, Sway Bar                         | 67      | 532106932 | Knob RD 3/8-16 Plstc Thd                                        |
| 4       | 532175654 | Bracket Sway Bar                                   | 68      | 532174978 | Belt                                                            |
| 5       | 532124670 | Retainer Spring                                    | 69      | 876020312 | Pin, Cotter 3/32 x 3/4                                          |
| 6       | 532130832 | Arm, Suspension, Rear                              | 89      | 819131612 | Washer 13/32 x 1 x 12 Ga                                        |
| 7       | 532140608 | Keeper Belt                                        | 107     | 532133502 | Spacer, Retainer                                                |
| 8       | 532850857 | Bolt, Hex 3/8-24 x 1.25 Gr. 8                      | 108     | 532133503 | Stiffener, Idler Arm                                            |
| 9       | 810030600 | Washer, Lock Hvy Hlcl 3/8                          | 113     | 817490508 | Screw Thdrol 5/16-18 x 1/2                                      |
| 10      | 532140296 | Washer, Hardened                                   | 122     | 532174505 | Rod, Brake, LH                                                  |
| 11      | 532138496 | Blade, Mower                                       | 123     | 532174504 | Rod, Brake, RH                                                  |
| 13      | 532137645 | Shaft Assembly, Mandrel, Vented (Includes Key #12) | 146     | 532165891 | Bolt Carriage Idler                                             |
| 14      | 532128774 | Housing, Mandrel, Vented                           | 148     | 532169022 | Spring Return Idler                                             |
| 15      | 532110485 | Bearing, Ball, Mandrel                             | 149     | 532165898 | Retainer Spring Yellow Zinc                                     |
| 16      | 532140329 | Stripper, Vented Mower Deck                        | 150     | 819091216 | Washer 9/32 x 3/4 x 16 Ga.                                      |
| 19      | 532132827 | Bolt, Shoulder                                     | 151     | 532169670 | Bracket Clutch                                                  |
| 21      | 873680500 | Nut Crownlock 5/16-18                              | 152     | 532176079 | Cable Clutch                                                    |
| 23      | 532136631 | Bracket, Mower Deflector                           | 153     | 532169674 | Washer Flat 3/8" Type B                                         |
| 24      | 532105304 | Cap, Sleeve                                        | 154     | 532169675 | Spring Retainer                                                 |
| 25      | 532123713 | Spring, Torsion, Deflector                         | 155     | 532169671 | Spring Retention Lever                                          |
| 26      | 532110452 | Nut, Push                                          | 156     | 532169672 | Spacer                                                          |
| 27      | 532176162 | Shield, Deflector                                  | 157     | 532169669 | Rod Clutch                                                      |
| 28      | 819111016 | Washer 11/32 x 5/8 x 16 Ga.                        | 158     | 817720410 | Screw Hex Thd Cut 1/4-20x5/8                                    |
| 29      | 532121980 | Rod, Hinge                                         | 164     | 532174976 | Bracket Asm Idler Support                                       |
| 30      | 532157722 | Screw Thdrol Washer Head                           | 168     | 532172377 | Bracket Deck Cable                                              |
| 31      | 532129963 | Washer, Spacer                                     | 169     | 532174977 | Bracket Asm Suspension                                          |
| 32      | 532153531 | Pulley, Mandrel                                    | 170     | 532172359 | Bracket Suspension RF                                           |
| 33      | 532137266 | Nut, Toplock, Flanged                              | 171     | 532165237 | Brace Support Susp. Frt                                         |
| 34      | 872110614 | Bolt Rdhd 3/8-16 x 1-3/4                           | 172     | 532172355 | Bracket Suspension LF                                           |
| 36      | 532131494 | Pulley, Idler, Flat                                | --      | 532130794 | Mandrel Assembly (Includes Key Numbers 12-15, 17-19, 31 and 33) |
| 40      | 873680600 | Nut Crownlock 3/8-16                               | --      | 532175254 | Mower Deck, Complete                                            |
| 45      | 532124788 | Retainer, Spring                                   |         |           |                                                                 |
| 53      | 532130840 | Brake Assembly                                     |         |           |                                                                 |
| 54      | 532133943 | Washer, Hardened                                   |         |           |                                                                 |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# REPAIR PARTS

TRACTOR - MODEL NO. LT13 (JLT13A), PRODUCT NO. 954 13 00-45

MOWER LIFT



# REPAIR PARTS

TRACTOR - MODEL NO. LT13 (JLT13A), PRODUCT NO. 954 13 00-45

## MOWER LIFT

| KEY NO. | PART NO.  | DESCRIPTION                       |
|---------|-----------|-----------------------------------|
| 1       | 532159460 | Washer Asm Inner Spring W/Plunger |
| 2       | 532159471 | Shaft Asm. Lift                   |
| 3       | 532105767 | Pin Groove                        |
| 4       | 812000002 | E Ring #5133-62                   |
| 5       | 819211621 | Washer 21/32 x 1 x 21 Ga          |
| 6       | 532120183 | Bearing Nylon                     |
| 7       | 532109413 | Grip Handle                       |
| 8       | 532124526 | Button Plunger                    |
| 11      | 532139865 | Link Lift LH                      |
| 12      | 532139866 | Link Lift RH                      |
| 13      | 532124670 | Retainer Spring                   |
| 15      | 532173288 | Link Front                        |
| 16      | 873350800 | Nut Jam Hex 1/2-13 Unc            |
| 17      | 532130171 | Trunnion Blk Zinc                 |
| 18      | 873800800 | Nut Lock W/Wsh 1/2-13 Unc         |
| 19      | 532139868 | Arm Suspension Mower              |
| 20      | 532163552 | Retainer Spring                   |
| 31      | 532169865 | Bearing Pvt. Lift                 |
| 32      | 873540600 | Nut Crownlock 3/8-24              |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# REPAIR PARTS

TRACTOR - MODEL NO. LT13 (JLT13A), PRODUCT NO. 954 13 00-45

## SCHEMATIC

