


ILLUSTRATED PARTS LIST

MODEL NO. 96051011100


CUSTOMER CATALOG NO. LT2317 CMA2

PRODUCT NO. 960 51 01-11



585529901

TRACTOR - - MODEL NO. LT2317 CMA2 (96051011100), PRODUCT NO. 960 51 01-11
DECALS 27



**KEY PART
NO. NO.**

DESCRIPTION


1	581 57 83-01	Decal, Operators Warning
2	581 59 39-01	Decal, Engine
3	581 57 97-01	Decal, Warning Eng. Symbols
4	532 44 67-22	Decal, Hood Panel
5	581 57 96-01	Decal, Chassis Hot Muffler
7	581 57 91-01	Decal, Cutfinger CE
8	585 52 99-01	Decal, Rpl.
9	581 57 84-01	Decal, Instruction
14	532 44 11-89	Decal, Deck Belt Sch.
15	532 43 74-45	Decal, Steering

**KEY PART
NO. NO.**

DESCRIPTION

--	581 72 48-01	Decal, Bypass
--	532 18 04-35	Decal, Symb.
--	532 44 27-44	Decal, Battery Box
--	532 42 59-76	Pad, Footrest, LH
--	532 42 59-86	Pad, Footrest, RH
--	585 55 99-40	Manual Oper. Euro
--	585 55 99-50	Manual Oper. Scand
--	585 56 00-20	Manual Oper. E-Bloc
--	585 56 00-02	Manual Oper. Baltic

WHEELS AND TIRES



**KEY PART
NO. NO.**


DESCRIPTION

1	532 05 91-92	Cap Valve Tire
2	532 06 51-39	Stem Valve
3	532 13 83-36	Rim Asm. 6" Front
4	532 05 99-04	Tube Front (Service Item Only)
5	532 10 62-22	Tire F T 15 x 6 0 - 6
6	532 12 49-57	Fitting Grease (Front Wheel Only)
7	532 12 49-59	Bearing Flange (Front Wheel Only)
8	532 17 50-39	Cap Axle Blk. 1 50 x 1 00
9	532 42 05-31	Tire R 18 x 9.5-8 Turf Saver LT
10	532 12 49-26	Tube Rear (Service Item Only)
11	532 13 83-37	Rim Asm. 8" Rear
--	532 14 43-34	Sealant, Tire (10 oz. Tube)


NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

TRACTOR - - MODEL NO. LT2317 CMA2 (96051011100), PRODUCT NO. 960 51 01-11
SCHEMATIC 38

SCH26



TRACTOR - - MODEL NO. LT2317 CMA2 (96051011100), PRODUCT NO. 960 51 01-11
ELECTRICAL 32




TRACTOR - - MODEL NO. LT2317 CMA2 (96051011100), PRODUCT NO. 960 51 01-11
ELECTRICAL 32

KEY NO.	PART NO.	DESCRIPTION
1	532 43 71-57	Battery
2	532 44 09-23	Screw Hex Head Cap M6 x 1.12 mm
16	532 17 61-38	Switch Interlock Push-In
21	532 40 02-52	Harness Socket Light w/4152J
22	532 00 41-52	Bulb Light
25	581 48 98-01	Cable Starter
26	532 17 51-58	Fuse
27	873 51 04-00	Nut Keps Hex 1/4-20 unc
28	581 48 98-02	Cable, Ground
29	532 40 15-45	Switch, Seat
30	532 19 33-50	Switch, Ign.
33	532 41 19-35	Key/Chain
34	532 11 07-12	Switch Light/Reset
40	532 42 10-02	Harness Ign. Dash
43	532 19 25-07	Solenoid
46	532 40 17-63	Gauge Srv. Minder
55	817 06 05-12	Screw Thdrol. 5/16-18 x 3/4 TYTT
71	532 44 08-20	Harness Chassis
79	532 17 52-42	Socket Asm. Bulb Twistlock
83	532 43 67-74	Nut Square M6 x 1.8.5 x 11 mm
87	532 42 10-60	Switch Interlock Clutch Cable
99	817 72 04-08	Screw Thd. Cut 1/4-20 x 1/2
102	532 44 12-62	Harness Jumper TT
105	532 40 75-68	Switch Reverse TT
107	532 18 03-79	Switch Full Bagger Indicator
108	532 42 10-62	Switch Snapmount

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

TRACTOR - - MODEL NO. LT2317 CMA2 (96051011100), PRODUCT NO. 960 51 01-11
CHASSIS AND ENCLOSURES 39




chassis-tex crd_TEX GT PRED_4_r1

TRACTOR - - MODEL NO. LT2317 CMA2 (96051011100), PRODUCT NO. 960 51 01-11
CHASSIS AND ENCLOSURES **39**

KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
5	532 44 18-82	Dash	207	532 19 89-63	Bezel Grille RH
14	532 44 38-24	Hood	208	532 19 89-64	Bezel Grille LH
18	532 42 73-33	Grille	213	874 76 05-12	Bolt Hex HD 5/16-18 unc 3/4
34	580 91 09-01	Plate Engine	217	532 40 91-67	Rod Pivot Hood
36	817 06 05-12	Screw 5/16-18 x 3/4	218	532 19 63-95	X-Piece Hood Stop
37	532 44 13-39	Fender	225	532 44 38-25	Bumper Grille
52	873 68 05-00	Nut Crownlock 5/16-18	226	532 42 47-16	Logo
62	872 11 06-08	Bolt 3/8-16 x 1 Gr. 5	228	532 19 51-61	Stud Fastener
68	817 49 05-08	Screw Thdrol. 5/16-18 x 1/2	235	532 40 61-29	Spacer Fender
118	819 13 13-16	Washer 13/32 x 13/16 x 16	236	873 93 05 00	Nut Center Lock 5/16-18 unc
119	873 68 06-00	Nut Crownlock	237	532 40 37-04	Plug Mount Cargo
130	532 41 63-58	Screw #10 x .750 BOS Thread	282	532 41 41-10	Clip Retainer
150	584 86 29-01	Air Duct	283	532 44 03-61	Console Deck Lift
151	532 44 54-94	Bracket Pivot	284	532 44 03-60	Console Shift RH
152	532 19 95-35	Shield Browning	287	817 60 04-06	Screw Hex Wash. 1/4-20 x 3/8
153	532 42 47-17	Lens Bar	308	532 17 18-77	Bolt 5/16-18 unc x 3/4
156	872 14 06-14	Bolt 3/8-16 unc x 1-3/4	309	584 44 11-01	Backplate
159	817 00 06-12	Screw 3/8-16 x 3/4	310	532 44 66-36	Bracket Hangbar Bag LH
162	532 14 24-32	Screw Hex Wsh. Hi-Lo 1/4 x 1/2 unc	311	532 44 66-37	Bracket Hangbar Bag RH
175	532 19 63-04	Crossmember	319	532 17 46-62	Bracket Actuator Bagger
176	532 40 07-76	Screw 10-24 x 5/8	334	532 44 25-37	Bracket Engine
177	532 19 52-28	Bushing Steering	338	532 43 66-40	Bolt Shoulder
178	532 19 97-82	Cargo Asm. Net	339	532 43 66-41	Lever Bagger Full
179	532 16 89-37	Nut Push	340	532 44 09-31	Door Battery Tray
180	581 18 71-01	Chassis	341	532 43 66-38	Latch Batter Tray
182	532 43 89-67	Dash Lower	342	532 43 59-38	Support Fender
183	874 52 05-20	Bolt 5/16-18 x 1-1/4	343	532 44 07-49	Clip
189	817 00 05-12	Screw 5/16-18 x 3/4	344	532 43 89-70	Control EZ Mulch
194	873 90 05-00	Nut Lock Hex Flange 5/16-18	345	532 44 06-39	Knob Oval
195	532 40 41-37	Plug Hole Dash Lower			
199	532 41 87-39	Plate Deck Lift			
202	532 44 54-26	Side Vent RH			
203	532 44 55-83	Side Vent LH			

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

TRACTOR - - MODEL NO. LT2317 CMA2 (96051011100), PRODUCT NO. 960 51 01-11
 DRIVE **40**




TRACTOR - - MODEL NO. LT2317 CMA2 (96051011100), PRODUCT NO. 960 51 01-11
DRIVE 40

KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	— — — — —	Transaxle, Tufftorq K46DF (446488) (Order parts from transaxle manufacturer.)	189	532 43 36-11	Bellcrank Grounddrive
2	532 12 35-83	Key Square	195	580 45 69-01	Bracket Brake Rod
6	532 12 40-28	Bushing	203	819 11 11-16	Washer 11/32 x 11/16 x 16 Ga.
15	819 13 13-16	Washer 12/32 x 1 x 16 Ga.	205	532 12 17-48	Washer 25/32 x 1-5/8 16 Ga.
17	532 43 62-27	Spring, Brake	206	532 44 85-96	Bracket Mount Latch
26	532 19 96-79	Spring Return	207	532 19 78-68	Latch Control
29	532 43 58-81	Rod, Brake	208	532 19-78-69	Gear Sector Control Cruise
30	819 13 16-16	Washer 13/32 x 1 x 16 Ga.	209	532 19 95-92	Rod Control Cruise
33	812 00 00-01	Ring E	210	532 40 09-80	Rocket Asm Pedal
35	583 86 45-01	Rod, Brake, Park	211	532 12 01-83	Bearing Nylon
37	532 18 89-67	Washer Hard. .793 x 1.637 x 0.60	213	532 40 31-19	Knob Control Cruise
38	532 16 96-13	Nyliner Snap In	214	532 42 12-63	Pedal Forward Pad
42	532 12 48-72	Cover, Foot Pedal	215	532 41 94-82	Pedal Reverse Pad
49	872 11 06-14	Bolt Rdhd 3/8-16 unc x 1-3/4 Gr. 5	221	532 40 31-87	Retainer Spring Clip
50	532 19 43-27	Idler Flat	222	879 21 20-10	Washer 21/32 x 1-1/4
51	873 90 06-00	Lock Nut 3/8-16	226	532 40 15-64	Bracket Mount
52	532 19 43-26	Idler V-Groove 910" Offset	227	817 49 05-12	Screw
56	532 44 18-34	V-Belt, Drive	279	532 44 42-83	Link Asm.
61	532 43 77-88	Pulley Transaxle	280	819 11 10-12	Washer 11/32 x 5/8 x 12 Ga.
64	532 19 78-65	Shaft Asm.	309	532 16 55-81	Plaste Fstnr
73	874 49 05-56	Bolt Hex 5/16-18 x 3.75	311	532 16 98-45	Washer Nylon
90	532 44 36-05	Keeper Belt Clutching	312	532 16 56-14	Hub Tapered Round
92	874 76 05-20	Bolt Fin. Hex 5/16-18 unc x 1.25	313	874 78 04-16	Bolt Hex Fin 1/4-20 x 1 Gr. 5
99	532 44 39-47	Rod Bypass	314	532 44 47-13	Belt Keeper
103	873 35 05-00	Nut	315	817 58 05-20	Screw Thdrol 5/16-18 x 4.25
116	873 90 05-00	Nut Lock Hex Flange 5/16-18	319	532 43 67-94	Spacer Transaxle Tex CRD
125	817 00 05-12	Screw 5/16-18 x 3/4	320	532 18 76-90	Washer Spacer
140	810 04 04-00	Washer Lock Hvy. Helical 1/4	335	532 19 95-34	Pulley V-Idler
143	817 49 05-08	Screw Thdrol 5/16-18 x 1/2 TYTT	339	532 43 68-67	Strap Torque K46 CRD Tex
159	876 02 04-12	Pin Cotter 1/8 x 3/4	351	532 43 69-98	Bracket 97
160	532 16 94-84	Retainer Clip	352	532 43 58-19	Bracket Idler CRD Tex
161	532 10 57-09	Spring, Return, Clutch	353	532 43 65-77	Bracket Idler RH
163	532 43 66-32	Rod Control	355	532 43 56-69	Strap Torque K46
166	532 42 91-64	Nut Push .625	360	532 44 47-14	Nut Hex Centerlock 5/16-24 unf
167	532 40 52-57	Latch Brake Parking	362	532 43 68-12	Idler Flat 2.25"
175	532 42 93-59	Shaft Shift Tapered	364	532 44 30-32	Bracket Idler
183	532 13 70-57	Spacer Axle			
184	532 44 14-55	Handle Parking Break			
185	872 00 06-22	Bolt Rdhd 3/8-16 unc x 2-3/4 Gr. 5			
186	532 19 43-21	Spacer Retainer			
188	532 19 43-23	Link Clutch Ground Drive			

* Parts supplied by manufacturer

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

TRACTOR - - MODEL NO. LT2317 CMA2 (96051011100), PRODUCT NO. 960 51 01-11
ENGINE **24**



engine-tex_bs-2cyl_95_r1

**TRACTOR - - MODEL NO. LT2317 CMA2 (96051011100), PRODUCT NO. 960 51 01-11
ENGINE 24**


KEY NO.	PART NO.	DESCRIPTION
1	- - - - -	Engine B&S Model No. 40R677-0003-B1 (585766601)(Order parts from engine manufacturer.)
2	532 14 97-23	Muffler
9	584 90 80-01	Keeper Belt Engine
12	586 47 85-01	Pulley Engine
15	581 28 99-01	Tank Fuel 1.5
18	532 43 02-20	Cap Fuel
20	532 42 35-02	Control Throttle
21	532 41 63-58	Screw #10 x 0.750 BOS Thread
28	532 13 70-40	Fuel Line
29	532 13 71-80	Spark Arrester Kit
37	532 12 34-87	Clamp Hose
42	810 04 07-00	Lock Washer Hvy. 7/16
45	873 51 04-00	Nut Keps Hex 1/4-20 unc
62	532 43 40-17	Shield Heat Muffler
69	532 16 53-91	Gasket
70	581 88 11-01	Exhaust Tube LH
71	581 88 10-01	Exhaust Tube RH
79	532 18 39-06	Screw Socket HD 5/16-18 x 1
84	817 06 06-20	Screw 3/8-16 x 1-1/4
85	532 17 39-37	Bolt Hex 7/16-20 x 4 x Gr. 5-1.5 Thr
90	817 00 06-16	Screw 3/8-16 x 1
96	819 09 14-16	Washer 9/32 x 7/8 x 16 Ga.
97	817 67 04-12	Screw 1/4-20 x 3/4
102	817 00 05-12	Screw 5/16-18 x 3/4
122	532 42 19-22	Extension Drain Oil

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

Engine Power Rating Information

The gross power rating for individual gas engine models is labeled in accordance with SAE (Society of Automotive Engineers) code J1940 (Small Engine Power & Torque Rating Procedure), and rating performance has been obtained and corrected in accordance with SAE J1995 (Revision 2002-05). Torque values are derived at 3060 RPM; horsepower values are derived at 3600 RPM. Actual gross engine power will be lower and is affected by, among other things, ambient operating conditions and engine-to-engine variability. Given both the wide array of products on which engines are placed and the variety of environmental issues applicable to operating the equipment, the gas engine will not develop the rated gross power when used in a given piece of power equipment (actual "on-site" or net power). This difference is due to a variety of factors including, but not limited to, accessories (air cleaner, exhaust, charging, cooling, carburetor, fuel pump, etc.), application limitations, ambient operating conditions (temperature, humidity, altitude), and engine-to-engine variability. Due to manufacturing and capacity limitations, Briggs & Stratton may substitute an engine of higher rated power for this Series engine.

TRACTOR - - MODEL NO. LT2317 CMA2 (96051011100), PRODUCT NO. 960 51 01-11
STEERING ASSEMBLY 41




steering-tex_STDSRR_60

TRACTOR - - MODEL NO. LT2317 CMA2 (96051011100), PRODUCT NO. 960 51 01-11
STEERING ASSEMBLY [41]

KEY NO.	PART NO.	DESCRIPTION
1	532 42 41-46	Wheel, Steering
2	532 41 35-91	Axle Asm., Front
4	532 40 30-87	Spindle Asm., LH
5	532 40 30-88	Spindle Asm., RH
6	532 12 49-31	Bearing, Race Thrust Hardened
7	532 12 17-48	Washer 25/32 x 1-5/8 x 16 Ga.
8	812 00 00-29	Ring, Clip #T5304-75
9	532 12 12-32	Cap, Spindle
13	532 12 17-49	Washer 25/32 x 1-1/4 x 16 Ga.
14	810 04 06-00	Washer, Lock Hvy. Hlcl. Spr. 3/8
15	873 54 06-00	Nut, Crown Lock 3/8-24 unf
16	587 01 60-02	Shaft Steering
19	532 19 47-29	Plate Steering
20	532 42 47-40	Boot, Steering
21	586 84 02-01	Adapter Wheel Steering
22	585 02 98-02	Bearing
26	532 42 41-47	Insert, Wheel Steering
27	819 21 16-16	Washer
28	817 00 06-12	Screw 3/8-16 x 3/4
35	532 19 47-32	Gear, Sector Plate
45	587 01 64-01	Washer 3/8 ID 2-3/8 OD 12 Ga. PLTD
50	873 90 06-00	Nut Lock Flg 3/8-16 unc
53	532 18 89-67	Washer Hardened .793 x 1.637 x .060
57	532 40 74-65	Bracket Upstop
58	532 19 47-47	Bolt Shoulder Sector Pivot CFM
59	532 19 47-48	Washer Thrust Sector Steering
60	873 97 10-00	Nut Flange Lock 5/8-11
61	532 19 47-40	Draglink, LH
62	532 19 47-41	Draglink, RH
63	817 00 05-12	Screw 5/16-18 x 3/4
64	532 19 98-49	Retainer Clip Spring Steering
66	871 02 07-48	Bolt Hex Fghd. 7/16-14 x 3 Serr.
67	532 19 47-37	Bushing PM Front Axle
68	873 90 07-00	Nut Lock Flange 7/16-14 Gr. 5
69	532 19 91-62	Washer 1.5 x .505 x .118
70	532 19 61-97	Bracket Deck Susp. Front
75	580 68 37-01	Pinion
76	580 68 36-01	Screw Head Sock
118	532 40 60-13	Bushing
122	532 44 49-62	Cap Gear Sector

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

TRACTOR - - MODEL NO. LT2317 CMA2 (96051011100), PRODUCT NO. 960 51 01-11
MOWER DECK 44




tex-deck_CRD_17_r1

TRACTOR - - MODEL NO. LT2317 CMA2 (96051011100), PRODUCT NO. 960 51 01-11
MOWER DECK **44**

KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	532 43 80-52	Deck Weldment	99	532 19 51-86	Arm Suspension Mower Rear
3	873 90 05-00	Nut Lock Hex Flange 5/16 - 18	100	532 19 65-39	Bolt Shoulder
5	817 00 05-10	Bolt 5/16-18	101	873 68 09-00	Nut Crownlock 9/16 - 18 unc
7	532 41 63-58	Screw #10 x 0.750 BOS Thread	102	532 40 25-11	Spacer Bearing Swing Plate
10	817 00 06-16	Screw 3/8-16 x 1 SMGML Tap	103	532 43 69-92	Guard Front Vent
11	532 13 77-29	Screw Thd Roll 1/4 - 20 X 5/8	104	532 43 89-68	Mandrel Cover RH
13	872 11 06-12	Bolt Carr Sh 3/8 - 16 X 1 - 1/2 Gr. 5	105	532 43 87-44	Mandrel Cover LH
14	532 15 60-85	Keeper Belt Idler	106	532 19 32-16	Spring Brake Return
16	873 90 06-00	Nut Lock FIG 3/8 - 16 unc	110	587 93 48-01	Gear Output
17	532 40 02-34	Nut Flange Lock Top	111	532 43 69-79	Gasket Gearcase
18	532 18 76-90	Washer Spacer Mandrel	112	532 44 38-52	Shaft Gearcase
19	532 11 04-85	Bearing Ball Mandrel	113	532 43 85-33	Plug Oil
20	532 17 39-84	Screw Thread Roll	114	532 43 85-34	Valve Relief
23	817 49 06-28	Screw Thdrol 3/8 - 16 X 1-3/4	115	818 03 10-16	Screw Torx #10-24 x 1
27	532 43 97-26	V-Belt Drive	116	872 11 04-14	Bolt 1/4-20 x 1.75 Gr. 5
32	532 40 18-72	Spring Return Deck	117	873 90 04-00	Nut Hex Flange 1/4-20 unc
33	532 18 72-81	Housing Mandrel 4pt Service	118	532 43 69-89	Arm Clutching
34	532 19 28-72	Shaft Asm Mndrl N/Greaseable38	119	532 43 81-66	Gearcase Subasm
35	532 42 79-84	Blade Mower LH	120	532 43 69-91	Keeper Belt RH
36	532 19 30-03	Bolt/Washer Asm 7/16 - 20 unf	121	532 43 69-85	Washer
37	819 13 13-16	Washer 13/32 x 13/16 x 16 Ga.	124	532 43 69-86	Non Greasable Mandrel Shaft
40	532 19 72-58	Keeper Belt Engine LH	125	532 44 04-20	Bracket Idler Asm.
42	817 00 05-12	Screw 5/16-18 x 3/4	127	532 19 34-06	Bolt Shoulder 3/8-16 x 3-5/8 Gr. 5
43	532 19 74-73	Pulley Mandrel	128	532 17 48-73	Wheel Guage
45	532 13 71-52	Housing Mandrel	129	532 40 48-51	Rod Anti-Sway
67	532 40 30-12	Handle Clutch Cable	130	819 13 13-12	Washer 13/32 x 13/16 x 12 Ga.
70	532 19 99-72	Clutch Asm Manual LT	131	532 19 42-08	Pin Cotter 5/16 Bow Tie Lock
71	817 67 06-08	Screw Thdrol 3/8-16 x 1/2	132	532 17 88-99	Knob Handle
72	532 44 68-10	Chute Upper	133	532 43 55-38	Door Mulch
75	532 13 14-94	Pulley Idler Flat	134	532 43 58-61	Pin Hinge
76	532 41 55-98	Washout Port	135	532 43 79-88	E-Ring 5/16
80	532 42 30-62	Palnut 1/4	146	532 44 58-96	Spring Tex CRD EZ Mulch
84	532 43 25-20	Keeper Belt Mandrel	152	532 44 04-88	Cable Clutch Manual w/Spring
85	532 42 79-85	Blade Mower RH	159	872 14 06-14	Bolt 3/8-16 unc x 1-3/4
86	532 18 17-13	Bolt 3/8-24 x 1.50 Gr. 8	160	532 16 89-37	Nut Push
87	810 03 06-00	Washer Lock Hvy 3/8	- -	532 19 28-70	Mandrel Assembly (Includes Housing (Key #33), Shaft Assembly (Key #34), And Bearing Only (Key #19) - Pulley/Nut/Washer And Blade Bolt/Washers Not Included.)
88	532 14 02-96	Washer Hard Blade Mower Vented	- -	532 44 20-37	Replacement Mower Complete
89	532 43 81-24	Arm Brake 97 LH			
90	532 19 90-92	Spacer Retainer			
91	819 13 20-12	Washer 13/32 x 1-1/4 x 12 Ga.			
92	532 43 69-93	Rod Brake			
93	532 43 81-25	Arm Brake RH			
94	532 19 72-50	Bracket Clutch Cable			
95	817 00 06-12	Screw 3/8-16 x 3/4			
96	532 40 02-71	Spacer			
97	532 18 20-61	Shield Idler Mower			
98	532 19 51-61	Stud Fastener			

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

TRACTOR - - MODEL NO. LT2317 CMA2 (96051011100), PRODUCT NO. 960 51 01-11
MOWER LIFT 45




KEY NO.	PART NO.	DESCRIPTION
2	532 43 69-96	Deck Lift Weldment
3	532 19 52-31	Lever Asm., Lift RH
7	580 96 23-01	Grip, Lever
10	532 19 63-14	Spring Torsion
87	532 19 42-09	Pin Cotter 7/16 Bow Tie Lock
88	532 43 69-95	Spring Lift Assist
89	819 19 19-12	Washer Clear Zinc
90	532 19 42-08	Pin Cotter 5/16 Bow Tie Lock

KEY NO.	PART NO.	DESCRIPTION
91	532 19 51-81	Link Lift Susp. Mower Rear
97	817 49 06-08	Screw 3/8-16 x 1/2
98	532 19 52-70	Link Lift Susp. Front Mower
100	873 93 06-00	Nut Centerlock 3/8-16
101	532 40-70-03	Link Asm. Lift FXD

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

TRACTOR - - MODEL NO. LT2317 CMA2 (96051011100), PRODUCT NO. 960 51 01-11
SEAT ASSEMBLY 42




seat-tex_6.5SL_2

KEY NO.	PART NO.	DESCRIPTION
1	532 40 66-25	Seat
2	532 18 01-66	Bracket Pivot Fender
3	532 14 06-75	Strap, Asm. Fender
6	873 80 06-00	Nut, Lock w/Ins. 3/8-16 unc
7	532 12 41-81	Spring, Seat Cprsn.
8	532 17 18-77	Bolt 5/16-18 unc x 3/4 w/Sems.
10	532 19 69-77	Pan, Seat
21	532 17 18-52	Bolt, Shoulder 5/16-18

KEY NO.	PART NO.	DESCRIPTION
37	873 80 05-00	Nut, Lock 5/16-18 unc
40	532 19 76-61	Handle
41	532 19 82-00	Spring
43	874 76 06-12	Bolt 3/8-16 unc x 3/4
44	819 13 38-12	Washer 13/32 x 2-3/8 x 12 Ga.

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

TRACTOR - - MODEL NO. LT2317 CMA2 (96051011100), PRODUCT NO. 960 51 01-11
BAGGER **46**



Bagger_TEX CRD_25

TRACTOR - - MODEL NO. LT2317 CMA2 (96051011100), PRODUCT NO. 960 51 01-11
BAGGER 46

KEY NO.	PART NO.	DESCRIPTION
1	532 42 86-10	Tube Handle Bagger
4	532 43 96-12	Frame Asm Bagger Top
5	532 41 76-32	Frame Asm Top Bagger
6	532 12 68-75	Rivet Drilled
7	873 90 04-00	Nut Hex Flange 1/4-20 unc
8	532 42 59-54	Cover Bagger
9	532 41 76-29	Insert Handle Bagger
10	532 43 67-70	Frame Front
11	532 43 67-71	Tubing Brace Bagger
12	532 42 17-93	Nut Square 1/4
13	532 42 17-80	Screw 1/4 x 1.150
19	532 19 42-08	Cotter Pin 5/16 Bow Tie
20	585 36 88-01	Screw Hex Cap 1/4-20 x 1.375
21	532 44 83-07	Bag Asm
23	872 04 04-10	Bolt Carr. 1/4-20
25	532 42 16-14	Spring Latch
26	817 49 04-12	Screw Hexwsh tdhd 1/4-20 x 3/4
27	532 42 12-62	Grommet Rubber
28	532 16 57-87	Grip Handle Black

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

