


ILLUSTRATED PARTS LIST


MODEL NO. 96051013100

CUSTOMER CATALOG NO. LT 2318 CMA

PRODUCT NO. 960 51 01-31




TRACTOR - - MODEL NO. LT 2318 CMA (96051013100), PRODUCT NO. 960 51 01-31
DECALS 27



KEY NO.	PART NO.	DESCRIPTION
3	581 57 97-01	Decal, Engine Warning
4	587 21 44-01	Decal, Hood Panel
5	581 57 96-01	Decal, Chassis Hot Muffler
7	581 57 91-01	Decal, Cutfinger CE
8	587 19 43-01	Decal, Rpl.
9	581 57 83-01	Decal, Warning
10	581 57 98-01	Decal, Warning Service/Fire
11	532 43 75-01	Decal, Engine B&S
13	581 57 83-01	Decal, Warning
14	532 44 11-89	Decal, Deck Belt Sch.
15	532 43 74-45	Decal, Steering

KEY NO.	PART NO.	DESCRIPTION
22	532 44 51-02	Decal, Battery
23	532 44 46-19	Decal, Bypass
24	532 44 54-93	Decal, Warning
--	532 42 59-76	Pad, Footrest, LH
--	532 42 59-86	Pad, Footrest, RH
--	115 69 76-40	Manual Oper. EURO
--	115 69 77-50	Manual Oper. SCAN
--	115 69 77-20	Manual Oper. EBLOC
--	115 69 77-30	Manual Oper. BALTIC

WHEELS AND TIRES




KEY NO.	PART NO.	DESCRIPTION
1	532 05 91-92	Cap Valve Tire
2	532 06 51-39	Stem Valve
3	532 13 83-36	Rim Asm. 6" Front
4	532 05 99-04	Tube Front (Service Item Only)
5	532 10 62-22	Tire Front 15 x 6-6
6	532 12 49-57	Fitting Grease (Front Wheel Only)
7	532 12 49-59	Bearing Flange (Front Wheel Only)
8	532 17 50-39	Cap Axle Blk. 1 50 x 1 00
9	532 42 05-31	Tire Rear 18 x 9.5-8
10	532 12 49-26	Tube Rear (Service Item Only)
11	532 13 83-37	Rim Asm. 8" Rear
--	532 14 43-34	Sealant, Tire (10 oz. Tube)

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

TRACTOR - - MODEL NO. LT 2318 CMA (96051013100), PRODUCT NO. 960 51 01-31
SCHEMATIC 38


SCH17

NOTE
YOUR TRACTOR IS EQUIPPED WITH A SPECIAL ALTERNATOR SYSTEM. THE LIGHTS ARE NOT CONNECTED TO THE BATTERY, BUT HAVE THEIR OWN ELECTRICAL SOURCE. BECAUSE OF THIS, THE BRIGHTNESS OF THE LIGHTS WILL CHANGE WITH ENGINE SPEED. AT IDLE THE LIGHTS WILL DIM. AS THE ENGINE SPEED IS INCREASED, THE LIGHTS WILL BECOME THEIR BRIGHTEST.




IGNITION SWITCH

POSITION	CIRCUIT	"MAKE"
OFF	M+G+A1	
RUN/OVERRIDE	B+A1	
RUN	B+A1	L+A2
START	B + S + A1	



CHASSIS HARNESS
CONNECTOR (C1)
(MATING SIDE)




DASH HARNESS
CONNECTOR (C1)
(MATING SIDE)


WIRING INSULATED CLIPS
NOTE: IF WIRING INSULATED CLIPS WERE REMOVED FOR SERVICING OF UNIT, THEY SHOULD BE RE-INSTALLED TO PROPERLY SECURE YOUR WIRING.

NON-REMOVABLE
CONNECTIONS

REMOVABLE
CONNECTIONS



TRACTOR - - MODEL NO. LT 2318 CMA (96051013100), PRODUCT NO. 960 51 01-31
ELECTRICAL 32




TRACTOR - - MODEL NO. LT 2318 CMA (96051013100), PRODUCT NO. 960 51 01-31
ELECTRICAL 32

KEY NO.	PART NO.	DESCRIPTION
1	532 43 71-57	Battery
2	532 44 09-23	Screw Hex Hd Cap M6 x 1.12MM
16	532 17 61-38	Switch Interlock Push-In
21	532 40 02-52	Harness Light w/4152J
22	532 00 41-52	Bulb Light
25	532 44 13-82	Cable Starter
26	532 17 51-58	Fuse
27	873 51 04-00	Nut Keps Hex 1/4-20 unc
28	532 44 13-83	Cable, Ground
29	532 40 15-45	Switch, Seat
30	532 19 33-50	Switch, Ign
33	532 41 19-35	Key/Chain
34	532 11 07-12	Switch Light/Reset
40	532 42 10-02	Harness Ign. Dash
43	532 19 25-07	Solenoid
46	586 16 18-01	Gauge Srvcmndr
55	817 06 05-12	Screw Thdrol 5/16-18 x 3/4 TYTT
71	532 44 08-20	Harness Ignition Chassis
79	532 17 52-42	Socket Asm. Bulb
83	532 43 67-74	Nut Square M6 x 1.8.5 x 11MM
87	532 42 10-60	Switch Railmount
99	817 67 04-12	Screw 1/4-20 x 3/4
102	532 44 12-62	Harness Jumper
105	532 40 75-68	Switch Reverse
107	532 18 03-79	Switch Full Bagger
108	532 42 10-62	Switch Snapmount

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

39




**TRACTOR - - MODEL NO. LT 2318 CMA (96051013100), PRODUCT NO. 960 51 01-31
CHASSIS AND ENCLOSURES 39**

KEY NO.	PART NO.	DESCRIPTION
5	587 37 07-01	Dash
14	532 44 12-87	Hood
18	532 42 65-11	Grille
34	580 91 09-01	Plate Engine
36	817 06 05-12	Screw 5/16-18 x 3/4
37	532 44 22-31	Fender
52	873 68 05-00	Nut Crownlock 5/16-18
57	873 51 04-00	Nut Keps w/insert 1/4-20 unc
62	872 11 06-08	Bolt 3/8-16 x a Gr. 5
68	817 49 05-08	Screw Thdrol. 5/16-18 x 1/2
118	819 13 13-16	Washer 13/32 x 13/16 x 16
119	873 68 06-00	Nut Crownlock
124	873 80 04-00	Nut Lock w/insert 1/4-20 unc
130	532 41 63-58	Screw #10 x .750 BOS Thread
150	532 40 02-67	Air Duct
151	532 18 75-68	Bracket Pivot
152	532 19 95-35	Shield Browning
153	532 44 42-64	Lens Bar
159	817 00 06-12	Screw 3/8-16 x 3/4
162	532 14 24-32	Screw Hex Wsh. Hi-Lo 1/4 x 1/2 unc
175	532 19 94-72	Crossmember
176	532 40 07-76	Screw 10-24 x 5/8
177	532 19 52-28	Bushing Steering
180	583 90 27-01	Chassis
182	532 40 71-76	Dash Lower
183	874 52 05-20	Bolt 5/16-18 x 1-1/4
189	817 00 05-12	Screw 5/16-18 x 3/4
191	532 41 65-02	Insert Reflective RH
194	873 90 05-00	Nut Lock Hex Flange 5/16-18
198	532 44 15-52	Indicator Deck Lift
199	532 41 87-39	Plate Deck Lift
202	588 99 35-01	Side Vent RH
203	588 99 35-02	Side Vent LH
213	874 76 05-12	Bolt Hex HD 5/16-18 unc 3/4
217	532 40 91-67	Rod Pivot Hood

KEY NO.	PART NO.	DESCRIPTION
218	532 19 63-95	X-Piece Hood Stop
225	589 03 29-01	Bumper Grille
228	532 19 51-61	Stud Fastener
235	532 40 61-29	Spacer Fender
236	873 93 05 00	Nut Center Lock 5/16-18 unc
237	532 40 37-04	Plug Mount Cargo
282	532 41 41-10	Clip Retainer
283	532 44 76-71	Console Deck Lift
284	532 44 72-11	Console Shift RH
287	817 60 04-06	Screw Hex Washead. 1/4-20 x 3/8
297	532 40 18-27	Insert Reflective LH
303	587 49 31-02	Shield, Chassis French LH
304	587 49 27-02	Shield, Chassis French RH
307	587 49 45-01	Shield, Chassis Upper
308	532 17 18-77	Bolt 5/16-18 unc x 3/4
309	581 32 89-11	Backplate
319	581 31 39-06	Lever Bagger Presence
334	532 44 25-37	Bracket Engine
338	532 43 66-40	Bolt Shoulder
339	532 43 66-41	Lever Bagger Full
340	581 32 90-01	Door Battery Tray
342	532 43 59-38	Support Fender
343	532 44 07-49	Clip
347	532 44 58-32	Subasm. Hitch Tow
349	532 43 66-06	Bracket Support
366	581 31 46-02	Bracket RH Front
367	581 31 45-02	Bracket LH Front
372	539 10 98-00	Carriage Bolt 1/4-20 x 1 Gr5
373	586 29 98-03	Backplate Support

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

TRACTOR - - MODEL NO. LT 2318 CMA (96051013100), PRODUCT NO. 960 51 01-31
 DRIVE **40**




TRACTOR - - MODEL NO. LT 2318 CMA (96051013100), PRODUCT NO. 960 51 01-31
DRIVE 40

KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	— — — — —	Transaxle, Tufftorq K46DF (446488) (Order parts from transaxle manufacturer.)	205	532 12 17-48	Washer 25/32 x 1-5/8 16 Ga.
2	532 12 35-83	Key Square	210	532 40 09-80	Rocket Asm Pedal
6	532 12 40-28	Bushing	211	532 12 01-83	Bearing Nylon
17	532 43 62-27	Spring, Brake	214	532 42 12-63	Pedal Forward Pad
27	817 49 05-28	Screw Hexwsh Thd. 5/16-18 x 1-3/4	215	532 41 94-82	Pedal Reverse Pad
29	532 44 27-95	Rod, Brake	221	532 40 31-87	Retainer Spring Clip
30	819 13 16-16	Washer 13/32 x 1 x 16 Ga.	222	879 21 20-10	Washer 21/32 x 1-1/4
33	812 00 00-01	Ring E	226	532 40 15-64	Bracket Mount
35	532 40 10-31	Rod, Brake, Park	227	817 49 05-12	Screw
37	532 18 89-67	Washer Hard. .793 x 1.637 x 0.60	263	817 00 06-12	Screw
38	532 16 96-13	Nyliner Snap In	268	532 18 24-02	Guard Muffler
42	532 12 48-72	Cover, Foot Pedal	275	819 13 16-14	Washer
49	872 11 06-14	Bolt Rdhd 3/8-16 unc x 1-3/4 Gr. 5	279	532 44 42-83	Link Asm.
50	532 19 43-27	Idler Flat	280	819 11 10-12	Washer 11/32 x 5/8 x 12 Ga.
51	873 90 06-00	Lock Nut 3/8-16	309	532 16 55-81	Plaste Fstnr
52	532 19 43-26	Idler V-Groove	311	532 16 98-45	Washer Nylon
56	532 44 27-81	V-Belt, Drive	312	532 16 56-14	Hub Tapered Round
61	532 44 51-51	Pulley Transaxle	313	874 78 04-16	Bolt Hex Fin 1/4-20 x 1 Gr. 5
64	532 19 78-65	Shaft Asm.	314	532 44 47-13	Belt Keeper
73	874 49 05-44	Bolt Hex Flghd 5/16-18 Gr. 5	315	817 58 05-20	Screw Thdrol 5/16-18 x 4.25
90	532 44 36-05	Keeper Belt Clutching	335	532 19 95-34	Pulley V-Idler
99	532 44 39-47	Rod Bypass	336	587 25 96-01	Bolt 5/16-18 x 1-3/4 Flanged hex
103	873 35 05-00	Nut	339	532 43 68-67	Strap Torque K46 CRD Tex
116	873 90 05-00	Nut Lock Hex Flange 5/16-18	342	532 18 26-82	Keeper Belt 2.5
125	817 00 05-12	Screw 5/16-18 x 3/4	343	539 11 28-99	Nut 5/16-18 Hex Flanged Nyloc
140	810 04 04-00	Washer Lock Hvy. Helical 1/4	351	532 43 69-98	Bracket 97
143	817 49 05-08	Screw Thdrol 5/16-18 x 1/2 TYTT	352	532 43 56-45	Bracket Idler CRD Tex
159	876 02 04-12	Pin Cotter 1/8 x 3/4	355	532 43 56-69	Strap Torque K46
160	532 16 94-84	Retainer Clip	359	817 49 06-10	Screw Hxwh. Thdr. 3/8-16 x 5/8
161	532 10 57-09	Spring, Return, Clutch	360	532 44 47-14	Nut Hex Centerlock 5/16-24 unf
163	532 44 27-93	Rod Control	362	532 43 68-12	Idler Flat 2.25"
166	532 42 91-64	Nut Push .625	363	532 44 27-80	Spacer 343 x 63 x .62
167	532 40 52-57	Latch Brake Parking	364	532 44 30-32	Bracket Idler
175	532 42 93-59	Shaft Shift Tapered	372	582 65 49-01	Keeper Belt Transaxle
183	532 13 70-57	Spacer Axle			
184	532 41 14-84	Handle Parking Break			
185	872 11 06-22	Bolt Rdhd 3/8-16 unc x 2-3/4 Gr. 5			
186	532 19 43-21	Spacer Retainer			
188	582 21 70-01	Link Clutch Ground Drive, Long			
189	532 43 36-11	Bellcrank Grounddrive			
195	580 45 69-01	Bracket Brake Rod			
203	819 11 11-16	Washer 11/32 x 11/16 x 16 Ga.			

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

TRACTOR - - MODEL NO. LT 2318 CMA (96051013100), PRODUCT NO. 960 51 01-31
ENGINE 24



**TRACTOR - - MODEL NO. LT 2318 CMA (96051013100), PRODUCT NO. 960 51 01-31
ENGINE 24**


KEY NO.	PART NO.	DESCRIPTION
1	- - - - -	Engine B&S Model No. 31R777-0039-B1 (587783401)(Order parts from engine manufacturer.)
2	532 13 73-52	Muffler
9	501 83 26-02	Keeper Belt Engine
12	586 47 85-01	Pulley Engine
15	581 28 99-01	Tank Fuel
18	532 43 02-20	Cap Fuel
20	532 18 38-97	Control Throttle
21	532 41 63-58	Screw #10 x 0.750 BOS Thread
22	532 19 49-81	Control Choke
28	532 13 70-40	Fuel Line
29	532 13 71-80	Spark Arrester Kit
37	532 12 34-87	Clamp Hose
42	810 04 07-00	Lock Washer Hvy. 7/16
45	873 51 04-00	Nut Keps Hex 1/4-20 unc
69	532 16 52-91	Gasket
79	532 19 23-34	Screw Socket HD 5/16-18 x .75
84	817 06 06-20	Screw 3/8-16 x 1-1/4
85	532 17 39-37	Bolt Hex 7/16-20 x 4 x Gr. 5-1.5 Thr
90	817 00 06-16	Screw 3/8-16 x 1
96	819 09 14-16	Washer 9/32 x 7/8 x 16 Ga.
97	817 67 04-12	Screw Hex 1/4-20 x 3/4
102	817 06 05-16	Screw 5/16-18 x 1
108	587 17 95-02	Cover Pulley Engine w/SHLD
122	532 42 19-22	Extension Drain Oil

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

Engine Power Rating Information

The gross power rating for individual gas engine models is labeled in accordance with SAE (Society of Automotive Engineers) code J1940 (Small Engine Power & Torque Rating Procedure), and rating performance has been obtained and corrected in accordance with SAE J1995 (Revision 2002-05). Torque values are derived at 3060 RPM; horsepower values are derived at 3600 RPM. Actual gross engine power will be lower and is affected by, among other things, ambient operating conditions and engine-to-engine variability. Given both the wide array of products on which engines are placed and the variety of environmental issues applicable to operating the equipment, the gas engine will not develop the rated gross power when used in a given piece of power equipment (actual "on-site" or net power). This difference is due to a variety of factors including, but not limited to, accessories (air cleaner, exhaust, charging, cooling, carburetor, fuel pump, etc.), application limitations, ambient operating conditions (temperature, humidity, altitude), and engine-to-engine variability. Due to manufacturing and capacity limitations, Briggs & Stratton may substitute an engine of higher rated power for this Series engine.

TRACTOR - - MODEL NO. LT 2318 CMA (96051013100), PRODUCT NO. 960 51 01-31
STEERING ASSEMBLY **41**




steering-tex_STDSRR_58_r1

TRACTOR - - MODEL NO. LT 2318 CMA (96051013100), PRODUCT NO. 960 51 01-31
STEERING ASSEMBLY [41]

KEY NO.	PART NO.	DESCRIPTION
1	532 42 41-46	Wheel, Steering
2	532 41 35-91	Axle Asm., Front
4	532 40 30-87	Spindle Asm., LH
5	532 40 30-88	Spindle Asm., RH
6	532 12 49-31	Bearing, Race Thrust Harden
7	532 12 17-48	Washer 25/32 x 1-5/8 x 16 Ga.
8	812 00 00-29	Ring, Klip #T5304-75
9	532 12 12-32	Cap, Spindle
13	532 12 17-49	Washer 25/32 x 1-1/4 x 16 Ga.
14	810 04 06-00	Washer, Lock Hvy Hlcl Spr 3/8
15	873 54 06-00	Nut, Crown Lock 3/8-24 unf
16	585 86 92-02	Steering Shaft
19	532 19 47-29	Plate Steering
20	532 40 97-63	Steering Boot
21	532 18 67-37	Adapter, Wheel Steering
22	585 02 98-02	Bearing
26	532 42 41-47	Insert, Wheel Steering
27	819 21 16-16	Washer 21 x 32 x 1 x 16 Ga.
28	817 00 06-12	Screw 3/8-16 x 3/4
33	810 04 05-00	Washer Lck Hvy HLCL Spr. 5/16
35	532 19 47-32	Gear, Sector
45	819 11 38-12	Washer 11/32 ID x 2-3/8 OD 12 Ga.
53	532 18 89-67	Washer Hardened .793 x 1.637 x .060
58	532 19 47-47	Bolt Shoulder Sector Pivot CFM
59	532 19 47-48	Washer Thrust Sector Steering
60	873 97 10-00	Nut Flange Lock 5/8-11
61	532 19 47-40	Draglink LH
62	532 19 47-41	Draglink, RH
63	817 00 05-12	Screw 5/16-18 x 3/4
64	532 19 98-49	Retainer Clip Spring Steering
66	871 02 07-48	Bolt Hex Fghd 7/16-14 x 3 Serr
67	532 19 47-37	Bushing PM Front Axle
68	873 90 07-00	Nut Lock Flange 7/16-14 Gr. 5
69	532 19 91-62	Washer 1.5 x .505 x .118
70	585 33 88-01	Bracket Deck Susp. Front
71	532 19 07-52	Shaft Extension Steering
72	532 42 89-82	Bolt 5/16-18 x 4 w/Patch
75	580 68 37-01	Pinion
76	580 68 36-01	Screw Head Sock
118	532 40 60-13	Bushing Axle Cast
122	532 44 49-62	Cap Gear

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

TRACTOR - - MODEL NO. LT 2318 CMA (96051013100), PRODUCT NO. 960 51 01-31
MOWER DECK 44




tex-deck_TexCRD-Gen2_75_r2

TRACTOR - - MODEL NO. LT 2318 CMA (96051013100), PRODUCT NO. 960 51 01-31
MOWER DECK 44

KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	532 44 77-36	Deck Weldment	117	873 90 04-00	Nut Hex Flg. 1/4-20 unc
3	873 90 05-00	Nut Lock Hex Flange 5/16-18	118	532 44 32-32	Arm Clutching
5	817 00 05-10	Bolt 5/16-18	119	532 43 81-66	Gearcase Subasm
7	532 41 63-58	Screw #10 x 0.750 BOS Thread	120	532 44 32-36	Keeper Belt RH
10	817 00 06-16	Screw 3/8-16 x 1 smgml tap	121	532 43 69-85	Washer
11	532 13 77-29	Screw Thd Roll 1/4-20 X 5/8	124	581 65 07-01	Shaft Asm Mndrel Short
13	872 11 06-12	Bolt Carr Sh 3/8-16 X 1-1/2 Gr. 5	125	532 44 04-20	Bracket Idler Chassis
14	532 15 60-85	Keeper Belt Idler	127	532 19 34-06	Bolt Shoulder 3/8-16 x 3-5/8 Gr. 5
16	873 90 06-00	Nut Lock FIG 3/8 - 16 unc	128	532 17 48-73	Wheel Gauge
17	532 40 02-34	Nut Flange Lock Top	129	532 44 32-37	Rod Anti-Sway
18	532 18 76-90	Washer Spacer Mandrel	130	819 13 13-12	Washer 13/32 x 13/16 x 12 Ga.
19	585 32 39-01	Bearing Mandrel	131	532 19 42-08	Pin Cotter 5/16 Bow Tie Lock
23	817 49 06-28	Screw Thdrol 3/8-16 X 1-3/4	136	532 43 96-39	Washout Port Remote
27	532 44 58-80	V-Belt Drive	137	812 00 00-29	Ring Klip
32	532 40 18-72	Spring Return Deck	138	532 44 76-67	Washout Port Hose
33	580 79 61-01	Mandrel Asm. Tall	139	532 44 07-42	Hose Clamp
34	580 85 47-01	Shaft Asm Mndrel Tall	140	501 58 00-01	Guard French LH
35	581 51 79-01	Blade Mower LH	141	501 57 96-02	Guard French RH
37	819 13 13-16	Washer 13/32 x 13/16 x 16 Ga.	152	532 44 76-66	Cable Clutch Manual w/Spring
40	532 19 72-58	Keeper Belt Engine LH	154	532 19 98-55	Screw Thd Roll 1/4-20 x 1/2
42	817 00 05-12	Screw 5/16-18 x 3/4	155	532 12 47-88	Retainer Spring
43	532 44 32-39	Pulley Mandrel	159	585 30 95-05	Reinforce Plate LHS Bolt
45	581 65 08-01	Mandrel Asm. Short	160	585 30 94-05	Reinforce Plate LH Front
47	584 30 93-01	Screw 7/16-20 x 1 Hex	161	585 31 60-05	Reinforce Plate RH Front
67	532 40 30-12	Handle Clutch Cable	162	585 31 61-05	Reinforce Plate RH SD Blt
70	532 40 12-46	Clutch Asm Manual	164	589 35 85-02	Baffle Plate Left
72	581 45 41-02	Chute Upper	165	587 42 61-02	Baffle Plate Right
75	532 13 14-94	Pulley Idler Flat	247	581 26 34-02	Guard Steel
76	532 43 96-40	Washout Port	248	581 26 36-02	LH Rear French Steel Guard
80	532 42 30-62	Palnut	249	581 26 35-02	LH Front French Steel Guard
84	532 44 32-35	Keeper Belt LH Mandrel	250	819 11 12-12	Washer 11/32 x 3/4 x 12 Ga.
85	581 51 80-01	Blade Mower RH	255	589 10 98-00	Carriage Bolt 1/4-20 x 1 Gr. 5
86	532 18 17-13	Bolt 3/8-24 x 1.50 Gr. 8	258	584 95 39-01	Bolt Hex .316-18 x 1.19
87	810 03 06-00	Washer Lock Hvy 3/8	--	587 12 61-05	Mandrel Assembly-Tall (Includes Housing (key #33), Shaft Assembly (key #34), and Bearing (key #19) Only - Pulley/Nut/Washer And Blade Bolt/Washers Not Included)
88	532 14 02-96	Washer Hard Blade Mower Vented	--	581 65 05-01	Mandrel Assembly-Short (Includes Housing (key #45), Shaft Assembly (key #124), and Bearing (key #19) Only - Pulley/Nut/Washer And Blade Bolt/Washers Not Included)
89	532 19 72-61	Arm Brake 97 LH	--	581 96 49-01	Replacement Mower Complete
90	532 19 90-92	Spacer Retainer	--	532 44 81-32	Gear Case Kit – Use .75 oz. Shell 460 oil (Include Gear Output (key #110), Gasket Gearcase (key #111), Shaft Gearcase (key #112), Plug Oil (key #113), Vent Breather 1/8 NPT (key #114), Screw Torx (key #115), Gearcase Subasm (key #119))
91	819 13 20-12	Washer 13/32 x 1-1/4 x 12 Ga.			
92	532 44 32-33	Rod Brake Assembly			
93	532 43 81-25	Arm Brake RH			
94	532 19 72-50	Bracket Clutch Cable			
95	817 00 06-12	Screw			
96	532 40 02-71	Spacer			
97	532 18 20-61	Shield Idler Mower			
98	532 19 51-61	Stud Fastener			
99	532 19 51-86	Arm Suspension Mower Rear			
100	532 19 65-39	Bolt Shoulder			
101	873 68 09-00	Nut Crownlock 9/16 - 18 unc			
102	532 40 25-11	Spacer Bearing Swing Plate			
104	581 71 40-01	Mandrel Cover RH			
105	532 44 47-55	Mandrel Cover LH			
106	532 19 32-16	Spring Brake Return			
110	587 93 48-01	Gear Output			
111	532 43 69-79	Gasket Gearcase			
112	532 44 38-52	Shaft Gearcase Adapter			
113	532 43 85-33	Plug Oil			
114	588 17 05-01	Valve Relief			
115	818 03 10-16	Screw Torx #10-24 x 1			
116	872 11 04-14	Bolt 1/4-20 x 1.75 Gr. 5			

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

TRACTOR - - MODEL NO. LT 2318 CMA (96051013100), PRODUCT NO. 960 51 01-31
MOWER LIFT 45




KEY NO.	PART NO.	DESCRIPTION
2	532 43 69-96	Deck Lift Weldment
3	532 19 52-31	Lever Asm., Lift RH
7	580 96 23-01	Grip, Lever
10	532 19 63-14	Spring Torsion
87	532 19 42-09	Pin Cotter 7/16 Bow Tie Lock
88	532 44 54-96	Spring Lift Assist
89	819 19 19-12	Washer Clear Zinc
90	532 19 42-08	Pin Cotter 5/16 Bow Tie Lock

KEY NO.	PART NO.	DESCRIPTION
91	532 19 51-81	Link Lift Susp. Mower Rear
97	817 49 06-08	Screw 3/8-16 x 1/2
98	532 19 52-70	Link Lift Susp. Front Mower
100	873 93 06-00	Nut Centerlock 3/8-16
101	532 40-70-03	Link Asm. Lift FXD
116	819 15 15-16	Washer 15/32 x 15/16 x 16 Ga.

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

TRACTOR - - MODEL NO. LT 2318 CMA (96051013100), PRODUCT NO. 960 51 01-31
SEAT ASSEMBLY 42




seat-tex_6.5SL_2

KEY NO.	PART NO.	DESCRIPTION
1	532 41 14-05	Seat
2	532 18 01-66	Bracket Pivot Fender
3	532 14 06-75	Strap, Asm. Fender
6	873 80 06-00	Nut, Lock w/Ins. 3/8-16 unc
7	587 61 33-01	Spring, Seat Cprsn.
8	532 17 18-77	Bolt 5/16-18 unc x 3/4 w/Sems.
10	532 19 69-77	Pan, Seat
21	587 90 78-01	Bolt, Shoulder 5/16-18 x 5/8

KEY NO.	PART NO.	DESCRIPTION
37	873 80 05-00	Nut, Lock 5/16-18 unc
40	532 19 76-61	Handle
41	532 19 82-00	Spring
43	874 76 06-12	Bolt 3/8-16 unc x 3/4
44	819 13 38-12	Washer 13/32 x 2-3/8 x 12 Ga.

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

TRACTOR - - MODEL NO. LT 2318 CMA (96051013100), PRODUCT NO. 960 51 01-31
BAGGER **46**



Bagger_TexCRD-Gen2_9

**TRACTOR - - MODEL NO. LT 2318 CMA (96051013100), PRODUCT NO. 960 51 01-31
BAGGER 46**

KEY NO.	PART NO.	DESCRIPTION
1	532 42 86-10	Tube Handle Bagger
3	532 17 48-14	Nut Push
5	532 44 37-62	Frame Asm Top Bagger
7	873 90 04-00	Nut Hex Flange 1/4-20 unc
8	532 44 78-28	Cover Bagger
10	532 44 37-55	Frame Front
19	532 19 42-08	Cotter Pin 5/16 Bow Tie
21	581 33 71-02	Bag Asm
25	532 44 55-28	Latch Bagger
26	817 49 04-12	Screw Hexwsh Thdrol 1 14-20 x 3/4
27	532 44 55-29	Grommet Rubber
28	532 16 57-87	Grip Handle Black
30	532 43 74-52	Plug
31	532 43 58-61	Pin Hinge
32	532 43 74-54	Spring Double Torsion
33	532 43 84-51	Shaft Mulch Plug
34	532 43 79-88	E-Ring 5/16
35	532 43 91-39	Grip Mulch Plug
36	532 43 90-98	Bolt J
37	532 06 91-80	Nut Lock #10-24 unc
38	819 07 08-18	Washer 7/32 x 1/2
39	532 44 57-94	Bungee
42	532 44 04-28	Christmas Tree Clip
43	532 12 68-75	Clevis Pin
44	532 19 96-87	Bolt 1/4-20 1.50
45	532 44 37-54	Upper U Frame Weldment
46	532 44 55-41	Bagger Corner Close-Out RH
47	532 44 40-79	Bagger Corner Close-Out LH

KEY NO.	PART NO.	DESCRIPTION
48	532 44 40-80	Top Bagger Side Close-Out
49	532 17 18-73	Bolt Shoulder 5/16-18 TT
50	532 17 18-77	Bolt 5/16-18 unc x 3/4 W/SEMS
51	872 11 05-06	Bolt RDHDSQNK 5/16-18 unc x 3/4
52	873 80 05-00	Nut Lock HX W/INS 5/16-18 UNC
53	532 44 41-95	Bracket Dump Handle
54	532 44 75-43	Bagger TOP Front Handle
55	872 14 05-12	Bolt Rdhd Sq 5/16-18UNCX1 1/2
56	532 42 03-06	Pin Clevis .1830DX1.26 long
59	532 44 47-63	Bagger Spread Tube
65	532 12 47-88	Retainer Spring 1" zinc
70	817 00 06-12	Bolt 3/8-16X3/4
83	873 80 06-00	Nut Lock Hex w/Ins 3/8-16
84	872 11 06-08	Bolt RDHD SQNK 3/8-16 x 1 Gr. 5
85	581 31 44-02	Bracket RH Pivot
86	581 31 43-02	Bracket LH Pivot
87	581 31 48-02	Bracket RH
88	581 31 47-02	Bracket LH
89	581 31 51-04	Weldment Offset Strut
92	586 05 23-02	Bracket Top Support
93	586 05 24-02	Bracket Support RH
94	586 05 25-02	Bracket Support LH
95	817 00 05-12	Screw 5/16-18 x 3/4

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

