


ILLUSTRATED PARTS LIST

MODEL NO. 96051004800


CUSTOMER CATALOG NO. LT2323CMA2

PRODUCT NO. 960 51 00 48




446091

TRACTOR - - MODEL NO. LT2323CMA2 (96051004800), PRODUCT NO. 960 51 00 48
DECALS 27



KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	532 44 55-03	Decal, Operators Warning	11	532 43 74-94	Decal, Engine B&S
2	532 43 26-41	Decal, Warn. Bagger Elect. Dump	12	532 17 83-02	Decal Oper Cruise
3	532 19 68-41	Decal, Warning Eng. Symbols	13	532 43 26-41	Decal, Warning Bagger Electric Dump
4	532 44 71-38	Decal, Hood Panel	14	532 44 11-89	Decal, Deck Belt Sch.
5	532 15 97-36	Decal, Chassis Hot Muffler	15	532 43 74-45	Decal, Steering
6	532 18 04-32	Decal, Fender 100 DB/CE	--	532 42 59-76	Pad, Footrest, LH
7	532 18 21-66	Decal, Cutfinger CE	--	532 42 59-86	Pad, Footrest, RH
8	532 44 60-91	Decal, Rpl.	--	532 44 76-59	Manual Oper. Euro
9	532 44 02-47	Decal, Instruction MLCH/BG			
10	532 40 11-46	Decal, Warning Service/Fire			

WHEELS AND TIRES






KEY NO.	PART NO.	DESCRIPTION
1	532 05 91-92	Cap Valve Tire
2	532 06 51-39	Stem Valve
3	532 13 83-36	Rim Asm. 6" Front
4	532 05 99-04	Tube Front (Service Item Only)
5	532 10 62-22	Tire F T 15 x 6 0 - 6
6	532 12 49-57	Fitting Grease (Front Wheel Only)
7	532 12 49-59	Bearing Flange (Front Wheel Only)
8	532 17 50-39	Cap Axle Blk. 1 50 x 1 00
9	532 42 05-31	Tire R 18 x 9.5-8 Turf Saver LT
10	532 12 49-26	Tube Rear (Service Item Only)
11	532 13 83-37	Rim Asm. 8" Rear
--	532 14 43-34	Sealant, Tire (10 oz. Tube)

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm


SCHEMATIC 38

SCH25



IGNITION SWITCH

POSITION	CIRCUIT	"MAKE"
OFF	M+G+A1	
RUN/OVERRIDE	B+A1	
RUN	B+A1	L+A2
START	B + S + A1	



WIRING INSULATED CLIPS
NOTE: IF WIRING INSULATED CLIPS WERE REMOVED FOR SERVICING OF UNIT, THEY SHOULD BE RE-INSTALLED TO PROPERLY SECURE YOUR WIRING.


NON-REMOVABLE CONNECTIONS

REMOVABLE
CONNECTIONS



TRACTOR - - MODEL NO. LT2323CMA2 (96051004800), PRODUCT NO. 960 51 00 48
ELECTRICAL 32

TC10S

With Service Minder Option



With Charge Indicator Option




TRACTOR - - MODEL NO. LT2323CMA2 (96051004800), PRODUCT NO. 960 51 00 48
ELECTRICAL 32

KEY NO.	PART NO.	DESCRIPTION
1	532 43 71-57	Battery
2	532 44 09-23	Screw Hex Hd Cap M6 x 1.12MM
16	532 17 61-38	Switch Interlock Push-In
21	532 40 02-52	Harness Light w/4152J
22	532 00 41-52	Bulb Light
25	532 44 13-82	Cable Starter
26	532 17 51-58	Fuse
27	873 51 04-00	Nut Keps Hex 1/4-20 unc
28	532 44 13-83	Cable, Ground
29	532 40 15-45	Switch, Seat
30	532 19 33-50	Switch, Ign
33	532 41 19-35	Key/Chain
34	532 11 07-12	Switch Light/Reset
40	532 44 80-36	Harness Ign. Dash/Lift
43	532 19 25-07	Solenoid
46	532 40 17-63	Gauge Serviceminder Hrmttr
50	532 17 46-51	Switch PTO
55	817 06 05-12	Screw Thdrol 5/16-18 x 3/4 TYTT
71	580 68 89-01	Harness Ignition Chassis/Lift
75	532 44 45-34	Switch Bag Dump
79	532 17 52-42	Socket Asm. Bulb
83	532 43 67-74	Nut Square M6 x 1.8.5 x 11MM
99	817 72 04-08	Screw 1/4-20 x 1/2
102	532 44 12-62	Harness Jumper
105	532 40 75-68	Switch Reverse
107	532 18 03-79	Switch Full Bagger
108	532 42 10-62	Switch Snapmount

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

CHASSIS AND ENCLOSURES 39




TRACTOR - - MODEL NO. LT2323CMA2 (96051004800), PRODUCT NO. 960 51 00 48
CHASSIS AND ENCLOSURES **39**

KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
5	532 42 82-71	Dash	207	532 19 89-63	Bezel Grille RH
14	532 44 38-24	Hood	208	532 19 89-64	Bezel Grille LH
18	532 42 73-33	Grille	213	874 76 05-12	Bolt Hex HD 5/16-18 unc 3/4
34	532 44 72-53	Plate Engine	217	532 40 91-67	Rod Pivot Hood
36	817 06 05-12	Screw 5/16-18 x 3/4	218	532 19 63-95	X-Piece Hood Stop
37	532 44 22-31	Fender	225	532 44 38-25	Bumper Grille
52	873 68 05-00	Nut Crownlock 5/16-18	226	532 42 47-16	Logo
68	817 49 05-08	Screw Thdrol. 5/16-18 x 1/2	228	532 19 51-61	Stud Fastener
130	532 41 63-58	Screw #10 x .750 BOS Thread	235	532 40 61-29	Spacer Fender
150	584 86 29-01	Air Duct	236	873 93 05 00	Nut Center Lock 5/16-18 unc
151	532 44 54-94	Bracket Pivot	237	532 40 37-04	Plug Mount Cargo
152	532 19 95-35	Shield Browning	282	532 41 41-10	Clip Retainer
153	532 42 47-17	Lens Bar	283	532 44 76-71	Console Deck Lift
156	872 14 06-14	Bolt 3/8-16 unc x 1-3/4	284	580 63 25-02	Console Shift RH
159	817 00 06-12	Screw 3/8-16 x 3/4	287	817 60 04-06	Screw Hex Wash. 1/4-20 x 3/8
162	532 14 24-32	Screw Hex Wsh. Hi-Lo 1/4 x 1/2 unc	308	532 17 18-77	Bolt 5/16-18 unc x 3/4
171	532 44 12-89	Extension Bagger Full	309	532 44 77-79	Backplate
175	532 19 63-04	Crossmember	319	532 44 68-76	Lever Bagger Presence
176	532 40 07-76	Screw 10-24 x 5/8	338	532 43 66-40	Bolt Shoulder
177	532 19 52-27	Bushing Steering	339	532 44 12-88	Lever Bagger Full
178	532 19 97-82	Cargo Asm. Net	340	532 44 74-78	Door Battery Tray
179	532 16 89-37	Nut Push	342	532 43 59-38	Support Fender
180	583 90 27-01	Chassis	343	532 44 07-49	Clip
182	532 43 89-67	Dash Lower	344	532 43 89-70	Control EZ Mulch
183	874 52 05-20	Bolt 5/16-18 x 1-1/4	345	532 44 06-39	Knob Oval
189	817 00 05-12	Screw 5/16-18 x 3/4	347	532 44 58-32	Subasm. Hitch Tow
194	873 90 05-00	Nut Lock Hex Flange 5/16-18	348	532 44 49-26	Solenoid Cover
195	532 40 41-37	Plug Hole Dash Lower	349	532 43 66-06	Bracket Support
198	532 44 15-52	Indicator Deck Lift	- -	532 40 09-44	Kit Bumper
199	532 41 87-39	Plate Deck Lift			
202	532 44 54-26	Side Vent RH			
203	532 44 55-83	Side Vent LH			

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

TRACTOR - - MODEL NO. LT2323CMA2 (96051004800), PRODUCT NO. 960 51 00 48
 DRIVE **40**




drive-TexCrd-Gen2_K46_pedal_6_r3

TRACTOR - - MODEL NO. LT2323CMA2 (96051004800), PRODUCT NO. 960 51 00 48
DRIVE 40

KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	— — — — —	Transaxle, Tufftorq K46DF (446488) (Order parts from transaxle manufacturer.)	188	532 19 43-23	Link Clutch Ground Drive
2	532 12 35-83	Key Square	189	532 43 36-11	Bellcrank Grounddrive
6	532 12 40-28	Bushing	195	532 43 58-65	Bracket Brake Rod
17	532 43 62-27	Spring, Brake	196	817 00 06-16	Screw 3/8-16 x 1
26	532 19 96-79	Spring Return	197	532 19 58-04	Link Clutch Anti-Rotation
27	817 49 05-28	Screw Hexwsh Thd. 5/16-18 x 1-3/4	203	819 11 11-16	Washer 11/32 x 11/16 x 16 Ga.
29	532 44 27-95	Rod, Brake	205	532 12 17-48	Washer 25/32 x 1-5/8 16 Ga.
30	819 13 16-16	Washer 13/32 x 1 x 16 Ga.	206	532 19 78-67	Bracket Mount Latch
33	812 00 00-01	Ring E	207	532 19 78-68	Latch Control
35	583 86 45-01	Rod, Brake, Park	208	532 19-78-69	Gear Sector Control Cruise
37	532 18 89-67	Washer Hard. .793 x 1.637 x 0.60	209	532 19 95-92	Rod Control Cruise
38	532 16 96-13	Nyliner Snap In	210	532 40 09-80	Rocket Asm Pedal
42	532 12 48-72	Cover, Foot Pedal	211	532 12 01-83	Bearing Nylon
49	872 11 06-14	Bolt Rdhd 3/8-16 unc x 1-3/4 Gr. 5	213	532 40 31-19	Knob Control Cruise
50	532 19 43-27	Idler Flat	214	532 42 12-63	Pedal Forward Pad
51	873 90 06-00	Lock Nut 3/8-16	215	532 41 94-82	Pedal Reverse Pad
52	532 19 43-26	Idler V-Groove	221	532 40 31-87	Retainer Spring Clip
56	532 44 27-81	V-Belt, Drive	222	879 21 20-10	Washer 21/32 x 1-1/4
61	532 44 51-51	Pulley Transaxle	226	532 40 15-64	Bracket Mount
64	532 19 78-65	Shaft Asm.	227	817 49 05-12	Screw
73	874 49 05-44	Bolt Hex Flghd 5/16-18 Gr. 5	279	532 44 42-83	Link Asm.
90	532 44 36-05	Keeper Belt Clutching	280	819 11 10-12	Washer 11/32 x 5/8 x 12 Ga.
92	874 76 05-20	Bolt Fin. Hex 5/16-18 unc x 1.25	309	532 16 55-81	Plaste Fstnr
99	532 44 39-47	Rod Bypass	311	532 16 98-45	Washer Nylon
103	873 35 05-00	Nut	312	532 16 56-14	Hub Tapered Round
116	873 90 05-00	Nut Lock Hex Flange 5/16-18	313	874 78 04-16	Bolt Hex Fin 1/4-20 x 1 Gr. 5
125	817 00 05-12	Screw 5/16-18 x 3/4	314	532 44 47-13	Belt Keeper
140	810 04 04-00	Washer Lock Hvy. Helical 1/4	315	817 58 05-20	Screw Thdrol 5/16-18 x 4.25
143	817 49 05-08	Screw Thdrol 5/16-18 x 1/2 TYTT	335	532 19 95-34	Pulley V-Idler
159	876 02 04-12	Pin Cotter 1/8 x 3/4	339	532 43 68-67	Strap Torque K46 CRD Tex
160	532 16 94-84	Retainer Clip	342	532 18 26-82	Keeper Belt 2.5
161	532 10 57-09	Spring, Return, Clutch	351	532 43 69-98	Bracket 97
163	532 44 27-93	Rod Control	352	532 43 56-45	Bracket Idler CRD Tex
166	532 42 91-64	Nut Push .625	355	532 43 56-69	Strap Torque K46
167	532 40 52-57	Latch Brake Parking	359	817 49 06-10	Screw Hxwh. Thdr. 3/8-16 x 5/8
175	532 42 93-59	Shaft Shift Tapered	360	532 44 47-14	Nut Hex Centerlock 5/16-24 unf
183	532 13 70-57	Spacer Axle	362	532 43 68-12	Idler Flat 2.25"
184	532 44 14-55	Handle Parking Break	363	532 44 27-80	Spacer 343 x 63 x .62
185	872 11 06-22	Bolt Rdhd 3/8-16 unc x 2-3/4 Gr. 5	364	532 44 30-32	Bracket Idler
186	532 19 43-21	Spacer Retainer			

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm



**TRACTOR - - MODEL NO. LT2323CMA2 (96051004800), PRODUCT NO. 960 51 00 48
ENGINE 24**


KEY NO.	PART NO.	DESCRIPTION
1	- - - - -	Engine B&S Model No. 445577-2221-B1 (438698)(Order parts from engine manufacturer.)
2	532 14 97-23	Muffler
9	532 19 43-20	Keeper Belt Engine
11	532 40 00-08	Clutch Electric
12	532 40 50-97	Pulley Engine
15	532 43 08-25	Tank Fuel 2.0
18	532 43 02-20	Cap Fuel
20	532 42 35-02	Control Throttle/Choke
21	532 41 63-58	Screw #10 x 0.750 BOS Thread
28	532 13 70-40	Fuel Line
29	532 13 71-80	Spark Arrester Kit
37	532 12 34-87	Clamp Hose
41	532 12 61-97	Washer 1-1/2 OD x 15/32 ID x .250
42	810 04 07-00	Lock Washer Hvy. 7/16
45	873 51 04-00	Nut Keps Hex 1/4-20 unc
62	532 43 40-17	Shield Heat Muffler
69	532 16 53-91	Gasket
70	581 88 11-01	Exhaust Tube LH
71	581 88 10-01	Exhaust Tube RH
79	532 18 39-06	Screw Socket HD 5/16-18 x 1
81	532 14 84-56	Tube Drain Oil Easy
82	532 42 82-87	Valve Oil Drain
84	817 06 06-20	Screw 3/8-16 x 1-1/4
85	532 17 39-37	Bolt Hex 7/16-20 x 4 x Gr. 5-1.5 Thr
87	532 17 18-77	Bolt 5/16-18 x 3/4
90	817 00 06-16	Screw 3/8-16 x 1
96	819 09 14-16	Washer 9/32 x 7/8 x 16 Ga.
97	817 67 04-12	Screw 1/4-20 x 3/4
102	817 06 05-16	Screw 5/16-18 x 1
108	532 42 30-41	Cover Pulley Engine

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

Engine Power Rating Information

The gross power rating for individual gas engine models is labeled in accordance with SAE (Society of Automotive Engineers) code J1940 (Small Engine Power & Torque Rating Procedure), and rating performance has been obtained and corrected in accordance with SAE J1995 (Revision 2002-05). Torque values are derived at 3060 RPM; horsepower values are derived at 3600 RPM. Actual gross engine power will be lower and is affected by, among other things, ambient operating conditions and engine-to-engine variability. Given both the wide array of products on which engines are placed and the variety of environmental issues applicable to operating the equipment, the gas engine will not develop the rated gross power when used in a given piece of power equipment (actual "on-site" or net power). This difference is due to a variety of factors including, but not limited to, accessories (air cleaner, exhaust, charging, cooling, carburetor, fuel pump, etc.), application limitations, ambient operating conditions (temperature, humidity, altitude), and engine-to-engine variability. Due to manufacturing and capacity limitations, Briggs & Stratton may substitute an engine of higher rated power for this Series engine.

TRACTOR - - MODEL NO. LT2323CMA2 (96051004800), PRODUCT NO. 960 51 00 48
STEERING ASSEMBLY 41




steering-tex_TTR_21

TRACTOR - - MODEL NO. LT2323CMA2 (96051004800), PRODUCT NO. 960 51 00 48
STEERING ASSEMBLY [41]

KEY NO.	PART NO.	DESCRIPTION
1	532 42 41-46	Wheel, Steering
2	532 43 68-70	Axle Asm., Front
4	532 43 68-73	Spindle Asm., LH
5	532 43 68-74	Spindle Asm., RH
6	532 12 49-31	Bearing, Race Thrust Harden
7	532 12 17-48	Washer 25/32 x 1-5/8 x 16 Ga.
8	812 00 00-29	Ring, Klip #T5304-75
9	532 12 12-32	Cap, Spindle
13	532 12 17-49	Washer 25/32 x 1-1/4 x 16 Ga.
14	810 04 06-00	Washer, Lock Hvy Hlcl Spr 3/8
15	873 54 06-00	Nut, Crown Lock 3/8-24 unf
16	532 44 42-12	Shaft Steering
19	532 19 47-29	Plate Steering
21	532 43 77-47	Adapter, Wheel Steering
20	532 42 47-40	Steering Boot
22	532 19 48-45	Strg. Supt. Lower
26	532 42 41-47	Insert, Wheel Steering
28	817 00 06-12	Screw 3/8-16 x 3/4
35	532 44 07-70	Gear, Sector
45	819 18 38-12	Washer 9/16 ID x 2-3/8 OD 12 Ga.
51	873 94 08-00	Nut Hex Jam Toplock 1/2-20 unf
53	532 18 89-67	WasherHardened.793x1.637x.060
57	532 40 74-65	Bracket Upstop
58	532 19 47-47	Bolt Shoulder Sector Pivot CFM
59	532 19 47-48	Washer Thrust Sector Steering
60	873 97 10-00	Nut Flange Lock 5/8-11
61	532 43 68-84	Draglink LH
62	532 43 68-85	Draglink, RH
63	817 00 05-12	Screw 5/16-18 x 3/4
64	532 19 98-49	Retainer Clip Spring Steering
66	871 02 07-48	Bolt Hex Fghd 7/16-14 x 3 Serr
67	532 19 47-37	Bushing PM Front Axle
68	873 90 07-00	Nut Lock Flange 7/16-14 Gr. 5
69	532 19 91-62	Washer 1.5 x .505 x .118
70	532 19 61-97	Bracket Deck Susp. Front
80	532 00 13-70	Washer Thrust
81	532 43 68-87	Link Cross RH
82	532 43 68-77	Pivot Bolt
85	532 44 18-73	Pivot RH
86	532 44 18-72	Pivot LH
118	532 40 60-13	Bushing Axle Cast
122	532 44 49-62	Cap Gear

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

TRACTOR - - MODEL NO. LT2323CMA2 (96051004800), PRODUCT NO. 960 51 00 48
MOWER DECK 44




tex-deck_TexCRD-Gen2_63

TRACTOR - - MODEL NO. LT2323CMA2 (96051004800), PRODUCT NO. 960 51 00 48
MOWER DECK 44

KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	532 44 77-38	Deck Weldment	112	532 44 38-52	Shaft Gearcase
2	532 42 30-62	Palnut 1/4	113	532 43 85-33	Plug Oil
3	873 90 05-00	Nut Lock Hex Flange 5/16 - 18	114	532 43 85-34	Valve Relief
5	817 00 05-10	Bolt 5/16-18	115	818 03 10-16	Screw Torx #10-24 x 1
11	532 13 77-29	Screw Thd Roll 1/4 - 20 X 5/8	116	872 11 04-14	Bolt 1/4-20 x 1.75 Gr. 5
13	872 11 06-12	Bolt Carr Sh 3/8 - 16 X 1 - 1/2 Gr. 5	117	873 90 04-00	Nut Hex Flange 1/4-20 unc
14	532 15 60-85	Keeper Belt Idler	118	532 44 32-32	Arm Clutching
16	873 90 06-00	Nut Lock FIG 3/8 - 16 unc	119	532 43 81-66	Gearcase Subasm
17	532 40 02-34	Nut Flange Lock Top	120	532 44 32-36	Keeper Belt RH
18	532 18 76-90	Washer Spacer Mandrel	121	532 43 69-85	Washer
19	532 11 04-85	Bearing Ball Mandrel	124	532 43 69-86	Non Greasable Mandrel Shaft
20	532 17 39-84	Screw Thread Roll	125	532 43 69-94	Bracket Idler Chasses
23	817 49 06-28	Screw Thdrol 3/8 - 16 X 1-3/4	127	532 19 34-06	Bolt Shoulder 3/8-16 x 3-5/8 Gr. 5
27	532 44 58-86	V-Belt Drive	128	532 17 48-73	Wheel Guage
32	532 44 62-05	Spring Return Deck	129	532 44 32-37	Rod Anti-Sway
33	532 18 72-81	Housing Mandrel 4pt Service	130	819 13 13-12	Washer 13/32 x 13/16 x 12 Ga.
34	532 19 28-72	Shaft Asm Mndrl N/Greaseable38	131	532 19 42-08	Pin Cotter 5/16 Bow Tie Lock
35	532 18 05-83	Blade Mower LH	132	532 17 88-99	Knob Handle
36	532 19 30-03	Bolt/Washer Asm 7/16 - 20 unf	133	532 43 81-97	EZ Mulch Door
42	817 00 05-12	Screw 5/16-18 x 3/4	134	532 43 58-61	Pin Hinge
43	532 44 32-39	Pulley Mandrel	135	532 43 79-88	E-Ring 5/16
45	532 13 71-52	Housing Mandrel	136	532 43 96-39	Washout Port Remote Hookup
72	532 44 39-03	Chute Upper	137	812 00 00-29	Ring Klip
75	532 13 14-94	Pulley Idler Flat	138	532 44 76-67	Hose Washout Port
76	532 43 96-40	Washout Port	139	532 44 07-42	Hosw 3/8 Clamp
84	532 44 32-35	Keeper Belt Mandrel	140	580 36 99-01	Guard Asm. LH
85	532 18 05-84	Blade Mower RH	141	532 44 77-03	Guard Asm. RH
86	532 18 17-13	Bolt 3/8-24 x 1.50 Gr. 8	146	532 44 58-96	Spring Tex CRD EZ Mulch
87	810 03 06-00	Washer Lock Hvy 3/8	154	532 19 98-55	Screw 1/4-20 Panhead
88	532 14 02-96	Washer Hard Blade Mower Vented	156	532 44 69-95	Adapter Crossblade
91	819 13 20-12	Washer 13/32 x 1-1/4 x 12 Ga.	157	532 44 69-93	Blade Cross LH
94	532 19 72-50	Bracket Clutch Cable	158	532 18 04-25	Blade Cross RH
95	817 00 06-12	Screw 3/8-16 x 3/4	247	581 26 34-02	Guard Steel
96	532 40 02-71	Spacer	248	581 26 36-02	LH Rear Steel Guard
97	532 18 20-61	Shield Idler Mower	249	581 26 35-02	LH Front Steel Gurar
98	532 19 51-61	Stud Fastener	--	532 19 28-70	Mandrel Assembly (Includes Hous- ing, Shaft Assembly, And Bearing Only - Pulley/Nut/Washer And Blade Bolt/Washers Not Included)
99	532 19 51-86	Arm Suspension Mower Rear	--	580 67 89-01	Replacement Mower Complete
100	532 19 65-39	Bolt Shoulder			
101	873 68 09-00	Nut Crownlock 9/16 - 18 unc			
102	532 40 25-11	Spacer Bearing Swing Plate			
104	581 71 40-01	Mandrel Cover RH			
105	532 44 47-55	Mandrel Cover LH			
110	532 41 53-56	Gear Output			
111	532 43 69-79	Gasket Gearcase			

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

TRACTOR - - MODEL NO. LT2323CMA2 (96051004800), PRODUCT NO. 960 51 00 48
MOWER LIFT 45



lift-tex_34


*Key 91 may be substituted for Key 101

KEY NO.	PART NO.	DESCRIPTION
2	532 43 69-96	Deck Lift Weldment
3	532 19 52-31	Lever Asm., Lift RH
7	532 41 15-55	Grip, Lever
10	532 19 63-14	Spring Torsion
87	532 19 42-09	Pin Cotter 7/16 Bow Tie Lock
88	532 44 54-96	Spring Lift Assist
89	819 19 19-12	Washer Clear Zinc
90	532 19 42-08	Pin Cotter 5/16 Bow Tie Lock

KEY NO.	PART NO.	DESCRIPTION
91	532 19 51-81	Link Lift Susp. Mower Rear
97	817 49 06-08	Screw 3/8-16 x 1/2
98	532 19 52-70	Link Lift Susp. Front Mower
100	873 93 06-00	Nut Centerlock 3/8-16
101	532 40-70-03	Link Asm. Lift FXD

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

TRACTOR - - MODEL NO. LT2323CMA2 (96051004800), PRODUCT NO. 960 51 00 48
SEAT ASSEMBLY 42




seat-tex_6.5SL_2

KEY NO.	PART NO.	DESCRIPTION
1	532 40 66-25	Seat
2	532 18 01-66	Bracket Pivot Fender
3	532 14 06-75	Strap, Asm. Fender
6	873 80 06-00	Nut, Lock w/Ins. 3/8-16 unc
7	532 12 41-81	Spring, Seat Cprsn.
8	532 17 18-77	Bolt 5/16-18 unc x 3/4 w/Sems.
10	532 19 69-77	Pan, Seat
21	532 17 18-52	Bolt, Shoulder 5/16-18

KEY NO.	PART NO.	DESCRIPTION
37	873 80 05-00	Nut, Lock 5/16-18 unc
40	532 19 76-61	Handle
41	532 19 82-00	Spring
43	874 76 06-12	Bolt 3/8-16 unc x 3/4
44	819 13 38-12	Washer 13/32 x 2-3/8 x 12 Ga.

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

TRACTOR - - MODEL NO. LT2323CMA2 (96051004800), PRODUCT NO. 960 51 00 48
BAGGER **46**



ElecBagger_TexCRD-Gen2_2

TRACTOR - - MODEL NO. LT2323CMA2 (96051004800), PRODUCT NO. 960 51 00 48
BAGGER 46

KEY NO.	PART NO.	DESCRIPTION
3	532 17 48-14	Clip
5	532 44 52-48	Bagger Cross Tube
7	873 90 04-00	Nut Hex Flange 1/4-20 unc
8	532 44 50-17	Bagger Top
10	532 44 37-55	Frame Front
21	532 44 41-90	Bag Assembly
25	532 44 55-28	Spring Latch Bagger
26	817 49 04-12	Screw Hex Thdrol 1/4-20 x 3/4
42	532 44 04-28	Clip
44	532 19 96-87	Bolt 1/4-20
45	532 44 37-54	Upper Frame
46	532 44 55-41	Bag Corner Close Out RH
47	532 44 40-79	Bag Corner Close Out LH
48	532 44 40-80	Top Bagger Side Close Out
49	532 17 18-73	Bolt Shoulder 5/16-18
50	532 17 18-77	Bolt 5/16-18 x 3/4 W/Sems
51	872 11 05-06	Bolt 5/16 x 18 x 3/4
52	873 80 05-00	Nut Lock Hex W/Ins 5/16-18 unc
54	532 44 75-43	Bagger Top Front Handle
55	872 14 05-12	Bolt 5/16-18 x 1-1/2
56	532 42 03-06	Pin Clevis .183 x 1.26
57	532 19 98-55	Screw 1/4-20 Panhead
58	532 08 51-79	Clip Retainer
59	532 44 47-63	Bagger Sprd Tube
60	532 44 41-05	Bagger Support Tube LH
61	532 44 41-06	Bagger Support Tube RH
62	532 44 45-42	Bracket Support
63	532 44 41-11	Bagger Pivot Elec Dump
64	532 43 04-22	Pin Clevis .375 x 2.375
65	532 12 47-88	Retainer Spring 1"
67	532 44 80-39	Bolt Carriage 5/16-18 x 2.25
68	819 11 16-10	Washer 11/32 x 1.00 x 10 Ga.
70	817 00 06-12	Screw 3/8-16 x 3/4
71	532 44 52-38	Bagger Support Pivot
72	532 44 52-36	Bagger Catch Bracket
73	872 11 05-10	Bolt Carriage 5/16-18 X 1-1/4 Gr. 5
74	532 44 52-43	Upper Clevis Bracket
75	532 44 52-45	Lower Mounting Bracket
76	532 44 52-44	Lower Clevis Bracket
78	532 44 52-57	Actuator Elec Dump
79	532 44 73-68	Spacer .375 x .75 x .4375
80	873 90 05-00	Nut Lock Hex Flange 5/16-18
81	532 17 01-65	Bolt Shoulder 5/16-18
82	877 10 12-36	Clevis Pin 0.375 x 2.000

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

