



# ILLUSTRATED PARTS LIST

**MODEL NO. 96041003009**  
**CUSTOMER CATALOG NO. LTH152**  
**PRODUCT NO. 960 41 00-30**



433512


**TRACTOR - - MODEL NO. LTH152 (96041003009), PRODUCT NO. 960 41 00-30**  
**DECALS 27**



| KEY NO. | PART NO.     | DESCRIPTION                 |
|---------|--------------|-----------------------------|
| 1       | 532 40 03-89 | Decal, Operators            |
| 2       | 581 62 73-01 | Emblem, Hood                |
| 3       | 532 19 68-41 | Decal, Warning Eng. Symbols |
| 4       | 532 43 79-18 | Decal, Hood Panel           |
| 5       | 532 15 97-36 | Decal, Chassis Hot Muffler  |
| 6       | 532 18 04-32 | Decal, Fender 100 DB/CE     |
| 7       | 532 18 21-66 | Decal, Cutfinger CE         |
| 8       | 532 43 35-12 | Decal, Rpl                  |
| 9       | 532 14 50-05 | Decal, Battery Dnge/Poi     |
| 10      | 532 14 08-37 | Decal, Saddle Brake Parking |
| 11      | 532 19 63-57 | Decal, Warning              |

| KEY NO. | PART NO.     | DESCRIPTION                   |
|---------|--------------|-------------------------------|
| 12      | 532 16 03-96 | Decal, Mower V-Belt Schematic |
| 13      | 532 15 97-37 | Decal, Brake/Clutch Symbol    |
| --      | 532 16 69-60 | Decal, Bypass                 |
| --      | 532 43 96-81 | Pad, Footrest, LH             |
| --      | 532 43 99-66 | Pad, Footrest, RH             |
| --      | 532 16 25-98 | Decal, Drawbar Load Limit     |
| --      | 532 43 10-55 | Manual Oper. Euro             |
| --      | 532 43 10-56 | Manual Oper. Scand            |
| --      | 532 43 10-57 | Manual Oper. E-Bloc           |
| --      | 532 43 10-58 | Manual Oper. Baltic           |

**WHEELS AND TIRES**




| KEY NO. | PART NO.     | DESCRIPTION                       |
|---------|--------------|-----------------------------------|
| 1       | 532 05 91-92 | Cap Valve Tire                    |
| 2       | 532 06 51-39 | Stem Valve                        |
| 3       | 532 13 83-36 | Rim Asm 6" Front                  |
| 4       | 532 05 99-04 | Tube Front (Service Item Only)    |
| 5       | 532 10 62-22 | Tire F T 15 x 6 0 - 6             |
| 6       | 532 12 49-57 | Fitting Grease (Front Wheel Only) |
| 7       | 532 12 49-59 | Bearing Flange (Front Wheel Only) |
| 8       | 532 17 50-39 | Cap Axle Blk 1 50 x 1 00          |
| 9       | 532 42 05-31 | Tire R 18 x 9.5-8 Turf Saver      |
| 10      | 532 12 49-26 | Tube Rear (Service Item Only)     |
| 11      | 532 13 83-37 | Rim Asm 8" Rear                   |
| --      | 532 14 43-34 | Sealant, Tire (10 oz. Tube)       |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

TRACTOR - - MODEL NO. LTH152 (96041003009), PRODUCT NO. 960 41 00-30  
SCHEMATIC 38



SCH10



TRACTOR - - MODEL NO. LTH152 (96041003009), PRODUCT NO. 960 41 00-30  
ELECTRICAL **32**

TR01S

With Service Minder Option




**TRACTOR - - MODEL NO. LTH152 (96041003009), PRODUCT NO. 960 41 00-30**  
**ELECTRICAL 32**

| <b>KEY<br/>NO.</b> | <b>PART<br/>NO.</b> | <b>DESCRIPTION</b>               |
|--------------------|---------------------|----------------------------------|
| 1                  | 532 16 34-65        | Battery                          |
| 2                  | 874 76 04-12        | Bolt Hex Head 1/4-20 x 3/4       |
| 8                  | 532 19 32-28        | Box Battery                      |
| 16                 | 532 17 61-38        | Switch Interlock Push-In         |
| 21                 | 532 40 02-52        | Harness Socket Light w/4152J     |
| 22                 | 532 00 41-52        | Bulb Light                       |
| 25                 | 581 49 80-01        | Cable Starter                    |
| 26                 | 532 17 51-58        | Fuse                             |
| 27                 | 873 51 04-00        | Nut Keps Hex 1/4-20 unc          |
| 28                 | 532 42 16-86        | Cable, Ground                    |
| 29                 | 532 40 15-45        | Switch, Seat                     |
| 30                 | 532 19 33-50        | Switch, Ign                      |
| 33                 | 532 41 19-35        | Key/Chain                        |
| 34                 | 532 11 07-12        | Switch Light/Reset               |
| 40                 | 581 02 31-01        | Harness Ign. Dash                |
| 43                 | 532 19 25-07        | Solenoid                         |
| 55                 | 817 06 05-12        | Screw Thdrol 5/16-18 x 3/4 TYTT  |
| 71                 | 581 02 30-01        | Harness Ign. Chassis             |
| 79                 | 532 17 52-42        | Socket Asm                       |
| 87                 | 532 19 78-02        | Switch Interlock Clutch Cable    |
| 90                 | 532 43 53-95        | Cover Terminal                   |
| 92                 | 532 19 66-15        | Harness Pigtail Reverse Switch   |
| 93                 | 532 19 25-40        | Screw Plastite 10-14 x 2.0       |
| 94                 | 532 19 18-34        | Module Reverse ROS               |
| 99                 | 817 67 04-12        | Screw Hexwsh Thdrol 1/4-20 x 3/4 |
| 106                | 532 17 48-14        | Palnut 1/4 Lugs                  |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

TRACTOR - - MODEL NO. LTH152 (96041003009), PRODUCT NO. 960 41 00-30  
CHASSIS AND ENCLOSURES **39**




chassis-tex\_TEX LT HUSQ\_55\_r1

**TRACTOR - - MODEL NO. LTH152 (96041003009), PRODUCT NO. 960 41 00-30**  
**CHASSIS AND ENCLOSURES 39**

| KEY NO. | PART NO.     | DESCRIPTION                    |
|---------|--------------|--------------------------------|
| 3       | 581 05 63-01 | Logo                           |
| 5       | 532 43 89-64 | Dash                           |
| 14      | 532 44 12-67 | Hood                           |
| 15      | 532 44 14-28 | Lens LH                        |
| 18      | 532 44 13-68 | Grille                         |
| 25      | 532 44 14-27 | Lens RH                        |
| 34      | 532 44 72-53 | Plate Engine                   |
| 36      | 817 06 05-12 | Screw 5/16-18 x 3/4            |
| 37      | 532 44 12-66 | Fender                         |
| 52      | 873 68 05-00 | Nut Crown Lock 5/16            |
| 58      | 532 41 22-80 | Drawbar, Upper                 |
| 68      | 817 49 05-08 | Screw THDROL 5/16-18 x 1/2     |
| 125     | 581 68 48-01 | Clip Fuel Line                 |
| 130     | 532 41 63-58 | Screw 10 x .750 BOS Thread     |
| 137     | 532 40 75-90 | Bumper Dash                    |
| 146     | 581 85 79-01 | Bolt                           |
| 150     | 532 40 75-37 | Air Duct                       |
| 151     | 532 40 78-07 | Bracket Pivot                  |
| 152     | 532 19 95-35 | Shield Browning                |
| 159     | 817 00 06-12 | Screw 3/8-7/16 x 3/4           |
| 162     | 532 14 24-32 | Screw                          |
| 175     | 532 19 94-72 | Crossmember                    |
| 176     | 532 40 07-76 | Screw 10-24 x 5/8              |
| 177     | 532 19 52-28 | Bushing Steering               |
| 180     | 532 41 50-63 | Chassis                        |
| 181     | 532 43 97-46 | Bushing Fender                 |
| 182     | 532 40 71-76 | Dash Lower                     |
| 183     | 874 52 05-20 | Bolt 5/16-18 x 1-1/4           |
| 189     | 817 00 05-12 | Screw 5/16-18 x 3/4            |
| 191     | 532 41 65-01 | Insert Reflective RH           |
| 194     | 873 90 05-00 | Nut Lock Hex Flange 5/16-18    |
| 199     | 532 41 34-85 | Plate Deck Lift                |
| 202     | 532 44 13-42 | Vent Side Hood RH              |
| 203     | 532 44 13-43 | Vent Side Hood LH              |
| 204     | 532 44 13-75 | Vent Top Hood                  |
| 205     | 532 44 13-44 | Skirt Side RH                  |
| 206     | 532 44 13-45 | Skirt Side LH                  |
| 213     | 874 76 05-12 | Bolt 5/16-18 x 3/4             |
| 214     | 532 19 91-45 | Clip Retainer                  |
| 217     | 532 40 91-67 | Rod Pivot Hood                 |
| 218     | 532 19 63-95 | X-Piece Hood Stop              |
| 228     | 532 19 51-61 | Stud Fastener                  |
| 234     | 532 40 47-42 | Bumper Hood                    |
| 235     | 532 40 61-29 | Spacer Fender                  |
| 236     | 873 93 05-00 | Nut Lock 5/16-18 UNC           |
| 238     | 532 44 13-74 | Trim                           |
| 239     | 532 40 48-83 | Clip Tinnerman                 |
| 282     | 532 41 41-10 | Clip Retainer Console          |
| 283     | 532 43 91-52 | Console Deck Lift              |
| 284     | 532 43 91-48 | Console Shift                  |
| 285     | 532 41 63-15 | Console Insert R.H.            |
| 286     | 532 41 63-17 | Console Insert L.H.            |
| 287     | 817 60 04-06 | Screw Hex Washead 1/4-20 x 3/8 |
| 297     | 532 40 66-65 | Insert Reflective LH           |
| 306     | 873 90 06-00 | Nut                            |
| - - -   | 532 43 99-76 | Plug Dash SRVMNDR              |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

TRACTOR - - MODEL NO. LTH152 (96041003009), PRODUCT NO. 960 41 00-30  
 DRIVE **40**




drive-tex\_K46\_fender\_22\_r2

**TRACTOR - - MODEL NO. LTH152 (96041003009), PRODUCT NO. 960 41 00-30  
DRIVE **40****

| KEY NO. | PART NO.     | DESCRIPTION                                                                    | KEY NO. | PART NO.     | DESCRIPTION                   |
|---------|--------------|--------------------------------------------------------------------------------|---------|--------------|-------------------------------|
| 1       | — — — — —    | Transaxle, TuffTorq K46BA (448348) (Order parts from trans-axle manufacturer.) | 170     | 532 41 34-30 | Keeper Belt Centerspan        |
| 2       | 532 12 35-83 | Key Square                                                                     | 174     | 532 19 72-89 | Nut Push                      |
| 15      | 819 13 13-16 | Washer 13/32 x 13/16 x 16 Ga.                                                  | 175     | 532 40 85-39 | Shaft Asm Shift               |
| 17      | 532 41 36-78 | Spring, Brake                                                                  | 176     | 532 19 62-14 | Arm Clevis Rod Shift          |
| 22      | 532 19 76-60 | Rod Shift                                                                      | 178     | 532 19 74-56 | Spring Shift                  |
| 23      | 532 12 12-74 | Knob                                                                           | 183     | 532 13 70-57 | Spacer Split                  |
| 29      | 532 40 38-06 | Rod, Brake                                                                     | 184     | 532 44 14-07 | Handle Parking Brake          |
| 33      | 812 00 00-01 | Ring E                                                                         | 185     | 872 11 06-22 | Bolt                          |
| 35      | 532 40 10-31 | Rod, Brake, Park                                                               | 186     | 532 19 43-21 | Spacer Retainer               |
| 42      | 532 12 48-72 | Cover, Foot Pedal                                                              | 187     | 819 13 32-10 | Washer                        |
| 49      | 872 11 06-14 | Bolt                                                                           | 188     | 532 19 43-23 | Link Clutch Ground Drive      |
| 50      | 532 19 43-27 | Pulley Idler Flat                                                              | 189     | 532 19 43-17 | Bellcrank Ground Drive        |
| 51      | 873 90 06-00 | Lock Nut 3/8-16                                                                | 190     | 532 19 43-18 | Keeper Bellcrank Ground Drive |
| 52      | 532 19 43-26 | Idler V-Groove 910" Offset                                                     | 205     | 532 12 17-48 | Washer 25/32 x 1-5/8 x 16 Ga. |
| 56      | 532 13 09-69 | V-Belt, Drive                                                                  | 211     | 532 19 62-12 | Bushing Brake Shaft           |
| 64      | 532 19 62-00 | Shaft Asm. Pedal Brake Control                                                 | 216     | 532 19 61-31 | Bracket Pulley Idler          |
| 73      | 874 49 05-40 | Bolt 5/16-18 x 1/2 Gr. 5                                                       | 221     | 532 40 31-87 | Retainer Spring Clip Handle   |
| 80      | 532 44 06-19 | Strap Torque                                                                   | 225     | 532 40 33-19 | Keeper Belt Trans.            |
| 99      | 532 41 57-42 | Rod Spring Bypass                                                              | 227     | 817 49 05-12 | Screw 5/16-18 x 3/4           |
| 116     | 873 90 05-00 | Nut Lock Hex Flange 5/16-18                                                    | 226     | 532 40 15-64 | Bracket Mount Torque          |
| 125     | 817 00 05-12 | Screw 5/16 - 18 x 3/4                                                          | 230     | 532 18 89-67 | Washer Hardened               |
| 143     | 817 49 05-08 | Screw 5/16 - 18 x 1/2                                                          | 231     | 532 40 72-87 | Idler V-Groove 1.688" Offset  |
| 153     | 532 12 47-88 | Retainer Spring 1"                                                             | 233     | 532 40 52-96 | Washer Serrated               |
| 159     | 876 02 04-12 | Pin Cotter 1/8 x 3/4                                                           | 276     | 874 78 07-16 | Bolt 7/16-14 x 1 Gr. 5        |
| 160     | 532 16 94-84 | Retainer Clip                                                                  | 279     | 532 41 31-50 | Link Shift                    |
| 161     | 532 10 57-09 | Spring, Return, Clutch                                                         |         |              |                               |
| 166     | 532 42 91-64 | Nut Push                                                                       |         |              |                               |
| 167     | 532 40 52-57 | Latch Brake Parking                                                            |         |              |                               |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm




**TRACTOR - - MODEL NO. LTH152 (96041003009), PRODUCT NO. 960 41 00-30  
ENGINE 24**

| <b>KEY<br/>NO.</b> | <b>PART<br/>NO.</b> | <b>DESCRIPTION</b>                                                                 |
|--------------------|---------------------|------------------------------------------------------------------------------------|
| 1                  | -- -- -- --         | Engine Kohler Model No. SV470-3212 (438330)(Order parts from engine manufacturer.) |
| 2                  | 532 18 86-55        | Muffler                                                                            |
| 9                  | 532 19 43-20        | Keeper Belt Engine                                                                 |
| 12                 | 532 40 54-71        | Pulley Engine                                                                      |
| 15                 | 532 40 75-45        | Tank Fuel 1.5                                                                      |
| 18                 | 532 43 02-20        | Cap Asm                                                                            |
| 20                 | 532 18 38-97        | Control Throttle                                                                   |
| 21                 | 532 41 63-58        | Screw #10 x 0.750                                                                  |
| 28                 | 532 13 70-40        | Fuel Line                                                                          |
| 29                 | 532 13 71-80        | Spark Arrester Kit                                                                 |
| 37                 | 532 12 34-87        | Clamp Hose                                                                         |
| 42                 | 810 04 07-00        | Bolt 5/16-18 unc x 3/4 w/Sems                                                      |
| 43                 | 532 17 39-37        | Bolt Hex 7/16-20 x 4 Gr. 5                                                         |
| 45                 | 873 51 04-00        | Nut Keps Hex 1/4-20 unc                                                            |
| 69                 | 532 18 59-09        | Gasket                                                                             |
| 79                 | 532 19 23-34        | Screw 5/16 - 18 x .75                                                              |
| 83                 | 532 17 18-77        | Bolt 5/16-18 unc x 3/4 w/Sems                                                      |
| 90                 | 817 00 06-16        | Screw 3/8-16 x 1                                                                   |
| 92                 | 817 12 06-16        | Screw 3/8-16 x 1                                                                   |
| 94                 | 532 18 86-54        | Tube Exhaust                                                                       |
| 96                 | 819 09 14-16        | Washer 9/32 x 7/8 x 16 Ga.                                                         |
| 97                 | 817 67 04-12        | Screw 1/4-20 x 3/4                                                                 |
| 122                | 532 42 19-22        | Extension Drain Oil                                                                |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

TRACTOR - - MODEL NO. LTH152 (96041003009), PRODUCT NO. 960 41 00-30  
STEERING ASSEMBLY **41**




steering-tex\_HUSQSR\_32

**TRACTOR - - MODEL NO. LTH152 (96041003009), PRODUCT NO. 960 41 00-30**  
**STEERING ASSEMBLY 41**

| KEY NO. | PART NO.     | DESCRIPTION                         |
|---------|--------------|-------------------------------------|
| 1       | 532 43 97-40 | Wheel, Steering Husq SR             |
| 2       | 532 41 81-68 | Axle Asm.                           |
| 4       | 532 40 30-87 | Spindle Asm., LH                    |
| 5       | 532 40 30-88 | Spindle Asm., RH                    |
| 6       | 532 12 49-31 | Bearing, Race Thrust Harden         |
| 7       | 532 12 17-48 | Washer 25/32 x 1-5/8 x 16 Ga.       |
| 8       | 812 00 00-29 | Ring, Clip #T5304-75                |
| 9       | 532 12 12-32 | Cap, Spindle                        |
| 13      | 532 12 17-49 | Washer 25/32 x 1-1/4 x 16 Ga.       |
| 14      | 810 04 06-00 | Washer, Lock Hvy Hlcl Spr 3/8       |
| 15      | 873 54 06-00 | Nut, Crown Lock 3/8-24 unf          |
| 16      | 532 42 93-73 | Shaft Steering                      |
| 19      | 532 19 47-29 | Plate Steering                      |
| 20      | 532 44 14-25 | Boot, Steering                      |
| 21      | 532 18 67-37 | Adapter, Wheel Steering             |
| 22      | 532 42 05-37 | Strg. Supt. Lower                   |
| 26      | 532 43 97-43 | Insert, Wheel Steering Husq SR      |
| 28      | 817 00 06-12 | Screw 3/8-16 x 3/4                  |
| 33      | 810 04 05-00 | Washer Lock 5/16                    |
| 35      | 532 19 47-32 | Gear, Sector Plate                  |
| 45      | 819 11 38-12 | Washer 11/32 x 3/8 x 12 Ga.         |
| 53      | 532 18 89-67 | Washer Hardened .793 x 1.637 x .060 |
| 57      | 532 40 74-65 | Bracket Upstop                      |
| 58      | 532 19 47-47 | Bolt Shoulder Sector Pivot CFM      |
| 59      | 532 19 47-48 | Washer Thrust Sector Steering       |
| 60      | 873 97 10-00 | Nut Flange Lock 5/8-11              |
| 61      | 532 19 47-40 | Draglink, LH                        |
| 62      | 532 19 47-41 | Draglink, RH                        |
| 63      | 817 00 05-12 | Screw 5/16-18 x 3/4                 |
| 64      | 532 19 98-49 | Retainer Clip Spring Steering       |
| 66      | 871 02 07-48 | Bolt Hex Fghd 7/16-14 x 3 Serr      |
| 67      | 532 19 47-37 | Bushing PM Front Axle               |
| 68      | 873 90 07-00 | Nut Lock Flange 7/16-14 Gr. 5       |
| 69      | 532 19 91-62 | Washer 1.5 x .505 x .118            |
| 70      | 532 19 61-97 | Bracket Deck Susp. Front            |
| 71      | 532 19 07-52 | Shaft Extension Steering            |
| 72      | 532 42 89-82 | Bolt Fin Hex 5/16-18 x 4 w/Patch    |
| 74      | 532 12 49-37 | Bearing                             |
| 122     | 532 44 49-62 | Cap Gear                            |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - - MODEL NO. LTH152 (96041003009), PRODUCT NO. 960 41 00-30**  
**MOWER DECK 44**




**TRACTOR - - MODEL NO. LTH152 (96041003009), PRODUCT NO. 960 41 00-30**  
**MOWER DECK 44**

| KEY NO. | PART NO.     | DESCRIPTION                                                        | KEY NO. | PART NO.     | DESCRIPTION                                                                                                                              |
|---------|--------------|--------------------------------------------------------------------|---------|--------------|------------------------------------------------------------------------------------------------------------------------------------------|
| 1       | 532 43 98-17 | Mower Housing                                                      | 60      | 532 19 72-61 | Arm Brake Mower                                                                                                                          |
| 6       | 532 19 51-86 | Arm Suspension                                                     | 62      | 872 11 06-16 | Bolt 3/8-16 unc x 2                                                                                                                      |
| 7       | 532 41 63-58 | Screw #10 x 0.750                                                  | 63      | 532 19 94-77 | Arm Brake Mower                                                                                                                          |
| 8       | 532 19 30-03 | Bolt/Washer asm 7/16-20 unf                                        | 64      | 532 19 99-18 | Link Brake                                                                                                                               |
| 11      | 532 13 89-71 | Blade Mower 42" Hi Lift Premium<br>(For better wear when mulching) | 67      | 532 40 30-12 | Handle Clutch Cable                                                                                                                      |
| 13      | 532 19 28-72 | Shaft Assembly, Mandrel                                            | 68      | 532 42 96-36 | V-Belt                                                                                                                                   |
| 14      | 532 18 72-81 | Housing, Mandrel                                                   | 69      | 872 14 05-05 | Bolt                                                                                                                                     |
| 15      | 532 11 04-85 | Bearing, Ball, Mandrel                                             | 70      | 532 40 12-46 | Clutch Asm Manual                                                                                                                        |
| 19      | 532 19 65-39 | Bolt, Shoulder                                                     | 113     | 817 00 05-10 | Screw 5/16-18                                                                                                                            |
| 20      | 532 15 97-70 | Baffle Vortex                                                      | 116     | 532 12 48-42 | Bolt Shoulder                                                                                                                            |
| 21      | 873 68 05-00 | Nut, Crownlock 5/16-18 unc                                         | 117     | 532 18 86-06 | Wheel Gauge                                                                                                                              |
| 23      | 532 19 25-57 | Bracket, Deflector                                                 | 118     | 873 90 06-00 | Nut Centerlock 3/8-16 unc                                                                                                                |
| 24      | 532 10 53-04 | Cap, Sleeve                                                        | 119     | 819 12 14-14 | Washer 3/8 x 7/8 x 14 Ga.                                                                                                                |
| 25      | 532 19 70-26 | Spring, Torsion, Deflector                                         | 122     | 532 19 72-58 | Keeper Belt Engine LH                                                                                                                    |
| 26      | 532 11 04-52 | Nut, Push                                                          | 123     | 532 19 72-59 | Keeper Belt Engine RH                                                                                                                    |
| 27      | 532 40 30-04 | Shield, Deflector                                                  | 144     | 532 19 92-04 | Keeper Belt                                                                                                                              |
| 29      | 532 13 14-91 | Rod, Hinge                                                         | 145     | 532 19 31-97 | Pulley Idler                                                                                                                             |
| 30      | 532 17 39-84 | Screw Thdrol Rolling Wsh Hd                                        | 147     | 532 40 19-71 | Spring Return                                                                                                                            |
| 31      | 532 18 76-90 | Washer, Spacer                                                     | 152     | 532 43 51-11 | Manual Clutch Cable                                                                                                                      |
| 32      | 532 19 74-73 | Pulley, Mandrel                                                    | 188     | 532 19 51-61 | Stud Fastener                                                                                                                            |
| 33      | 532 40 02-34 | Nut, Toplock, Flanged                                              | 189     | 873 90 05-00 | Nut Lock Hex Flange                                                                                                                      |
| 34      | 872 11 06-12 | Bolt Carr Sh. 3/8-16 x 1-1/2 Gr. 5                                 | 192     | 532 19 72-60 | Bracket Brake Stand LH                                                                                                                   |
| 36      | 532 19 73-79 | Pulley, Idler, Flat                                                | 195     | 817 00 06-12 | Screw 3/8-16 x 3/4                                                                                                                       |
| 37      | 819 13 13-16 | Washer                                                             | 241     | 532 15 29-27 | Screw TT#10-32 5. 3/8 Flange                                                                                                             |
| 38      | 532 43 25-20 | Keeper Belt Mandrel                                                | 242     | 532 41 55-98 | Port Washout                                                                                                                             |
| 40      | 873 90 06-00 | Nut, Lock Flg. 3/8-16 unc                                          | - -     | 532 19 28-70 | Mandrel Assembly (Includes hous-<br>ing, shaft assembly, and bearing<br>only - pulley/nut/washer and blade<br>bolt/washers not included) |
| 42      | 532 19 84-10 | Spring Torsion Brake                                               | - -     | 532 43 29-37 | Replacement Mower, Complete                                                                                                              |
| 43      | 532 19 72-56 | Spring Torsion Retainer                                            |         |              |                                                                                                                                          |
| 46      | 532 13 77-29 | Screw 1/4-20 x 5/8                                                 |         |              |                                                                                                                                          |
| 47      | 532 19 72-50 | Bracket Clutch Cable                                               |         |              |                                                                                                                                          |
| 55      | 532 43 71-10 | Arm, Idler                                                         |         |              |                                                                                                                                          |
| 56      | 532 19 90-92 | Spacer, Retainer                                                   |         |              |                                                                                                                                          |
| 57      | 817 00 06-16 | Screw 3/8-16 x 1                                                   |         |              |                                                                                                                                          |
| 59      | 532 14 10-43 | Guard, Tuv Idler                                                   |         |              |                                                                                                                                          |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - - MODEL NO. LTH152 (96041003009), PRODUCT NO. 960 41 00-30**  
**MOWER LIFT 45**




| KEY NO. | PART NO.     | DESCRIPTION                  |
|---------|--------------|------------------------------|
| 2       | 532 42 20-27 | Shaft Asm., Lift             |
| 3       | 532 19 52-31 | Lever Asm., Lift RH          |
| 7       | 580 96 23-01 | Grip, Lever                  |
| 10      | 532 19 63-14 | Spring Torsion               |
| 87      | 532 19 42-09 | Pin Cotter 7/16 Bow Tie Lock |
| 88      | 532 41 07-10 | Spring Lift Assist           |
| 89      | 819 19 19-12 | Washer Clear Zinc            |
| 90      | 532 19 42-08 | Pin Cotter 5/16 Bow Tie Lock |

| KEY NO. | PART NO.     | DESCRIPTION                     |
|---------|--------------|---------------------------------|
| 91      | 532 19 51-81 | Link Lift Susp Mower Rear       |
| 97      | 817 00 06-12 | Screw 3/8-16x.75 S&MGMI Tap/R.Z |
| 98      | 532 19 52-70 | Link Lift Susp. Front Mower     |
| 100     | 873 93 06-00 | Nut Centerlock 3/8-16           |
| 101     | 532 40 70-03 | Link Asm. Lift FXD              |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - - MODEL NO. LTH152 (96041003009), PRODUCT NO. 960 41 00-30**  
**SEAT ASSEMBLY 42**



seat-tex\_7A-vgt

| KEY NO. | PART NO.     | DESCRIPTION                   |
|---------|--------------|-------------------------------|
| 1       | 532 43 98-19 | Seat                          |
| 2       | 532 18 01-66 | Bracket Pivot Fender          |
| 3       | 532 14 06-75 | Strap, Asm Fender             |
| 6       | 873 80 06-00 | Nut, Lock w/Ins. 3/8-16 unc   |
| 7       | 532 12 41-81 | Spring, Seat Cprsn            |
| 8       | 532 17 18-77 | Bolt 5/16-18 unc x 3/4 w/Sems |
| 10      | 532 19 69-77 | Pan, Seat                     |
| 21      | 532 17 18-52 | Bolt, Shoulder 5/16-18        |

| KEY NO. | PART NO.     | DESCRIPTION                   |
|---------|--------------|-------------------------------|
| 37      | 873 80 05-00 | Nut, Lock 5/16-18 unc         |
| 40      | 532 19 76-61 | Handle Slide                  |
| 41      | 532 19 82-00 | Spring Latch                  |
| 43      | 874 76 06-12 | Bolt 3/8-16 unc x 3/4         |
| 44      | 819 13 38-12 | Washer 13/32 x 2-3/8 x 12 Ga. |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

