


# ILLUSTRATED PARTS LIST

**MFG. ID NO. 96051019900**


**CUSTOMER CATALOG NO. TC 242TX**

**PRODUCT NO. 960 51 01-99**



# TRACTOR - MODEL NO. TC 242TX (96051019900), PRODUCT NO. 96051 01-99


## DECALS 27



| KEY NO. | PART NO.     | DESCRIPTION                |
|---------|--------------|----------------------------|
| 1       | 599 27 65-01 | Decal, Belt, Routing       |
| 2       | 581 57 97-01 | Decal, Warning Eng.        |
| 3       | 532 44 46-19 | Decal, Bypass              |
| 4       | 599 55 27-01 | Decal, RPL                 |
| 5       | 581 57 84-01 | Decal, Lower Dash          |
| 6       | 586 04 73-02 | Decal, Warning             |
| 7       | 581 57 96-01 | Decal, Chassis Hot Muffler |

| KEY NO. | PART NO.     | DESCRIPTION                    |
|---------|--------------|--------------------------------|
| 8       | 598 43 90-01 | Decal, Side Panel              |
| 10      | 532 44 54-93 | Decal, Warning Combined        |
| 11      | 581 57 91-01 | Decal, Mower Cut Finger Symbol |
| --      | 532 44 14-09 | Pad Footrest LH                |
| --      | 532 44 14-10 | Pad Footrest RH                |
| --      | 114 22 94-26 | Manual Operator's (English)    |
| --      | 114 22 99-79 | Manual Operator's (Japanese)   |

## WHEELS AND TIRES




| KEY NO. | PART NO.     | DESCRIPTION                       |
|---------|--------------|-----------------------------------|
| 1       | 532 05 91-92 | Cap Valve Tire                    |
| 2       | 532 06 51-39 | Stem Valve                        |
| 3       | 532 13 83-36 | Rim Front                         |
| 4       | 532 05 99-04 | Tube Front (Service Item Only)    |
| 5       | 532 17 04-55 | Tire Front 15 x 6-6               |
| 6       | 532 00 02-78 | Fitting Grease (Front Wheel Only) |
| 7       | 532 00 90-40 | Bearing Flange (Front Wheel Only) |
| 8       | 532 17 50-39 | Cap Axle Blk 1 50 x 1 00          |
| 9       | 588 69 19-01 | Tire Rear 18 x 9.5-8              |
| 10      | 532 00 71-52 | Tube Rear (Service Item Only)     |
| 11      | 532 13 83-37 | Rim Asm 8" Rear                   |
| --      | 532 14 43-34 | Sealant, Tire (10 oz. Tube)       |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm



TRACTOR - MODEL NO. TC 242TX (96051019900), PRODUCT NO. 960 51 01-99  
SCHEMATIC **38**

SCH19



**TRACTOR - MODEL NO. TC 242TX (96051019900), PRODUCT NO. 96051 01-99**  
**ELECTRICAL [32]**

TC09KSMLED




**TRACTOR - MODEL NO. TC 242TX (96051019900), PRODUCT NO. 960 51 01-99**  
**ELECTRICAL 32**

| KEY<br>NO. | PART<br>NO.  | DESCRIPTION                     |
|------------|--------------|---------------------------------|
| 1          | 532 43 71-57 | Battery                         |
| 2          | 596 32 01-01 | Bolt, Hex M6 x 1 x 12.4 mm 8.8  |
| 16         | 532 17 61-38 | Switch Interlock Push-In        |
| 21         | 585 43 64-02 | Harness, LED Lights             |
| 25         | 589 32 37-01 | Cable Batt 8 Ga. Red 9          |
| 26         | 532 17 51-58 | Fuse                            |
| 27         | 596 13 36-01 | Locknut, Keps, 1/4-20           |
| 28         | 589 32 36-01 | Cable, Ground                   |
| 29         | 532 19 27-49 | Switch, Seat                    |
| 30         | 532 19 33-50 | Switch, Ign                     |
| 33         | 532 41 19-33 | Key/Chain Blister Pack          |
| 34         | 532 11 07-12 | Switch Light Blk Red            |
| 40         | 587 30 48-01 | Harness Dash                    |
| 42         | 532 13 15-63 | Cover Terminal Red              |
| 43         | 582 04 28-02 | Solenoid w/Brass Plunger, AN    |
| 45         | 587 55 39-06 | Gauge, Ammeter, Round           |
| 46         | 587 55 40-06 | Hourmeter, Service              |
| 50         | 582 10 76-02 | Switch PTO                      |
| 55         | 817 06 05-12 | Screw Thdrol 5/16-18 x 3/4 TYTT |
| 71         | 532 44 08-20 | Harness Ignition Chassis        |
| 79         | 597 52 30-01 | Light, LED, Bar                 |
| 83         | 594 08 65-01 | Nut, Square, M6 x 1             |
| 99         | 817 00 05-12 | Screw Thdrol 5/16-18 x 3/4      |
| 102        | 532 44 12-62 | Harness Jumper                  |
| 105        | 532 40 75-68 | Switch Reverse                  |
| 107        | 532 18 03-79 | Switch Full Bagger              |
| 108        | 589 50 03-01 | Switch Snapmount                |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - MODEL NO. TC 242TX (96051019900), PRODUCT NO. 96051 01-99**  
**CHASSIS AND ENCLOSURES 39**



chassis-TexCrd-Gen2\_TEX GT HUSQ III\_8




# TRACTOR - MODEL NO. TC 242TX (96051019900), PRODUCT NO. 960 51 01-99

## CHASSIS AND ENCLOSURES **39**

| KEY NO. | PART NO.     | DESCRIPTION                                                               | KEY NO. | PART NO.     | DESCRIPTION                             |
|---------|--------------|---------------------------------------------------------------------------|---------|--------------|-----------------------------------------|
| 3       | 597 68 82-01 | Kit, Grille Applique, (includes applique cover and emblem badge)          | 241     | 593 33 76-01 | Screw, 5/16-18 x 1.00, HWH, TRS         |
| 5       | 590 74 88-17 | Dash                                                                      | 246     | 591 44 90-01 | Spring TCRD Gen 2.5 Bagger Ext          |
| 14      | 532 44 11-77 | Hood                                                                      | 247     | 582 55 26-02 | Strap Battery TCRD Gen 2.5 x .431       |
| 15      | 597 86 79-01 | Kit, SVC, Hus GT3, LED Headlights (includes LH/RH lens and LH/RH housing) | 248     | 872 11 05-04 | Bolt Carr. 5/16 unc x 1/2               |
| 18      | 597 40 71-02 | Grille                                                                    | 249     | 586 93 60-01 | Screw Button 10-24 x 1/2 PTCHD          |
| 34      | 593 94 44-02 | Plate Engine                                                              | 250     | 596 04 08-01 | Lock Nut, Washer, #10-24in., Gr. 2      |
| 36      | 817 06 05-12 | Screw 5/16-18 x 3/4                                                       | 251     | 589 31 89-04 | Backplate Support Bracket               |
| 37      | 532 44 14-19 | Fender                                                                    | 252     | 581 99 22-04 | Backplate Support Bracket               |
| 52      | 596 04 05-01 | Nut, Lock, Hex, PRVL, 5/16-18                                             | 253     | 596 23 84-01 | 1/4-20 x 3/4in., Gr. 5, Bolt            |
| 62      | 596 72 82-01 | Bolt, Carri, 3/8-16 x 1" Gr. 5                                            | 254     | 873 90 04-00 | Nut, Hex Flange 1/4-20 unc              |
| 68      | 596 03 07-01 | Screw, Hexagon, 5/16-18 x 1/2                                             | 255     | 589 39 22-03 | Bolt Cross Drilled 3/8/16 x 1-3/4 Gr. 2 |
| 118     | 596 56 53-01 | Washer, 3/8 x 0.08in., ST, CLR, Zinc                                      | 256     | 596 21 90-01 | Nut Jam 3/8 x 9/16                      |
| 119     | 596 32 26-01 | Nut, Crownlock, 3/80, 16 unc                                              | 257     | 589 74 66-02 | Bagger Latch Assembly LH                |
| 130     | 596 32 17-01 | Screw #10 x 0.750                                                         | 258     | 589 74 67-02 | Bagger Latch Assembly RH                |
| 137     | 532 40 75-90 | Bumper Dash                                                               | 259     | 596 43 40-01 | Screw, #10 X 0.500, Bos Thread          |
| 150     | 532 43 97-74 | Air Duct                                                                  | 282     | 532 41 41-10 | Clip Retainer                           |
| 151     | 532 43 66-70 | Bracket Pivot                                                             | 283     | 532 44 72-12 | Console Deck Lift LH                    |
| 152     | 532 43 98-70 | Shield Browning                                                           | 284     | 532 44 72-20 | Console Shft RH                         |
| 162     | 596 13 41-01 | Screw, Hex, TAP, 1/4-15 x 1/2                                             | 287     | 817 60 04-06 | Screw 1/4-20 x 3/8                      |
| 175     | 590 60 77-02 | Crossmember Plate                                                         | 308     | 532 17 18-77 | Bolt 5/16-18 unc x 3/4 w/Sems           |
| 176     | 532 40 07-76 | Screw 10-24 x 5/8                                                         | 309     | 582 55 25-02 | Backplate                               |
| 177     | 532 19 52-28 | Bushing Steering                                                          | 319     | 581 31 39-07 | Lever Bag                               |
| 180     | 593 89 88-01 | Chassis                                                                   | 334     | 532 44 25-37 | Bracket Engine                          |
| 182     | 532 40 68-59 | Dash Lower                                                                | 335     | 532 44 82-04 | Cover RH Lower Close Out                |
| 183     | 595 30 57-01 | Screw, Hexagon, 5/16-18 x 1-1/4                                           | 336     | 532 44 53-09 | Cover LH Lower Close Out                |
| 189     | 817 00 05-12 | Screw 5/16-18 x 3/4                                                       | 338     | 594 09 39-01 | Bolt Shoulder 5/16-18 x .88             |
| 194     | 596 13 57-01 | Nut, Lock, PRVL, Torq, 5/16-18 x .68                                      | 339     | 532 43 66-41 | Lever Bagger Full                       |
| 195     | 532 40 41-37 | Plug Hole Dash Lower                                                      | 340     | 582 55 27-02 | Door Battery                            |
| 198     | 532 44 15-52 | Indicator Deck Lift                                                       | 341     | 582 06 08-01 | Latch Battery Door Tex CRD              |
| 199     | 532 41 87-39 | Plate Deck Lift                                                           | 342     | 582 82 68-02 | Supprt Fender                           |
| 202     | 597 86 77-01 | Kit, Side Vents, LH/RH (includes LH/RH side vents)                        | 344     | 532 43 89-70 | Control Ex Mulch Tex/CRD                |
| 204     | 597 40 80-01 | Kit, Top Vent (includes top vent and clip retainers)                      | 345     | 532 44 06-39 | Knob, Oval, Tapered 3/8-16 BLK          |
| 205     | 532 43 97-30 | Skirt Hood Side RH                                                        | 347     | 532 44 28-87 | Hitch Tow                               |
| 206     | 532 43 97-29 | Skirt Hood Side LH                                                        | 350     | 532 44 51-43 | Clip X-Mas Tree                         |
| 213     | 596 03 05-01 | Bolt, Hex, HD, 5/16-18 unc x 3/4                                          | 366     | 599 36 16-02 | Bracket RH Front Bagger                 |
| 214     | 532 19 91-45 | Clip Retainer Tinner                                                      | 367     | 599 36 19-02 | Bracket LH Front Bagger                 |
| 217     | 532 40 91-67 | Rod Pivot                                                                 | 368     | 581 42 48-01 | Shroud Bag Full Lever                   |
| 218     | 532 19 63-95 | X-Piece Hood Stop                                                         | 370     | 817 12 06-16 | Screw, 3/8-16 x 1, Smgml, T             |
| 228     | 593 82 40-01 | Stud w/"D" Anti-Rotation                                                  | 375     | 586 90 82-01 | Dash Clip-On Bumper                     |
| 235     | 596 56 42-01 | Spacer, Fender, CLR, Zn                                                   | 378     | 590 84 98-01 | Bushing Flange Plastic                  |
| 236     | 873 93 05-00 | Nut Lock 5/16-18 unc                                                      | - -     | 532 43 16-61 | Guard, Brush                            |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**DRIVE** **40**





# TRACTOR - MODEL NO. TC 242TX (96051019900), PRODUCT NO. 960 51 01-99

## DRIVE **40**

| KEY NO. | PART NO.     | DESCRIPTION                                                                      | KEY NO. | PART NO.     | DESCRIPTION                         |
|---------|--------------|----------------------------------------------------------------------------------|---------|--------------|-------------------------------------|
| 1       | — — — — —    | Transaxle, Tufftorq K57AH (585743601) (Order parts from transaxle manufacturer.) | 195     | 580 45 69-01 | Bracket Rod Brake CRD Tex           |
| 2       | 532 12 35-83 | Key Square                                                                       | 196     | 817 00 06-16 | Screw 3/8-16 x 1 SmgmI Tap/R Blk    |
| 6       | 532 12 40-28 | Bushing Snap                                                                     | 197     | 585 65 86-02 | Clutch, Antirotation, Wireform      |
| 17      | 532 43 62-27 | Spring Brake K46                                                                 | 203     | 596 20 41-01 | Washer 11/32 x 11/16 x 14           |
| 26      | 532 19 96-79 | Spring Return Cruise                                                             | 205     | 532 12 17-48 | Washer 25/32 x 1-5/8 x 16 Ga.       |
| 27      | 596 24 10-01 | Screw, Hex, Threadroll, 5-16 x 18                                                | 206     | 532 44 85-96 | Bracket Mount Latch Cruise          |
| 29      | 532 44 27-95 | Rod, Brake                                                                       | 207     | 587 03 14-02 | Latch Control Cruise                |
| 30      | 596 14 02-01 | Washer 406 ID x OD x .065                                                        | 208     | 596 56 41-01 | Gear Sector Control Cruise          |
| 33      | 812 00 00-01 | Ring E                                                                           | 209     | 596 86 98-01 | Rod, Control, Cruise G              |
| 35      | 583 86 45-02 | Rod, Brk, Parking, GT HUSQ                                                       | 210     | 532 40 09-80 | Rocker Asm. Pedal Control           |
| 37      | 532 18 89-67 | Washer Harden .793 x 1.063 x .060                                                | 211     | 532 12 01-83 | Bearing Nylon                       |
| 38      | 532 16 96-13 | Nyliner Bushing                                                                  | 213     | 532 40 31-19 | Knob Control Cruise                 |
| 42      | 532 00 88-83 | Cover, Foot Pedal                                                                | 214     | 532 42 12-63 | Pedal Forward                       |
| 49      | 596 13 62-01 | Bolt, Cup, Head, 3/8-16 x 3/4                                                    | 215     | 586 60 65-02 | Pedal Reverse                       |
| 50      | 532 19 43-27 | Idler Flat                                                                       | 221     | 532 40 31-87 | Retainer Spring Clip Handle         |
| 51      | 873 90 06-00 | Lock Nut 3/8-16                                                                  | 222     | 879 21 20-10 | Washer 21/32 x 1-1/4 10 Ga.         |
| 52      | 532 19 43-26 | Idler V-Groove                                                                   | 226     | 532 40 15-64 | Bracket Strap Torque                |
| 56      | 591 06 53-01 | V-Belt, Drive                                                                    | 227     | 596 13 59-01 | Bolt, Hex, 5/16-18 x 3/4, CLR, Zinc |
| 64      | 532 19 78-65 | Shaft Asm. Pedal Brake Control                                                   | 279     | 593 89 84-01 | Link & Stud-Link, Subasm            |
| 73      | 595 31 66-01 | Bolt, HHD w/Flange, 5/16-18 Gr. 5                                                | 280     | 596 03 99-01 | Washer, Plain 11/32 x 5/8, CLR      |
| 90      | 532 44 36-05 | Keeper Belt Clutching                                                            | 309     | 532 16 55-81 | Plate Fstnr Cross Shf               |
| 92      | 595 30 57-01 | Screw, Hexagon, 5/16-18 x 1-1/4                                                  | 311     | 532 16 98-45 | Washer Nylon                        |
| 99      | 532 44 39-47 | Rod Spring Bypass                                                                | 312     | 532 16 56-14 | Hub Tapered                         |
| 103     | 596 43 63-01 | Nut, Hex, 5/16-18 x 0.577" Gr. 5 Zn                                              | 313     | 596 04 07-01 | Bolt, Hex, 1/4-20 x 1               |
| 116     | 596 13 57-01 | Nut, Lock, PRVL.Torq, 5/16-18 x .68                                              | 314     | 532 44 47-13 | Keeper Belt                         |
| 125     | 817 00 05-12 | Screw 5/16-18 x 3/4                                                              | 315     | 817 58 05-20 | Screw Thdrol 5/16-18 x 4.25         |
| 140     | 596 02 98-01 | Spring, Lock Washer, Square Ends                                                 | 335     | 532 19 95-34 | Pulley V-Idler                      |
| 143     | 596 03 07-01 | Screw, Hexagon, 5/16-18 x 1/2                                                    | 336     | 587 25 96-02 | Bolt, 5/16-18 x 1-3/4, Flanged      |
| 159     | 596 02 95-01 | Pin, Cotter, 1/8 DIA x 3/4                                                       | 339     | 532 43 68-67 | Strap Torque K46 CRD Tex            |
| 160     | 596 02 94-01 | Clip, Retainer "M"                                                               | 342     | 532 18 26-82 | Keeper Belt 2.5" STL V-Idlr CRD     |
| 161     | 532 10 57-09 | Spring, Return, Clutch                                                           | 343     | 594 94 44-01 | Nut, Hexagon, Flange, 5/16-18       |
| 163     | 594 08 41-02 | Rod, Cntrl, Shift, Pedal                                                         | 351     | 532 43 69-98 | Bracket 97 CRD Deck Sway            |
| 166     | 532 42 91-64 | Nut Push                                                                         | 352     | 532 43 56-45 | Bracket Idler CRD Tex               |
| 167     | 532 40 52-57 | Latch Brake Parking                                                              | 355     | 532 43 56-69 | Bracket                             |
| 175     | 532 42 93-59 | Shaft Asm Crossshift Rear CRD                                                    | 359     | 596 56 40-02 | Bolt, HHD, 3/8-16 x 0.655 CLR, ZN   |
| 177     | 587 22 53-01 | Pin, Cotter, Locking, Bowtie, 1 In.                                              | 360     | 532 44 47-14 | Nut 5/16-24 unf                     |
| 183     | 532 13 70-57 | Spacer Axle                                                                      | 362     | 532 43 68-12 | Idler Flat                          |
| 184     | 587 65 37-01 | Handle Parking Brake                                                             | 363     | 532 44 27-80 | Spacer .343 x .63 x .62             |
| 185     | 872 11 06-22 | Bolt 3/8-16 unc x 2-3/4 Gr. 5                                                    | 364     | 532 44 30-32 | Bracket Idler CRD Tex               |
| 186     | 532 19 43-21 | Spacer Retainer                                                                  | 372     | 582 65 49-01 | Keeper Belt Transaxle               |
| 188     | 582 21 70-01 | Link Clutch, Long                                                                |         |              |                                     |
| 189     | 532 43 36-11 | Bellcrank Ground Drive                                                           |         |              |                                     |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

## ENGINE 24




10

**TRACTOR - MODEL NO. TC 242TX (96051019900), PRODUCT NO. 960 51 01-99**  
**ENGINE 24**

| KEY NO. | PART NO.     | DESCRIPTION                                                                         |
|---------|--------------|-------------------------------------------------------------------------------------|
| 1       | — — — — —    | Engine KAWA Model No. FR651V (593006001)<br>(Order parts from engine manufacturer.) |
| 2       | 589 81 87-01 | Muffler                                                                             |
| 9       | 501 83 26-02 | Keeper Belt Engine                                                                  |
| 11      | 592 82 17-01 | Clutch Electric                                                                     |
| 12      | 532 40 50-97 | Pulley Engine                                                                       |
| 15      | 581 29 01-01 | Tank Fuel                                                                           |
| 18      | 532 43 02-20 | Fuel Cap                                                                            |
| 20      | 532 42 43-41 | Control Throttle                                                                    |
| 21      | 596 32 17-01 | Screw #10 x .075, BOS, Thread                                                       |
| 22      | 532 18 95-41 | Control Choke                                                                       |
| 28      | 532 13 70-40 | Fuel Line                                                                           |
| 29      | 532 13 71-80 | Spark Arrester Kit                                                                  |
| 37      | 532 12 34-87 | Clamp Hose                                                                          |
| 41      | 532 12 61-97 | Washer 1-1/2 OD x 15/32 ID x .250                                                   |
| 42      | 596 23 89-01 | Washer 7/16 in., CLR, ZN                                                            |
| 45      | 596 13 36-01 | Locknut, KEPS, 1/4-20                                                               |
| 62      | 532 43 40-17 | Shield Heat Muffler                                                                 |
| 69      | 532 17 81-51 | Gasket                                                                              |
| 70      | 583 95 56-01 | Tube Exhaust LH                                                                     |
| 71      | 583 95 57-01 | Tube Exhaust RH                                                                     |
| 81      | 532 14 84-56 | Tube Drain Oil Easy                                                                 |
| 85      | 501 60 66-01 | Bolt Hex 7/16-20 x 3.75 Gr. 5                                                       |
| 86      | 532 18 43-62 | Nut Hex Flanged Toplock                                                             |
| 90      | 817 00 06-16 | Screw 3/8-16 x 1                                                                    |
| 92      | 817 12 06-16 | Screw 3/8-16 x 1 SMGML Tap/R                                                        |
| 96      | 596 13 53-01 | Washer, Plain, 9/32 x 7/8, CLR, ZN                                                  |
| 97      | 817 67 04-12 | Screw 1/4-20 x 3/4                                                                  |
| 102     | 817 00 05-12 | Screw 5/16-18 x 3/4                                                                 |
| 116     | 539 13 26-24 | Knob Shift                                                                          |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - MODEL NO. TC 242TX (96051019900), PRODUCT NO. 96051 01-99**  
**STEERING ASSEMBLY 41**




steering-tex\_HUSQSR11\_3

**TRACTOR - MODEL NO. TC 242TX (96051019900), PRODUCT NO. 960 51 01-99**  
**STEERING ASSEMBLY [41]**

| KEY NO. | PART NO.     | DESCRIPTION                                            |
|---------|--------------|--------------------------------------------------------|
| 1       | 597 86 61-01 | Wheel, Steering, Kit (includes steering wheel and cap) |
| 2       | 532 19 59-68 | Axle Asm.                                              |
| 4       | 532 40 30-87 | Spindle, LH                                            |
| 5       | 532 40 30-88 | Spindle, RH                                            |
| 6       | 532 00 62-66 | Washer Thrust 0.75 x 1.23                              |
| 7       | 532 12 17-48 | Washer 25/32 x 1-5/8 x 16 Ga.                          |
| 8       | 812 00 00-29 | Ring, Klip #T5304-75                                   |
| 9       | 532 12 12-32 | Cap, Spindle                                           |
| 13      | 532 12 17-49 | Washer 25/32 x 1-1/4 x 16 Ga.                          |
| 14      | 596 23 87-01 | Washer, Spring Lock, 381 ID x .680                     |
| 15      | 873 54 06-00 | Nut, Crown Lock 3/8-24 unf                             |
| 16      | 587 01 60-02 | Steering Shaft                                         |
| 19      | 532 19 47-29 | Plate Steering                                         |
| 21      | 586 84 02-01 | Adapter Wheel Steering                                 |
| 22      | 585 02 98-02 | Bearing                                                |
| 26      | 594 94 91-01 | Cap, Wheel, Steering                                   |
| 27      | 596 93 34-01 | Washer, Plain                                          |
| 28      | 817 00 06-12 | Screw 3/8-16 x 3/4                                     |
| 35      | 532 19 47-32 | Gear, Sector Plate                                     |
| 45      | 587 01 64-01 | Washer 3/8 ID 2-3/8 OD 12 Ga. PLTD                     |
| 50      | 873 90 06-00 | Nut Lock Flg 3/8-16 unc                                |
| 53      | 532 18 89-67 | Washer Hardened .793 x 1.637 x .060                    |
| 58      | 532 19 47-47 | Bolt Shoulder Sector Pivot CFM                         |
| 59      | 532 19 47-48 | Washer Thrust Sector Steering                          |
| 60      | 873 97 10-00 | Nut Flange Lock 5/8-11                                 |
| 61      | 597 07 02-02 | Linkage Asm, Draglink, LH                              |
| 62      | 597 07 03-02 | Linkage Asm, Draglink, RH                              |
| 63      | 817 00 05-12 | Screw 5/16-18 x 3/4                                    |
| 64      | 532 19 98-49 | Retainer Clip Spring Steering                          |
| 66      | 871 02 07-48 | Bolt Hex Fghd 7/16-14 x 3 Serr                         |
| 67      | 532 19 47-37 | Bushing PM Front Axle                                  |
| 68      | 873 90 07-00 | Nut Lock Flange 7/16-14 Gr. 5                          |
| 69      | 532 19 91-62 | Washer 1.5 x .505 x .118                               |
| 70      | 585 33 88-01 | Bracket Deck Susp. Front                               |
| 75      | 580 68 37-01 | Pinion                                                 |
| 76      | 580 68 36-01 | Screw Head Sock                                        |
| 122     | 532 44 49-62 | Cap Gear                                               |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - MODEL NO. TC 242TX (96051019900), PRODUCT NO. 96051 01-99**  
**MOWER DECK 44**



tex-deck\_TexCRD-Gen2-108cm\_6




# TRACTOR - MODEL NO. TC 242TX (96051019900), PRODUCT NO. 960 51 01-99

## MOWER DECK **44**

| KEY NO. | PART NO.     | DESCRIPTION                                                | KEY NO. | PART NO.     | DESCRIPTION                          |
|---------|--------------|------------------------------------------------------------|---------|--------------|--------------------------------------|
| 1       | 597 95 92-03 | Kit, SVC, Deck Weldment                                    | 78      | 532 19 31-97 | Pulley, Idler 48" Primary            |
| 2       | 532 42 30-62 | Palnut 1/4                                                 | 80      | 595 90 16-01 | Bolt, Cup, 5/16-18 x 3/4, Clr, Znc   |
| 3       | 596 13 57-01 | Nut, Lock, Prvl, Torq, 5/16-18 x .68                       | 81      | 874 76 04-32 | Bolt, Fin. Hex 1/4-20 x 2            |
| 8       | 595 96 02-02 | Mandrel Reinforcement Plate                                | 82      | 596 13 40-01 | Bolt, Rdhd. Shrt. Nk. 1/4-20 x 1-1/2 |
| 10      | 817 00 06-16 | Screw, 3/8-16 x 1, Smgml, Tap/R, Blk                       | 83      | 595 53 33-02 | Belt Keeper                          |
| 11      | 532 13 77-29 | Screw, Thd, Roll, 1/4-20 x 5/8                             | 84      | 589 67 61-02 | Belt Keeper                          |
| 12      | 594 94 44-01 | Nut, Hexagon, Flange, 5/16-18                              | 85      | 594 02 48-02 | Blade RH                             |
| 14      | 599 24 40-02 | Plate, Belt, Keeper                                        | 90      | 532 19 90-92 | Spacer, Retainer                     |
| 15      | 532 19 59-45 | Pulley, Mandrel, 5.438 Pd, Zinc                            | 91      | 596 13 49-01 | Washer, Plain, 3/8 x 7/8             |
| 16      | 873 90 06-00 | Nut, Lock, Flg, 3/8-16 unc                                 | 98      | 593 82 40-01 | Stud, w /"D" Anti-Rotation           |
| 17      | 596 13 48-01 | Nut, Hex, 9/16-18 x 1 .010                                 | 99      | 594 92 82-02 | Arm, Deck, Suspension, MS 431        |
| 21      | 532 10 65-13 | Washer, Wear, 16 Ga, Harden                                | 100     | 532 19 65-39 | Bolt Shoulder                        |
| 23      | 596 56 40-03 | Bolt, Hex, 3/8-16 x 1.78, Clrzinc                          | 103     | 599 24 41-02 | Spacer, Keeper                       |
| 27      | 594 02 49-01 | Belt                                                       | 104     | 594 02 59-01 | Cover, Mandrel, Assy, RH             |
| 31      | 582 50 40-01 | Spring, Extension                                          | 105     | 594 02 58-01 | Cover, Mandrel, Assy, LH             |
| 33      | 598 85 62-01 | Kit, Mandrel, Non Grease, Rev (includes mandrel and bolts) | 117     | 873 90 04-00 | Nut, Hex, Flange, 1/4-20             |
| 35      | 594 02 47-02 | Blade LH                                                   | 118     | 599 83 25-02 | Arm, Tensioner                       |
| 44      | 532 19 31-95 | Pulley V Idler                                             | 123     | 596 13 61-01 | Bolt, Cup, Head, 3/8-16 x 1-1/2"     |
| 47      | 584 30 93-01 | Screw, Sems, 7/16-20 x 1, Hex, Head                        | 127     | 596 43 44-04 | Bolt, Shoulder, 3/8-16 x 3-5/8"      |
| 48      | 596 13 60-01 | Bolt, Cup, Head, 3/8-16 x 3/4                              | 128     | 589 52 73-01 | Wheel, Gauge, Wide (Rally)           |
| 49      | 594 02 51-02 | Plate, 108cm, FR, RR, Reinforcment                         | 129     | 532 44 32-37 | Rod Anti-Sway                        |
| 50      | 595 83 96-02 | Plate, Rear, Containment, MS 431                           | 130     | 596 13 32-01 | Washer 13/32 x 13/16 x 12 Ga         |
| 51      | 594 02 50-02 | Plate, 108cm, Side, Reinforcement                          | 131     | 532 19 42-08 | Pin Cotter 5/16 Bow Tie Lock         |
| 53      | 597 25 25-02 | Plate, 108cm, LH, RR, Containment                          | 133     | 594 02 55-02 | Door, Pnt., Mulch                    |
| 55      | 597 25 27-02 | Plate, 108cm, LH, FR, Containment                          | 134     | 593 88 95-01 | Pin, Grooved, Hinged                 |
| 56      | 597 25 28-02 | Plate, 108cm, RH, FR, Containment                          | 142     | 597 25 23-02 | Plate, 108cm, LH, Containmentx431    |
| 57      | 597 25 24-02 | Plate, 108cm, RH, Containment, 431                         | 145     | 532 43 79-88 | E-Ring 5/16                          |
| 58      | 597 25 26-02 | Plate, 108cm, RH, RR, Containment                          | 146     | 532 44 58-96 | Spring, EZ Mulch Door                |
| 61      | 594 02 52-02 | Plate, 108cm, FR, LH, reinfor, 431                         | 166     | 594 02 46-02 | Bracket, Tension, Adjmnt x 431       |
| 63      | 585 51 78-01 | Screw, Thd, Roll, 1/4-20 x 5/8                             | 255     | 596 23 84-01 | 1/4-20 x 3/4, Carr, Blt              |
| 64      | 532 42 54-17 | Vibration, Pad                                             | 258     | 584 95 39-01 | Bolt, Hex, Washr, Hed, .313-18x1, 19 |
| 69      | 597 25 22-01 | Lower, Chute, Sealing Collar                               | 264     | 589 39 29-02 | Retainer Asm, Chute, CRD 2.5, TEX    |
| 72      | 581 45 41-04 | Chute, Slotted, Holes, Tex, CRD, II                        | - -     | 597 95 93-03 | Replacement Mower Complete           |
| 73      | 582 47 86-02 | Nut, Flg. Nylock 1/4-20 Gr.                                |         |              |                                      |
| 76      | 532 41 55-98 | Washout Port                                               |         |              |                                      |
| 77      | 599 24 41-01 | Spacer, Keeper                                             |         |              |                                      |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - MODEL NO. TC 242TX (96051019900), PRODUCT NO. 96051 01-99**  
**MOWER LIFT 45**



lift-tex\_63

| KEY NO. | PART NO.     | DESCRIPTION                  |
|---------|--------------|------------------------------|
| 2       | 532 43 69-96 | Deck Lift Weldment           |
| 3       | 594 01 80-01 | Lever, Lift, Handle          |
| 7       | 580 96 23-01 | Grip, Lever                  |
| 10      | 532 19 63-14 | Spring Torsion               |
| 87      | 532 19 42-09 | Pin Cotter 7/16 Bow Tie Lock |
| 88      | 532 44 54-96 | Spring Lift Assist           |
| 89      | 819 19 19-12 | Washer Clear Zinc            |
| 90      | 532 19 42-08 | Pin Cotter 5/16 Bow Tie Lock |


| KEY NO. | PART NO.     | DESCRIPTION                      |
|---------|--------------|----------------------------------|
| 91      | 589 46 48-06 | Link Assy, Lift, Rear            |
| 97      | 596 56 40-01 | Hex Bolt w/Collar, 3/8-16 x 0.53 |
| 98      | 595 96 07-02 | Link, Asm., Mwr, Frt             |
| 101     | 589 46 48-07 | Link Assy, Lift, Rear            |
| 109     | 539 10 92-32 | Pin, Clevis 3/8 x 1 1/4          |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# TRACTOR - MODEL NO. TC 242TX (96051019900), PRODUCT NO. 960 51 01-99

## SEAT ASSEMBLY **42**

**\*OPTIONAL**




seat-tex\_king 129\_arm-kit\_3

| KEY NO. | PART NO.     | DESCRIPTION                                                |
|---------|--------------|------------------------------------------------------------|
| 1       | 597 65 81-01 | Seat, SK150/129 w/o Armrests (includes seat cover key# 49) |
| 2       | 597 32 99-02 | Bracket, PNT, PVT, FNDR, Seat EDIP                         |
| 3       | 532 14 06-75 | Strap, Asm, Reinfor FNDR                                   |
| 6       | 521 99 65-02 | Nut, Hex, Lock w/Flange 3/8-16                             |
| 8       | 532 17 18-77 | Bolt 5/16-18 unc x 3/4 w/Sems                              |
| 9       | 597 78 51-01 | Bumper, Rubber, Isolator                                   |
| 19      | 597 78 31-01 | Knob, 3 Wing 5/16-18, CLR, ZN                              |
| 21      | 596 24 07-01 | Bolt, Hex 5/16-18 x 21/32                                  |
| 30      | 597 78-18-01 | Bolt, Hex, Should 5/16-18 unc ZPB                          |

| KEY NO. | PART NO.     | DESCRIPTION                                                                     |
|---------|--------------|---------------------------------------------------------------------------------|
| 37      | 594 94 44-01 | Nut, Hexagon, Flange 5/16-18                                                    |
| 43      | 597 86 93-01 | Bolt, Carri, Cqur 3/8 x .45, CLR, ZN                                            |
| 48      | 597 65 82-03 | Service Kit, 15", Seat Arm                                                      |
| 49      | 597 95 94-01 | Cover, Husq. 15", (SK129) Seat                                                  |
| 50      | 598 00 16-01 | Service, Kit, Seat Pan (includes all components illustrated in box for Key# 50) |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - MODEL NO. TC 242TX (96051019900), PRODUCT NO. 96051 01-99**  
**BAGGER 46**



Bagger\_TexCRD-Gen2\_11

**TRACTOR - MODEL NO. TC 242TX (96051019900), PRODUCT NO. 960 51 01-99**  
**BAGGER 46**

| <b>KEY<br/>NO.</b> | <b>PART<br/>NO.</b> | <b>DESCRIPTION</b>                    |
|--------------------|---------------------|---------------------------------------|
| 1                  | 532 42 86-10        | Tube Handle Bagger                    |
| 2                  | 532 44 75-72        | Applique                              |
| 3                  | 532 17 48-14        | Clip                                  |
| 5                  | 532 44 37-62        | Upper Pivot Tube                      |
| 8                  | 532 44 75-75        | Bagger Top                            |
| 10                 | 532 44 37-55        | Frame Front                           |
| 19                 | 532 19 42-08        | Cotter Pin 5/16 Bow Tie               |
| 21                 | 581 33 71-03        | Bag Asm                               |
| 27                 | 532 44 55-29        | Grommet Rubber                        |
| 28                 | 532 16 57-87        | Grip Handle                           |
| 42                 | 532 44 04-28        | Clip                                  |
| 43                 | 532 12 68-75        | Clevis Pin                            |
| 44                 | 532 19 96-87        | Bolt 1/4-20                           |
| 45                 | 532 44 37-54        | Upper Frame                           |
| 46                 | 532 44 55-41        | Bag Corner Close Out RH               |
| 47                 | 532 44 40-79        | Bag Corner Close Out LH               |
| 48                 | 532 44 40-80        | Top Bagger Side Close Out             |
| 49                 | 532 17 18-73        | Bolt Shoulder 5/16-18                 |
| 50                 | 532 17 18-77        | Bolt 5/16-18 x 3/4 W/Sems             |
| 51                 | 872 11 05-06        | Bolt 5/16 x 18 x 3/4                  |
| 52                 | 596 58 37-02        | Nut w/Nonmetal Ins, Blk, Zinc         |
| 53                 | 532 44 41-95        | Bracket Dump Handle                   |
| 54                 | 532 44 72-18        | Bagger Top Front Handle               |
| 55                 | 596 03 08-01        | Bolt, Rdhd. Sq. 5/16-18 x 1 1/2 Gr. 5 |
| 56                 | 532 42 03-06        | Pin Clevis .183 x 1.26                |
| 59                 | 532 44 47-63        | Bagger Sprd Tube                      |
| 65                 | 532 00 44-97        | Retainer Spring                       |
| 69                 | 532 42 18-01        | Screw #8 Flat Head Drill              |
| 70                 | 817 00 06-12        | Screw 3/8-16 x 3/4                    |
| 83                 | 873 80 06-00        | Nut Lock Hex w/Ins. 3/8-16 unc        |
| 84                 | 596 72 82-01        | Bolt, Carri, 3/8-16 x 1" Gr. 5        |
| 85                 | 581 31 44-02        | Bracket RH Pivot                      |
| 86                 | 581 31 43-02        | Bracket LH Pivot                      |
| 87                 | 581 31 48-02        | Bracket RH                            |
| 88                 | 581 31 47-02        | Bracket LH                            |
| 89                 | 581 31 51-04        | Weldment Offset Strut                 |
| 92                 | 586 05 23-02        | Bracket Top Support                   |
| 93                 | 586 05 24-02        | Bracket Support RH                    |
| 94                 | 586 05 25-02        | Bracket Support LH                    |
| 95                 | 817 00 05-12        | Screw 5/16-18 x 3/4                   |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

