



# ILLUSTRATED PARTS LIST

**MFG. ID NO. 96051016001**  
**CUSTOMER CATALOG NO. TC 342**  
**PRODUCT NO. 960 51 01-60**



# TRACTOR - MODEL NO. TC 342 (96051016001), PRODUCT NO. 960 51 01-60


## DECALS 27



| KEY NO. | PART NO.     | DESCRIPTION                    |
|---------|--------------|--------------------------------|
| 1       | 501 08 26-01 | Decal, ECM Australia 2016      |
| 2       | 581 57 97-01 | Decal, Engine                  |
| 4       | 597 28 29-01 | Decal, Replacement             |
| 5       | 581 57 84-01 | Decal, Lower Dash              |
| 6       | 581 57 83-01 | Decal, Warning                 |
| 7       | 581 62 73-01 | Decal, Hood                    |
| 8       | 587 55 34-01 | Decal, Side Panel              |
| 11      | 581 57 91-01 | Decal, Mower Cut Finger Symbol |

| KEY NO. | PART NO.     | DESCRIPTION                 |
|---------|--------------|-----------------------------|
| 13      | 586 80 03-01 | Decal, Tractor Saddle       |
| 14      | 581 57 96-01 | Decal, Chassis Hot Muffler  |
| 21      | 592 98 02-01 | Decal, Belt Schematic       |
| 23      | 532 44 46-19 | Decal, Bypass               |
| 24      | 532 44 54-93 | Decal, Warning Combined     |
| --      | 532 44 14-09 | Pad Footrest LH             |
| --      | 532 44 14-10 | Pad Footrest RH             |
| --      | 114 11 05-26 | Manual Operator's (English) |

## WHEELS AND TIRES




| KEY NO. | PART NO.     | DESCRIPTION                       |
|---------|--------------|-----------------------------------|
| 1       | 532 05 91-92 | Cap Valve Tire                    |
| 2       | 532 06 51-39 | Stem Valve                        |
| 3       | 532 13 83-36 | Rim Front                         |
| 4       | 532 05 99-04 | Tube Front (Service Item Only)    |
| 5       | 532 17 04-55 | Tire Front 15 x 6-6               |
| 6       | 532 12 49-57 | Fitting Grease (Front Wheel Only) |
| 7       | 532 12 49-59 | Bearing Flange (Front Wheel Only) |
| 8       | 532 17 50-39 | Cap Axle Blk 1 50 x 1 00          |
| 9       | 588 69 19-01 | Tire Rear 18 x 9.5-8              |
| 10      | 532 12 49-26 | Tube Rear (Service Item Only)     |
| 11      | 532 13 83-37 | Rim Asm 8" Rear                   |
| --      | 532 14 43-34 | Sealant, Tire (10 oz. Tube)       |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm


TRACTOR - MODEL NO. TC 342 (96051016001), PRODUCT NO. 960 51 01-60  
SCHEMATIC 38

SCH19



**TRACTOR - MODEL NO. TC 342 (96051016001), PRODUCT NO. 960 51 01-60**  
**ELECTRICAL 32**

TC11SM




**TRACTOR - MODEL NO. TC 342 (96051016001), PRODUCT NO. 960 51 01-60**  
**ELECTRICAL 32**

| <b>KEY<br/>NO.</b> | <b>PART<br/>NO.</b> | <b>DESCRIPTION</b>              |
|--------------------|---------------------|---------------------------------|
| 1                  | 532 43 71-57        | Battery                         |
| 2                  | 532 44 09-23        | Screw Hex Hd Cap M6 x 1.12mm    |
| 16                 | 532 17 61-38        | Switch Interlock Push-In        |
| 21                 | 585 43 64-01        | Harness Light                   |
| 25                 | 589 32 37-01        | Cable, Batt. 8 Ga. Red          |
| 26                 | 532 17 51-58        | Fuse                            |
| 27                 | 873 51 04-00        | Nut Keps Hex 1/4-20 unc         |
| 28                 | 589 32 36-01        | Cable, Batt. BLCK10 SLV         |
| 29                 | 532 40 15-45        | Switch, Seat                    |
| 30                 | 532 19 33-50        | Switch, Ign                     |
| 33                 | 532 41 19-35        | Key/Chain                       |
| 34                 | 532 11 07-12        | Switch Light                    |
| 40                 | 587 30 48-01        | Harness Ign. Dash               |
| 42                 | 532 13 15-63        | Cover Terminal Red              |
| 43                 | 582 04 28-01        | Solenoid                        |
| 45                 | 587 55 39-03        | Ammeter Guage Round             |
| 46                 | 587 55 40-03        | Gauge Serviceminder Hrmtr       |
| 50                 | 582 10 76-01        | Switch PTO                      |
| 55                 | 817 06 05-12        | Screw Thdrol 5/16-18 x 3/4 TYTT |
| 71                 | 532 44 08-20        | Harness Ignition Chassis        |
| 83                 | 532 43 67-74        | Nut Square M6 x 1.8.5 x 11mm    |
| 99                 | 817 00 05-12        | Screw 5/16-18 x 3/4             |
| 102                | 532 44 12-62        | Harness Jumper                  |
| 105                | 532 40 75-68        | Switch Reverse                  |
| 107                | 532 18 03-79        | Switch Full Bagger              |
| 108                | 589 50 03-01        | Switch Snapmount                |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - MODEL NO. TC 342 (96051016001), PRODUCT NO. 960 51 01-60**  
**CHASSIS AND ENCLOSURES 39**



chassis-TeXCrd-Gen2\_TEX GT HUSQ II\_50\_r1


# TRACTOR - MODEL NO. TC 342 (96051016001), PRODUCT NO. 960 51 01-60

## CHASSIS AND ENCLOSURES **39**

| KEY<br>NO. | PART<br>NO.  | DESCRIPTION                     | KEY<br>NO. | PART<br>NO.  | DESCRIPTION                        |
|------------|--------------|---------------------------------|------------|--------------|------------------------------------|
| 3          | 532 44 44-81 | Applique                        | 241        | 817 06 05-16 | Screw 5/16-18 x 1 SMGML Tap/R      |
| 5          | 590 74 88-17 | Dash                            | 246        | 591 44 90-01 | Spring TCRD Gen 2.5 Bagger Ext.    |
| 14         | 532 44 11-77 | Hood                            | 247        | 582 55 26-02 | Strap Battery TCRD Gen 2.5 x .431  |
| 15         | 585 42 03-01 | Lens LH                         | 248        | 872 11 05-04 | Bolt Carr 5/16-unc x1/2            |
| 18         | 587 52 34-01 | Grille                          | 249        | 586 93 60-01 | Screw Button 10-24 x 1/2 Ptchd     |
| 25         | 585 42 02-01 | Lens RH                         | 250        | 539 97 69-77 | Nut #10-24 Hex Nylon Ring ZD       |
| 34         | 580 91 09-01 | Plate Engine                    | 251        | 589 31 89-04 | Backplate Support Bracket          |
| 36         | 817 06 05-12 | Screw 5/16-18 x 3/4             | 252        | 581 99 22-04 | Backplate Support Bracket          |
| 37         | 532 44 14-19 | Fender                          | 253        | 539 11 56-20 | Bolt Carr 1/4-20 x 3/4             |
| 52         | 873 68 05-00 | Nut Lock 5/16-18                | 254        | 873 90 04-00 | Nut Hex Flange 1/4-20 unc          |
| 62         | 872 11 06-08 | Bolt RdHd Sqnk 3/8-16 x 1 Gr. 5 | 255        | 589 39 22-02 | Bolt Cross Drilled 3/8-1/16 x 1.75 |
| 68         | 539 99 08-58 | Screw Thdrol 5/16-18 x 1/2      | 256        | 532 19 70-33 | Nut Jam 3/8-16                     |
| 118        | 819 13 13-16 | Washer 13/32 x 13/16 x 16 Ga.   | 257        | 589 74 66-02 | Bagger Latch Assembly LH           |
| 119        | 873 68 06-00 | Nut Crownlock 3/8-16 unc        | 258        | 589 74 67-02 | Bagger Latch Assembly RH           |
| 130        | 532 41 63-58 | Screw #10 x 0.750               | 282        | 532 41 41-10 | Clip Retainer                      |
| 137        | 532 40 75-90 | Bumper Dash                     | 283        | 532 44 72-12 | Console Deck Lift LH               |
| 150        | 532 43 97-31 | Air Duct                        | 284        | 532 44 72-20 | Console Shft RH                    |
| 151        | 532 43 66-70 | Bracket Pivot                   | 287        | 817 60 04-06 | Screw 1/4-20 x 3/8                 |
| 152        | 532 43 98-70 | Shield Browning                 | 296        | 585 42 05-01 | LED Light LH                       |
| 162        | 532 14 24-32 | Screw                           | 297        | 586 18 29-01 | Insert Reflective LH               |
| 175        | 590 60 77-02 | Crossmember                     | 299        | 585 42 04-01 | LED Light RH                       |
| 176        | 532 40 07-76 | Screw 10-24 x 5/8               | 308        | 532 17 18-77 | Bolt 5/16-18 unc x 3/4             |
| 177        | 532 19 52-28 | Bushing Steering                | 309        | 582 55 25-02 | Backplate                          |
| 180        | 593 89 88-01 | Chassis                         | 319        | 581 31 39-07 | Lever Bag                          |
| 182        | 532 43 89-67 | Dash Lower                      | 334        | 532 44 25-37 | Bracket Engine                     |
| 183        | 874 52 05-20 | Bolt 5/16-18 x 1-1/4            | 335        | 532 44 82-04 | Cover RH Lower Close Out           |
| 189        | 817 00 05-12 | Screw 5/16-18 x 3/4             | 336        | 532 44 53-09 | Cover LH Lower Close Out           |
| 191        | 586 18 28-01 | Insert Reflective RH            | 338        | 532 43 66-40 | Bolt Shoulder                      |
| 194        | 873 90 05-00 | Nut Lock Hex Flange 5/16-18     | 339        | 532 43 66-41 | Lever Bagger Full                  |
| 195        | 532 40 41-37 | Plug Hole Dash Lower            | 340        | 582 55 27-02 | Door Battery                       |
| 198        | 532 44 15-52 | Indicator Deck Lift             | 341        | 582 06 08-01 | Latch Battery Door Tex CRD         |
| 199        | 532 41 87-39 | Plate Deck Lift                 | 342        | 582 82 68-02 | Supprt Fender                      |
| 202        | 532 43 97-28 | Vent Side Hood RH               | 343        | 532 44 07-49 | Clip                               |
| 203        | 532 43 97-27 | Vent Side Hood LH               | 344        | 532 43 89-70 | Control EZ Mulch                   |
| 204        | 532 44 06-65 | Vent Top Hood                   | 345        | 532 44 06-39 | Knob                               |
| 205        | 532 43 97-30 | Trim Hood Side RH               | 347        | 532 44 28-87 | Hitch Tow                          |
| 206        | 532 43 97-29 | Trim Hood Side LH               | 350        | 532 44 51-43 | Clip X-Mas Tree                    |
| 207        | 585 42 00-02 | Bezel RH                        | 366        | 581 31 46-02 | Bracket RH Front Bagger            |
| 208        | 585 42 01-02 | Bezel LH                        | 367        | 581 31 45-02 | Bracket LH Front Bagger            |
| 213        | 539 97 69-34 | Bolt 5/16-18 x 3/4 Gr. 5 ZD     | 368        | 581 42 48-01 | Shourd Bag Full Lever              |
| 214        | 532 19 91-45 | Clip Retainer Tinner            | 370        | 817 12 06-16 | Screw, 3/8-16 x 1, Smgml, T        |
| 217        | 532 40 91-67 | Rod Pivot                       | 375        | 586 90 82-01 | Dash Clip-On Bumper                |
| 218        | 532 19 63-95 | X-Piece Hood Stop               | - -        | 532 43 18-82 | Kit Brush Guard                    |
| 228        | 532 19 51-61 | Stud Fastner                    |            |              |                                    |
| 229        | 532 44 14-63 | Lid Ext                         |            |              |                                    |
| 235        | 532 40 61-29 | Spacer Fender                   |            |              |                                    |
| 236        | 873 93 05-00 | Nut Lock 5/16-18 unc            |            |              |                                    |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - MODEL NO. TC 342 (96051016001), PRODUCT NO. 960 51 01-60**  
**DRIVE 40**



# TRACTOR - MODEL NO. TC 342 (96051016001), PRODUCT NO. 960 51 01-60

## DRIVE **40**

| KEY NO. | PART NO.     | DESCRIPTION                                                                      | KEY NO. | PART NO.     | DESCRIPTION                       |
|---------|--------------|----------------------------------------------------------------------------------|---------|--------------|-----------------------------------|
| 1       | — — — — —    | Transaxle, Tufftorq K57AH (585743601) (Order parts from transaxle manufacturer.) | 196     | 817 00 06-16 | Screw 3/8-16 x 1 SMGML Tap/R Blk  |
| 2       | 532 12 35-83 | Key Square                                                                       | 197     | 585 65 86-01 | Link Clutch Anti-Rotation         |
| 6       | 532 12 40-28 | Bushing Snap                                                                     | 203     | 819 11 11-16 | Washer 11/32 x 11/16 x 16 Ga.     |
| 17      | 532 43 62-27 | Spring Brake K46                                                                 | 205     | 532 12 17-48 | Washer 25/32 x 1-5/8 x 16 Ga.     |
| 26      | 532 19 96-79 | Spring Return Cruise                                                             | 206     | 532 44 85-96 | Bracket Mount Latch Cruise        |
| 27      | 817 49 05-28 | Screw Hexwsh Thd 5/16-18 x 1-3/4                                                 | 207     | 587 03 14-01 | Latch Control Cruise              |
| 29      | 532 44 27-95 | Rod, Brake                                                                       | 208     | 532 19 78-69 | Gear Sector Control Cruise        |
| 30      | 819 13 16-16 | Washer                                                                           | 209     | 532 19 95-92 | Rod Control Cruise                |
| 33      | 812 00 00-01 | Ring E                                                                           | 210     | 532 40 09-80 | Rocker Asm. Pedal Control         |
| 35      | 583 86 45-01 | Rod, Brake, Park                                                                 | 211     | 532 12 01-83 | Bearing Nylon                     |
| 37      | 532 18 89-67 | Washer Harden .793 x 1.063 x .060                                                | 213     | 532 40 31-19 | Knob Control Cruise               |
| 38      | 532 16 96-13 | Nyliner Bushing                                                                  | 214     | 532 41 68-63 | Pedal Forward                     |
| 42      | 532 12 48-72 | Cover, Foot Pedal                                                                | 215     | 586 60 65-02 | Pedal Reverse                     |
| 49      | 872 11 06-14 | Bolt Rdhd 3/8-16 unc x 3/4 Gr. 5                                                 | 221     | 532 40 31-87 | Retainer Spring Clip Handle       |
| 50      | 532 19 43-27 | Idler Flat                                                                       | 222     | 879 21 20-10 | Washer 21/32 x 1-1/4 10 Ga.       |
| 51      | 873 90 06-00 | Lock Nut 3/8-16                                                                  | 226     | 532 40 15-64 | Bracket Strap Torque              |
| 52      | 532 19 43-26 | Idler V-Groove                                                                   | 227     | 817 49 05-12 | Screw                             |
| 56      | 591 06 53-01 | V-Belt, Drive                                                                    | 279     | 532 44 42-83 | Link Shift                        |
| 64      | 532 19 78-65 | Shaft Asm. Pedal Brake Control                                                   | 280     | 819 11 10-12 | Washer 11/32 x 5/8 x 12 Ga.       |
| 73      | 874 49 05-44 | Bolt Flanged                                                                     | 284     | 532 41 76-93 | Nut                               |
| 90      | 532 44 36-05 | Keeper Belt Clutching                                                            | 285     | 874 18 04-12 | Screw                             |
| 92      | 874 76 05-20 | Bolt Fin Hex 5/16-18 unc x 1.25                                                  | 309     | 532 16 55-81 | Plate Fstnr Cross Shf             |
| 99      | 532 44 39-47 | Rod Spring Bypass                                                                | 311     | 532 16 98-45 | Washer Nylon                      |
| 103     | 873 35 05-00 | Nut Hex Jam 5/16-18                                                              | 312     | 532 16 56-14 | Hub Tapered                       |
| 116     | 873 90 05-00 | Nut Lock Hex Flange 5/16-18                                                      | 313     | 874 78 04-16 | Bolt Hex Fin 1/4-20 unc x 1 Gr. 5 |
| 125     | 817 00 05-12 | Screw 5/16-18 x 3/4                                                              | 314     | 532 44 47-13 | Keeper Belt                       |
| 140     | 810 04 04-00 | Washer Lock Hvy Helical 1/4                                                      | 315     | 817 58 05-20 | Screw Thdrol 5/16-18 x 4.25       |
| 143     | 539 99 08-58 | Screw 5/16-18 x 1/2                                                              | 335     | 532 19 95-34 | Pulley V-Idler                    |
| 159     | 876 02 04-12 | Pin Cotter 1/8 x 3/4                                                             | 336     | 587 25 96-01 | Bolt 5/16-18 x 1-3/4 Flanged hex  |
| 160     | 532 16 94-84 | Retainer Clip                                                                    | 339     | 532 43 68-67 | Strap Torque K46 CRD TEX          |
| 161     | 532 10 57-09 | Spring, Return, Clutch                                                           | 342     | 532 18 26-82 | Keeper Belt 2.5" STL V-Idlr CRD   |
| 163     | 532 44 27-93 | Rod Control                                                                      | 343     | 539 11 28-99 | Nut 5/16-18 Hex Flanged Nyloc     |
| 166     | 532 42 91-64 | Nut Push                                                                         | 351     | 532 43 69-98 | Bracket 97 CRD Deck Sway          |
| 167     | 532 40 52-57 | Latch Brake Parking                                                              | 352     | 532 43 56-45 | Bracket Idler CRD Tex             |
| 175     | 532 42 93-59 | Shaft Asm Crossshift Rear CRD                                                    | 355     | 532 43 56-69 | Bracket                           |
| 183     | 532 13 70-57 | Spacer Axle                                                                      | 359     | 817 49 06-10 | Screw Thdrol 3/8-16 x 5/8         |
| 184     | 587 65 37-01 | Handle Parking Brake                                                             | 360     | 532 44 47-14 | Nut 5/16-24 unf                   |
| 185     | 872 11 06-22 | Bolt 3/8-16 unc x 2-3/4 Gr. 5                                                    | 362     | 532 43 68-12 | Idler Flat                        |
| 186     | 532 19 43-21 | Spacer Retainer                                                                  | 363     | 532 44 27-80 | Spacer 343 x 63 x .62             |
| 188     | 582 21 70-01 | Link Clutch                                                                      | 364     | 532 44 30-32 | Bracket Idler CRD Tex             |
| 189     | 532 43 36-11 | Bellcrank Ground Drive                                                           | 372     | 582 65 49-01 | Keeper Belt Transaxle             |
| 195     | 580 45 69-01 | Bracket Rod Brake CRD Tex                                                        |         |              |                                   |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

## ENGINE 24



engine-tex\_bs-2cyl\_160

# TRACTOR - MODEL NO. TC 342 (96051016001), PRODUCT NO. 960 51 01-60

## ENGINE 24


| KEY NO. | PART NO.     | DESCRIPTION                                                                                |
|---------|--------------|--------------------------------------------------------------------------------------------|
| 1       | — — — — —    | Engine B&S Model No. 385777-0007-G1 (588627901)<br>(Order parts from engine manufacturer.) |
| 2       | 589 81 87-01 | Muffler                                                                                    |
| 9       | 501 83 26-02 | Keeper Belt Engine                                                                         |
| 11      | 592 82 17-01 | Clutch Electric                                                                            |
| 12      | 532 40 50-97 | Pulley Engine                                                                              |
| 15      | 532 43 58-16 | Tank Fuel                                                                                  |
| 18      | 532 44 14-62 | Fuel Cap                                                                                   |
| 20      | 532 42 43-41 | Control Throttle                                                                           |
| 21      | 532 41 63-58 | Screw # 10 x 0.750                                                                         |
| 22      | 532 18 95-41 | Control Choke                                                                              |
| 28      | 532 13 70-40 | Fuel Line                                                                                  |
| 29      | 532 13 71-80 | Spark Arrester Kit                                                                         |
| 37      | 532 12 34-87 | Clamp Hose                                                                                 |
| 41      | 532 12 61-97 | Washer 1-1/2 OD x 15/32 ID x .250                                                          |
| 42      | 539 99 02-47 | Washer SLW STD 7/16                                                                        |
| 45      | 873 51 04-00 | Nut Keps Hex 1/4-20 unc                                                                    |
| 62      | 532 43 40-17 | Shield Heat Muffler                                                                        |
| 69      | 532 19 24-42 | Gasket                                                                                     |
| 70      | 532 19 15-48 | Tube Exhaust LH                                                                            |
| 71      | 532 19 15-49 | Tube Exhaust RH                                                                            |
| 79      | 532 19 24-43 | Screw                                                                                      |
| 81      | 532 14 84-56 | Tube Drain Oil Easy                                                                        |
| 82      | 532 42 82-87 | Valve Oil Drain                                                                            |
| 84      | 817 06 06-20 | Screw                                                                                      |
| 85      | 501 60 66-01 | Bolt Hex 7/16-20 x 3.75 Gr. 5                                                              |
| 90      | 817 00 06-16 | Screw 3/8-16 x 1                                                                           |
| 96      | 819 09 14-16 | Washer 9/32 x 7/8 x 16 Ga.                                                                 |
| 97      | 817 67 04-12 | Screw 1/4-20 x 3/4                                                                         |
| 102     | 817 00 05-12 | Screw 5/16-18 x 3/4                                                                        |
| 116     | 539 13 26-24 | Knob Shift                                                                                 |
| 137     | 532 44 14-61 | Spill Cup                                                                                  |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

### Engine Power Rating Information

The gross power rating for individual gas engine models is labeled in accordance with SAE (Society of Automotive Engineers) code J1940 (Small Engine Power & Torque Rating Procedure), and rating performance has been obtained and corrected in accordance with SAE J1995 (Revision 2002-05). Torque values are derived at 3060 RPM; horsepower values are derived at 3600 RPM. Actual gross engine power will be lower and is affected by, among other things, ambient operating conditions and engine-to-engine variability. Given both the wide array of products on which engines are placed and the variety of environmental issues applicable to operating the equipment, the gas engine will not develop the rated gross power when used in a given piece of power equipment (actual "on-site" or net power). This difference is due to a variety of factors including, but not limited to, accessories (air cleaner, exhaust, charging, cooling, carburetor, fuel pump, etc.), application limitations, ambient operating conditions (temperature, humidity, altitude), and engine-to-engine variability. Due to manufacturing and capacity limitations, Briggs & Stratton may substitute an engine of higher rated power for this Series engine.

**TRACTOR - MODEL NO. TC 342 (96051016001), PRODUCT NO. 960 51 01-60**  
**STEERING ASSEMBLY 41**




steering-tex\_HUSQSR\_67\_r1

**TRACTOR - MODEL NO. TC 342 (96051016001), PRODUCT NO. 960 51 01-60**  
**STEERING ASSEMBLY [41]**

| <b>KEY NO.</b> | <b>PART NO.</b> | <b>DESCRIPTION</b>                  |
|----------------|-----------------|-------------------------------------|
| 1              | 532 43 97-40    | Wheel, Steering                     |
| 2              | 532 19 59-68    | Axle Asm., Front                    |
| 4              | 532 40 30-87    | Spindle Asm., LH                    |
| 5              | 532 40 30-88    | Spindle Asm., RH                    |
| 6              | 532 12 49-31    | Bearing, Race Thrust Harden         |
| 7              | 532 12 17-48    | Washer 25/32 x 1-5/8 x 16 Ga.       |
| 8              | 812 00 00-29    | Ring, Clip #T5304-75                |
| 9              | 532 12 12-32    | Cap, Spindle                        |
| 13             | 532 12 17-49    | Washer 25/32 x 1-1/4 x 16 Ga.       |
| 14             | 539 99 01-18    | Washer, SLW ZD 3/8                  |
| 15             | 873 54 06-00    | Nut, Crown Lock 3/8-24 unf          |
| 16             | 587 01 60-02    | Steering Shaft                      |
| 19             | 532 19 47-29    | Plate Steering                      |
| 21             | 586 84 02-01    | Adapter Wheel Steering              |
| 22             | 585 02 98-02    | Bearing Shaft                       |
| 26             | 532 43 97-43    | Insert, Wheel Steering              |
| 27             | 819 21 16-16    | Washer 21/32 x 1 x 16 Ga.           |
| 28             | 817 00 06-12    | Screw 3/8-16 x 3/4                  |
| 35             | 532 19 47-32    | Gear, Sector Plate                  |
| 45             | 587 01 64-01    | Washer 3/8 ID 2-3/8 OD 12 Ga.       |
| 50             | 873 90 06-00    | Nut Lock Flg 3/8-16 unc             |
| 53             | 532 18 89-67    | Washer Hardened .793 x 1.637 x .060 |
| 58             | 532 19 47-47    | Bolt Shoulder Sector Pivot CFM      |
| 59             | 532 19 47-48    | Washer Thrust Sector Steering       |
| 60             | 873 97 10-00    | Nut Flange Lock 5/8-11              |
| 61             | 588 79 44-01    | Draglink, LH                        |
| 62             | 588 79 45-01    | Draglink, RH                        |
| 63             | 817 00 05-12    | Screw 5/16-18 x 3/4                 |
| 64             | 532 19 98-49    | Retainer Clip Spring Steering       |
| 66             | 871 02 07-48    | Bolt Hex Fghd 7/16-14 x 3 Serr      |
| 67             | 532 19 47-37    | Bushing PM Front Axle               |
| 68             | 873 90 07-00    | Nut Lock Flange 7/16-14 Gr. 5       |
| 69             | 532 19 91-62    | Washer 1.5 x .505 x .118            |
| 70             | 585 33 88-01    | Bracket Deck Susp. Front            |
| 75             | 580 68 37-01    | Pinion                              |
| 76             | 580 68 36-01    | Screw Head Sock                     |
| 122            | 532 44 49-62    | Cap Gear                            |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - MODEL NO. TC 342 (96051016001), PRODUCT NO. 960 51 01-60**  
**MOWER DECK 44**



tex-deck\_TexCRD-Gen2\_111


# TRACTOR - MODEL NO. TC 342 (96051016001), PRODUCT NO. 960 51 01-60

## MOWER DECK **44**

| KEY NO. | PART NO.     | DESCRIPTION                       | KEY NO. | PART NO.     | DESCRIPTION                                                                                                                                                          |
|---------|--------------|-----------------------------------|---------|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1       | 596 76 28-01 | Kit SVC Deck Weldment             | 99      | 532 19 51-86 | Arm Suspension Mower Rear                                                                                                                                            |
| 2       | 532 42 30-62 | Palnut 1/4                        | 100     | 532 19 65-39 | Bolt Shoulder                                                                                                                                                        |
| 3       | 873 90 05-00 | Nut Lock Hex Flange 5/16-18       | 104     | 592 86 57-01 | Mandrel Cover RH                                                                                                                                                     |
| 4       | 872 11 05-10 | Bolt Carr. 5/16-18 x 1-1/4 Gr. 5  | 105     | 532 44 47-55 | Mandrel Cover LH                                                                                                                                                     |
| 5       | 817 00 05-10 | Bolt 5/16-18 Hex Whs Hd Lckserr   | 117     | 873 90 04-00 | Nut Hex Flange 1/4-20 unc                                                                                                                                            |
| 9       | 585 69 13-01 | Nut Hex Flg 5/16-18               | 118     | 592 86 58-02 | Arm Clutching                                                                                                                                                        |
| 11      | 532 13 77-29 | Screw Thd Roll 1/4-20 x 5/8       | 122     | 532 16 57-23 | Spacer Retainer                                                                                                                                                      |
| 12      | 539 11 28-99 | Nut Hex Flg 5/16-18               | 123     | 872 11 06-10 | Bolt RDHD 3/8-16 x 1.25                                                                                                                                              |
| 13      | 872 11 06-12 | Bolt Carr Sh 3/8-16 x 1-1/2 Gr. 5 | 124     | 532 16 54-82 | Non Greasable Mandrel Shaft                                                                                                                                          |
| 14      | 532 15 60-85 | Keeper Belt Idler                 | 127     | 532 19 34-06 | Bolt Shoulder 3/8-16 x 3-5/8 Gr. 5                                                                                                                                   |
| 15      | 532 19 59-45 | Pulley Mandrel                    | 128     | 589 52 73-01 | Wheel Gauge                                                                                                                                                          |
| 16      | 873 90 06-00 | Nut Lock FIG 3/8-16 unc           | 129     | 532 44 32-37 | Rod Anti-Sway                                                                                                                                                        |
| 17      | 532 40 02-34 | Nut Flange Lock Top               | 130     | 819 13 13-12 | Washer 13/32 x 13/16 x 12 Ga.                                                                                                                                        |
| 18      | 532 18 76-90 | Washer, Spacer, Mandrel           | 131     | 532 19 42-08 | Pin Cotter 5/16 Bow Tie Lock                                                                                                                                         |
| 19      | 585 32 39-01 | Bearing Mandrel                   | 133     | 532 43 81-97 | EZ Mulch Door                                                                                                                                                        |
| 21      | 532 17 85-15 | Washer Flat Hardened              | 134     | 532 43 58-61 | Pin Hinge                                                                                                                                                            |
| 22      | 592 85 47-02 | Bracket Clutching Arm             | 135     | 532 43 79-88 | E-Ring 5/16                                                                                                                                                          |
| 23      | 817 49 06-28 | Screw Thdrol 3/8-16 x 1-3/4       | 146     | 532 44 58-96 | Spring Tex CRD EZ Mulch                                                                                                                                              |
| 24      | 594 97 29-03 | Bracket Angles V-Idler            | 150     | 596 01 30-02 | Weldment Chute Lower 107 CRD                                                                                                                                         |
| 27      | 592 86 93-01 | V-Belt Drive                      | 154     | 532 19 98-55 | Screw 1/4-20 Panhead                                                                                                                                                 |
| 28      | 592 86 59-02 | Idler Keeper                      | 159     | 585 30 94-05 | Plate LH Side                                                                                                                                                        |
| 31      | 587 35 84-01 | Spring Ext.                       | 160     | 585 30 95-05 | Plate LH Front                                                                                                                                                       |
| 33      | 532 18 72-81 | Housing, Mandrel, 4 pt.           | 161     | 585 31 60-05 | Plate RH Front                                                                                                                                                       |
| 34      | 587 25 65-01 | Shaft, Asm, Mandrel               | 162     | 585 31 61-05 | Plate RH Side                                                                                                                                                        |
| 35      | 532 18 05-83 | Blade Mower LH                    | 164     | 589 35 85-02 | Baffle Plate LH                                                                                                                                                      |
| 39      | 581 52 65-01 | Washer 7/16 Flat                  | 165     | 587 42 61-02 | Baffle Plate RH                                                                                                                                                      |
| 41      | 539 99 02-47 | Washer lock 7/16                  | 166     | 592 85 60-01 | Bracket Tension Adjustment                                                                                                                                           |
| 43      | 532 44 32-39 | Pulley Mandrel                    | 248     | 589 00 98-02 | LH Rear Steel Guard                                                                                                                                                  |
| 44      | 532 19 95-34 | Pulley V-Idler Ground             | 249     | 589 00 97-02 | LH Front Steel Guard                                                                                                                                                 |
| 45      | 532 12 87-74 | Mandrel Asm. Short                | 255     | 592 80 78-01 | Bolt 1/4-20 x 3/4 Short Neck                                                                                                                                         |
| 47      | 584 30 93-01 | Screw Sems 7/16-20 x 1 Hex Head   | 258     | 584 95 39-01 | Bolt Hex Wsh Hd .316-18 x 1.19                                                                                                                                       |
| 52      | 594 97 26-03 | Bracket Center V-Idler            | 264     | 589 39 29-01 | Retainer Asm. Upper Chute                                                                                                                                            |
| 54      | 539 99 05-85 | Nut Hex 5/16-18                   | --      | 587 25 33-01 | Mandrel Assembly Tall (Includes Housing (key #33), Shaft Assembly (key #34), And Bearing Only (key #19) - Pulley/Nut/Washer And Blade Bolt/Washers Not Included)     |
| 60      | 819 12 14-14 | Washer 5/16 Flat STE STD ZD       | --      | 581 65 05-01 | Mandrel Assembly - Short (Includes Housing (key #45), Shaft Assembly (key #124), And Bearing Only (key #19) - Pulley/Nut/Washer And Blade Bolt/Washers Not Included) |
| 72      | 581 45 41-03 | Chute Upper                       | --      | 596 76 29-01 | Replacement Mower Complete                                                                                                                                           |
| 74      | 539 11 55-74 | Bolt Eye 5/16 x 3-1/2             |         |              |                                                                                                                                                                      |
| 75      | 532 17 34-38 | Pulley Idler Flat                 |         |              |                                                                                                                                                                      |
| 76      | 532 43 96-40 | Washout Port                      |         |              |                                                                                                                                                                      |
| 78      | 532 17 39-02 | Pulley Idler                      |         |              |                                                                                                                                                                      |
| 80      | 539 99 03-16 | RHSNB 5/16-18 x 3/4 Gr. 5 ZD      |         |              |                                                                                                                                                                      |
| 84      | 532 44 32-35 | Keeper Belt Mandrel               |         |              |                                                                                                                                                                      |
| 85      | 532 18 05-84 | Blade Mower RH                    |         |              |                                                                                                                                                                      |
| 86      | 532 18 17-13 | Bolt 3/8-24 x 1.50 Gr.8           |         |              |                                                                                                                                                                      |
| 87      | 539 99 01-18 | Washer Lock Hvy 3/8               |         |              |                                                                                                                                                                      |
| 88      | 532 14 02-96 | Washer, Hard, Blade, Mover        |         |              |                                                                                                                                                                      |
| 96      | 532 40 02-71 | Spacer                            |         |              |                                                                                                                                                                      |
| 97      | 532 18 20-61 | Shield Idler Mower                |         |              |                                                                                                                                                                      |
| 98      | 532 19 51-61 | Stud Fastener                     |         |              |                                                                                                                                                                      |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - MODEL NO. TC 342 (96051016001), PRODUCT NO. 960 51 01-60**  
**MOWER LIFT 45**




| KEY NO. | PART NO.     | DESCRIPTION                  |
|---------|--------------|------------------------------|
| 2       | 532 43 69-96 | Deck Lift Weldment           |
| 3       | 532 19 52-31 | Lever Asm., Lift RH          |
| 7       | 580 96 23-01 | Grip, Lever                  |
| 10      | 532 19 63-14 | Spring Torsion               |
| 87      | 532 19 42-09 | Pin Cotter 7/16 Bow Tie Lock |
| 88      | 532 44 54-96 | Spring Lift Assist           |
| 89      | 819 19 19-12 | Washer Clear Zinc            |
| 90      | 532 19 42-08 | Pin Cotter 5/16 Bow Tie Lock |
| 91      | 532 19 51-81 | Link Lift Susp Mower Rear    |

| KEY NO. | PART NO.     | DESCRIPTION                   |
|---------|--------------|-------------------------------|
| 97      | 817 49 06-08 | Screw 3/8-16 x 1/2            |
| 98      | 532 19 52-70 | Link Lift Susp. Front Mower   |
| 100     | 873 93 06-00 | Nut Centerlock                |
| 101     | 532 40 70-03 | Link Asm. Lift                |
| 116     | 819 15 15-16 | Washer 15/32 x 15/16 x 16 Ga. |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - MODEL NO. TC 342 (96051016001), PRODUCT NO. 960 51 01-60**  
**SEAT ASSEMBLY 42**




seat-tex\_6.5SL\_6\_r2

| KEY NO. | PART NO.     | DESCRIPTION                   |
|---------|--------------|-------------------------------|
| 1       | 588 55 67-01 | Seat                          |
| 2       | 532 18 01-66 | Bracket Pivot Fender          |
| 3       | 532 14 06-75 | Strap, Asm Fender             |
| 6       | 873 80 06-00 | Nut, Lock W/Ins. 3/8-16 unc   |
| 7       | 589 48 35-01 | Spring, Seat Cprsn            |
| 8       | 532 17 18-77 | Bolt 5/16-18 unc x 3/4 w/Sems |
| 10      | 596 65 74-02 | Pan, Seat                     |
| 21      | 587 90 78-01 | Bolt, Shoulder 5/16-18 x 5/8  |

| KEY NO. | PART NO.     | DESCRIPTION                   |
|---------|--------------|-------------------------------|
| 37      | 873 80 05-00 | Nut, Lock 5/16-18 unc         |
| 40      | 532 19 76-61 | Handle Slide Seat             |
| 41      | 532 19 82-00 | Spring Latch Seat             |
| 43      | 874 76 06-12 | Bolt Fin Hex 3/8-16 unc x 3/4 |
| 44      | 501 05 18-01 | Washer Winged 3/8 ID 1.5 OD   |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - MODEL NO. TC 342 (96051016001), PRODUCT NO. 960 51 01-60**  
**BAGGER 46**



Bagger\_TexCRD-Gen2\_11

**TRACTOR - MODEL NO. TC 342 (96051016001), PRODUCT NO. 960 51 01-60**  
**BAGGER [46]**

| <b>KEY<br/>NO.</b> | <b>PART<br/>NO.</b> | <b>DESCRIPTION</b>             |
|--------------------|---------------------|--------------------------------|
| 1                  | 532 42 86-10        | Tube Handle Bagger             |
| 2                  | 532 44 75-72        | Applique                       |
| 3                  | 532 17 48-14        | Palnut 1/4 Lugs                |
| 5                  | 532 44 37-62        | Upper Pivot Tube               |
| 8                  | 532 44 75-75        | Bagger Top                     |
| 10                 | 532 44 37-55        | Frame Front                    |
| 19                 | 532 19 42-08        | Cotter Pin 5/16 Bow Tie        |
| 21                 | 581 33 71-03        | Bag Asm                        |
| 27                 | 532 44 55-29        | Grommet Rubber                 |
| 28                 | 532 16 57-87        | Grip Handle                    |
| 42                 | 532 44 04-28        | Clip                           |
| 43                 | 532 12 68-75        | Clevis Pin                     |
| 44                 | 532 19 96-87        | Bolt 1/4-20                    |
| 45                 | 532 44 37-54        | Upper Frame                    |
| 46                 | 532 44 55-41        | Bag Corner Close Out RH        |
| 47                 | 532 44 40-79        | Bag Corner Close Out LH        |
| 48                 | 532 44 40-80        | Top Bagger Side Close Out      |
| 49                 | 532 17 18-73        | Bolt Shoulder 5/16-18          |
| 50                 | 532 17 18-77        | Bolt 5/16-18 x 3/4 W/Sems      |
| 51                 | 872 05 05-06        | Bolt 5/16 x 18 x 3/4           |
| 52                 | 873 80 05-00        | Nut Lock Hex W/Ins 5/16-18 unc |
| 53                 | 532 44 41-95        | Bracket Dump Handle            |
| 54                 | 532 44 72-18        | Bagger Top Front Handle        |
| 55                 | 539 10 29-33        | Bolt 5/16-18 x 1-1/2 Gr. 5 ZD  |
| 56                 | 532 42 03-06        | Pin Clevis .183 x 1.26         |
| 59                 | 532 44 47-63        | Bagger Sprd Tube               |
| 65                 | 532 12 47-88        | Retainer Spring 1" Zinc        |
| 69                 | 532 42 18-01        | Screw #8 Flat Head Drill       |
| 70                 | 817 00 06-12        | Screw 3/8-16 x 3/4             |
| 83                 | 873 80 06-00        | Nut Lock Hex w/Ins. 3/8-16 unc |
| 84                 | 872 11 06-08        | Bolt 3/8-16 x 1 Gr. 5          |
| 85                 | 581 31 44-02        | Bracket RH Pivot               |
| 86                 | 581 31 43-02        | Bracket LH Pivot               |
| 87                 | 581 31 48-02        | Bracket RH                     |
| 88                 | 581 31 47-02        | Bracket LH                     |
| 89                 | 581 31 51-04        | Weldment Offset Strut          |
| 92                 | 586 05 23-02        | Bracket Top Support            |
| 93                 | 586 05 24-02        | Bracket Support RH             |
| 94                 | 586 05 25-02        | Bracket Support LH             |
| 95                 | 817 00 05-12        | Screw 5/16-18 x 3/4            |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

