

# **ILLUSTRATED PARTS LIST**


**MFG. ID NO. 96041042800**

**CUSTOMER CATALOG NO. TS 354**

**PRODUCT NO. 960 41 04-28**




**TRACTOR - - MODEL NO. TS 354 (96041042800), PRODUCT NO. 960 41 04-28**  
**DECALS 27**



| KEY NO. | PART NO.     | DESCRIPTION              |
|---------|--------------|--------------------------|
| 1       | 586 04 73-02 | Decal, Warning           |
| 2       | 589 35 79-01 | Decal, No Step           |
| 4       | 591 16 47-01 | Decal, Deck Belt Routing |
| 5       | 587 01 51-01 | Decal, Reserve Fuel      |
| 7       | 593 80 88-01 | Decal, Deck Warning      |
| 8       | 586 97 88-01 | Decal, Deflect. Warning  |
| 14      | 597 24 06-01 | Decal, Panel Side        |
| 15      | 532 42 38-29 | Decal, Cust. Resp.       |

| KEY NO. | PART NO.     | DESCRIPTION                  |
|---------|--------------|------------------------------|
| 16      | 581 62 73-01 | Decal, Hood Logo             |
| 17      | 594 11 06-01 | Decal, Replacement           |
| --      | 581 72 48-01 | Decal, Bypass                |
| --      | 532 43 98-82 | Pad, Footrest, LH            |
| --      | 532 43 98-81 | Pad, Footrest, RH            |
| --      | 114 11 59-28 | Manual, Operator's (English) |
| --      | 114 11 60-28 | Manual, Part's (English)     |
| --      | 587 71 00-26 | Manual QSG (English/Spanish) |

**WHEELS AND TIRES**




| KEY NO. | PART NO.     | DESCRIPTION                        |
|---------|--------------|------------------------------------|
| 1       | 532 05 91-92 | Cap, Valve, Tire                   |
| 2       | 532 06 51-39 | Stem, Valve                        |
| 3       | 532 18 18-39 | Rim Assembly, Front                |
| 4       | 532 00 81-34 | Tube, Front (Service Item Only)    |
| 5       | 593 14 51-01 | Tire, Front 16 x 6.5-8             |
| 6       | 532 00 02-78 | Fitting, Grease (Front Wheel Only) |
| 7       | 532 00 90-40 | Bearing, Flange (Front Wheel Only) |
| 8       | 532 17 50-39 | Cap, Axle, Front                   |
| 9       | 593 14 52-01 | Tire, Rear 23 x 10.5-12            |
| 10      | 532 00 71-54 | Tube, Rear (Service Item Only)     |
| 11      | 593 14 48-01 | Rim Assembly, Rear                 |
| 12      | 501 50 31-01 | Cap, Hub, GT, PM, Black, Rear      |
| --      | 532 14 43-34 | Sealant, Tire (10 oz. Tube)        |


**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

TRACTOR - - MODEL NO. TS 354 (96041042800), PRODUCT NO. 960 41 04-28  
SCHEMATIC **38**

SCH12



**TRACTOR - - MODEL NO. TS 354 (96041042800), PRODUCT NO. 960 41 04-28**  
**ELECTRICAL 32**




**TRACTOR - - MODEL NO. TS 354 (96041042800), PRODUCT NO. 960 41 04-28**  
**ELECTRICAL 32**

| <b>KEY<br/>NO.</b> | <b>PART<br/>NO.</b> | <b>DESCRIPTION</b>               |
|--------------------|---------------------|----------------------------------|
| 1                  | 532 16 34-65        | Battery                          |
| 2                  | 874 76 04-12        | Bolt Hex Hd 1/4-20 unc x 3/4     |
| 8                  | 587 20 51-01        | Battery Box                      |
| 16                 | 532 17 61-38        | Switch Interlock                 |
| 21                 | 585 43 64-01        | Harness Light                    |
| 24                 | 585 55 56-01        | Cable FR Batt                    |
| 25                 | 585 55 55-01        | Cable Starter                    |
| 26                 | 532 17 51-58        | Fuse                             |
| 27                 | 873 51 04-00        | Nut Keps Hex 1/4-20 unc          |
| 28                 | 532 41 65-88        | Cable Ground                     |
| 29                 | 532 19 27-49        | Switch Seat                      |
| 30                 | 532 19 33-50        | Switch Ign                       |
| 33                 | 532 41 19-35        | Key/Chain                        |
| 34                 | 532 11 07-12        | Switch Light/Reset               |
| 40                 | 501 13 36-01        | Harness Ign. Dash                |
| 41                 | 817 72 04-08        | Screw 1/4-20 unc x 1/2           |
| 42                 | 532 13 15-63        | Cover Terminal Red               |
| 43                 | 582 04 28-01        | Solenoid                         |
| 45                 | 587 55 39-03        | Gauge Ammeter                    |
| 46                 | 587 55 40-03        | Gauge Hourmeter                  |
| 50                 | 582 10 76-01        | Switch PTO                       |
| 55                 | 817 06 05-12        | Screw Thdrol 5/16-18 x 3/4       |
| 71                 | 580 51 30-01        | Harness Ign Chassis              |
| 75                 | 580 36 64-01        | Switch On/On                     |
| 90                 | 532 43 53-95        | Cover Terminal Battery           |
| 99                 | 817 67 04-12        | Screw Hexwsh Thdrol 1/4-20 x 3/4 |
| 100                | 819 09 14-16        | Washer 9/32 x 7/8 x 16 Ga.       |
| 102                | 532 40 44-54        | Harness Pigtail                  |
| 105                | 532 40 75-68        | Switch Reverse                   |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - - MODEL NO. TS 354 (96041042800), PRODUCT NO. 960 41 04-28**  
**CHASSIS AND ENCLOSURES 39**



chassis-tex\_GT HUSQ\_II\_263

# TRACTOR - - MODEL NO. TS 354 (96041042800), PRODUCT NO. 960 41 04-28


## CHASSIS AND ENCLOSURES 39

| KEY NO. | PART NO.     | DESCRIPTION                   |
|---------|--------------|-------------------------------|
| 2       | 580 43 44-01 | Drawbar                       |
| 3       | 532 44 44-81 | Logo Husq.                    |
| 5       | 590 74 88-19 | Dash                          |
| 14      | 532 44 11-77 | Hood                          |
| 15      | 585 42 03-01 | Lens LH                       |
| 18      | 587 52 34-01 | Grille                        |
| 19      | 819 13 13-12 | Washer 13/32 x 13/16 x 12 Ga. |
| 25      | 585 42 02-01 | Lens RH                       |
| 36      | 817 06 05-12 | Screw 5/16-18 x 3/4           |
| 37      | 532 44 12-08 | Fender                        |
| 58      | 532 19 43-14 | Bracket Fender                |
| 68      | 539 99 08-58 | Screw 5/16-18 x 1/2           |
| 125     | 581 68 48-01 | Clip Fuel Line                |
| 130     | 532 41 63-58 | Screw #10 x 0.750 BOS Thread  |
| 137     | 532 40 75-90 | Bumper Dash                   |
| 146     | 581 85 79-01 | Bolt                          |
| 150     | 532 43 97-74 | Duct Heat Hood                |
| 151     | 532 43 66-70 | Bracket Pivot Hood            |
| 152     | 532 43 98-70 | Shield Browning               |
| 159     | 817 00 06-12 | Screw 3/8-16 x 3/4            |
| 162     | 532 14 24-32 | Screw Hex Wsh Hi-Lo 1/4 x 1/2 |
| 161     | 532 43 99-29 | Fuel Window                   |
| 165     | 532 19 43-30 | Bracket Support Tank          |
| 175     | 590 60 77-02 | Crossmember                   |
| 176     | 532 40 07-76 | Screw 10-24 x 5/8 Wshd Qdrx   |
| 177     | 532 19 52-28 | Bushing Steering              |
| 179     | 532 16 89-37 | Nut Push                      |
| 180     | 593 34 63-02 | Chassis                       |
| 182     | 532 40 68-59 | Dash Lower                    |
| 183     | 874 52 05-20 | Bolt 5/16-18 x 1-1/4          |
| 189     | 817 00 05-12 | Screw 5/16-18 x 3/4           |
| 191     | 586 18 28-01 | Insert Reflect. RH            |
| 194     | 873 90 05-00 | Nut Lock Hex Flange 5/16-18   |
| 195     | 532 40 41-37 | Plug Hole Dash                |
| 196     | 532 43 97-16 | Console Asm. Deck Lift        |
| 199     | 532 19 82-59 | Plate Deck Lift               |
| 202     | 532 43 97-28 | Vent Side Hood RH             |
| 203     | 532 43 97-27 | Vent Side Hood LH             |
| 204     | 532 43 57-14 | Vent Asm Hood Top             |

| KEY NO. | PART NO.     | DESCRIPTION                   |
|---------|--------------|-------------------------------|
| 205     | 532 43 97-30 | Trim Hood Side RH             |
| 206     | 532 43 97-29 | Trim Hood Side LH             |
| 207     | 585 42 00-02 | Bezel RH                      |
| 208     | 585 42 01-02 | Bezel LH                      |
| 214     | 532 19 91-45 | Clip Retainer                 |
| 217     | 532 40 91-67 | Rod Pivot                     |
| 221     | 532 19 89-09 | Reflector LH                  |
| 228     | 532 19 51-61 | Stud Fastener                 |
| 235     | 532 40 61-29 | Spacer Fender                 |
| 236     | 873 93 05-00 | Nut Center Lock 5/16-18 unc   |
| 281     | 817 00 06-16 | Screw 3/8-16 x 1              |
| 296     | 585 42 05-01 | LED Light LH                  |
| 297     | 586 18 29-01 | Insert Reflect. LH            |
| 299     | 585 42 04-01 | LED Light RH                  |
| 306     | 873 90 06-00 | Nut Lock                      |
| 335     | 532 44 82-04 | Cover RH Lower                |
| 336     | 532 44 53-09 | Cover LH Lower                |
| 350     | 532 44 51-43 | Clip X-mas Tree               |
| 351     | 532 42 17-34 | Pin Clevis .375 x 2.125       |
| 352     | 532 44 86-34 | Clevis .375 x 2.125           |
| 353     | 532 17 80-62 | Clip Retainer .0375           |
| 354     | 532 44 86-19 | Support Bellcrank             |
| 355     | 532 44 86-36 | Bellcrank Pivot Lock Diff     |
| 356     | 532 44 86-93 | Link Lock Diff                |
| 357     | 532 44 86-84 | Spring Compression            |
| 358     | 580 36 66-01 | Swivel Guide                  |
| 359     | 584 39 34-01 | Actuator Electric             |
| 360     | 532 44 86-18 | Bracket Actuator              |
| 361     | 817 49 06-10 | Screw Hxwsh Thdr 3/8-16 x 5/8 |
| 362     | 532 44 86-33 | Clevis .375 x 2.42            |
| 365     | 532 44 73-68 | Nylon Spacer .375 x .4375L    |
| 375     | 586 90 82-01 | Dash Clip-On Bumper           |
| 378     | 590 84 98-01 | Bushing Flange                |
| 379     | 593 20 69-02 | Chassis Plate Reinforcement   |
| - -     | 532 43 18-82 | Kit Guard Brush               |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

TRACTOR - - MODEL NO. TS 354 (96041042800), PRODUCT NO. 960 41 04-28  
 DRIVE **40**




**TRACTOR - - MODEL NO. TS 354 (96041042800), PRODUCT NO. 960 41 04-28**  
**DRIVE 40**

| KEY NO. | PART NO.     | DESCRIPTION                                                                      |
|---------|--------------|----------------------------------------------------------------------------------|
| 1       | — — — — —    | Transaxle, Tufftorq K66ELD (580402201)(Order parts from transaxle manufacturer.) |
| 2       | 539 91 27-57 | Key .25 x 1.25                                                                   |
| 3       | 532 00 75-63 | Washer Thrust Axle Hardened                                                      |
| 7       | 586 93 54-02 | Hub Asm. Wheel                                                                   |
| 9       | 532 14 00-80 | Bolt Hub Wheel                                                                   |
| 15      | 819 13 13-16 | Washer 13/32 x 13/16 x 16 Ga.                                                    |
| 17      | 532 40 10-72 | Spring, Brake                                                                    |
| 26      | 532 19 96-79 | Spring Return Cruise                                                             |
| 29      | 532 40 72-45 | Rod, Brake                                                                       |
| 33      | 812 00 00-53 | Ring E                                                                           |
| 35      | 583 86 45-02 | Rod, Brake, Park                                                                 |
| 42      | 532 00 88-83 | Cover, Foot Pedal                                                                |
| 49      | 872 11 06-14 | Bolt 3/8-16 x 1-3/4 Carriage                                                     |
| 50      | 532 19 43-27 | Pulley Idler Flat                                                                |
| 51      | 873 90 06-00 | Lock Nut 3/8-16                                                                  |
| 52      | 532 19 43-26 | Idler V-Groove                                                                   |
| 56      | 592 85 53-01 | V-Belt, Drive                                                                    |
| 64      | 532 19 78-65 | Shaft Asm. Pedal Brake Control                                                   |
| 69      | 532 42 33-03 | Pin                                                                              |
| 70      | 532 43 96-61 | Console Asm                                                                      |
| 73      | 874 49 05-44 | Bolt Hex Flghd 5/16-18 Gr. 5                                                     |
| 74      | 532 14 24-32 | Screw 1/4 x 1/2                                                                  |
| 80      | 589 33 34-02 | Strap Torque                                                                     |
| 92      | 874 76 05-20 | Bolt 5/16-18 x 1/2                                                               |
| 99      | 582 40 47-01 | Spring Bypass                                                                    |
| 116     | 873 90 05-00 | Nut Lock Hex Flange 5/16-18                                                      |
| 125     | 817 00 05-12 | Screw 5/16-18 x 3/4                                                              |
| 153     | 532 00 44-97 | Retainer Spring                                                                  |
| 159     | 876 02 04-12 | Pin Cotter 1/8 x 3/4                                                             |
| 160     | 532 16 94-84 | Retainer Clip                                                                    |
| 161     | 532 10 57-09 | Spring, Return, Clutch                                                           |
| 163     | 532 40 72-46 | Rod Pedal Control                                                                |

| KEY NO. | PART NO.     | DESCRIPTION                     |
|---------|--------------|---------------------------------|
| 166     | 532 42 91-64 | Nut Push .625                   |
| 167     | 532 40 52-57 | Latch Brake Parking             |
| 170     | 532 19 43-22 | Keeper V-Idler Centerspan       |
| 171     | 872 11 06-16 | Bolt 3/8-16 x 2.00 Carriage     |
| 183     | 587 58 74-01 | Spacer                          |
| 184     | 587 65 37-01 | Handle Parking Brake            |
| 185     | 872 11 06-22 | Bolt Rdhd 3/8-16 unc x 2-3/4 G5 |
| 186     | 532 19 43-21 | Spacer Retainer                 |
| 187     | 819 13 32-10 | Washer                          |
| 188     | 582 21 70-01 | Link Clutch Ground Drive Long   |
| 189     | 532 19 43-17 | Bellcrank Ground Drive          |
| 190     | 532 19 43-18 | Keeper Bellcrank Ground Drive   |
| 196     | 817 00 06-16 | Screw 3/8-16 x 1                |
| 197     | 585 65 86-01 | Bracket Clutch Anti-Rotation    |
| 205     | 532 12 38-00 | Washer 1-1/32 x 1-5/8 x 16 Ga.  |
| 206     | 532 44 85-96 | Bracket Mount Latch Cruise      |
| 207     | 587 03 14-01 | Latch Control Cruise            |
| 208     | 532 19 78-69 | Gear Sector Control Cruise      |
| 209     | 532 19 95-92 | Rod Control Cruise              |
| 210     | 532 19 78-60 | Rocker Asm. Pedal Control       |
| 211     | 532 12 01-83 | Bearing Nylon                   |
| 213     | 532 40 31-19 | Knob Control Cruise             |
| 214     | 532 42 12-63 | Pedal Forward                   |
| 215     | 586 60 65-02 | Pedal Reverse                   |
| 220     | 532 19 89-08 | Reflector RH                    |
| 221     | 532 40 31-87 | Retainer Spring Clip Handle     |
| 222     | 879 21 20-10 | Washer 21/32 x 1-1/4 x 10 Ga.   |
| 225     | 532 40 73-11 | Keeper Belt                     |
| 226     | 532 40 71-09 | Bracket Mount Torque            |
| 282     | 874 49 05-48 | Bolt 5/16-18 x 3.0 G5           |
| 366     | 580 62 62-02 | Bracket Reinforcement           |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - - MODEL NO. TS 354 (96041042800), PRODUCT NO. 960 41 04-28**  
**ENGINE 24**



**TRACTOR - - MODEL NO. TS 354 (96041042800), PRODUCT NO. 960 41 04-28**  
**ENGINE 24**

| KEY<br>NO. | PART<br>NO.  | DESCRIPTION                                                                             |
|------------|--------------|-----------------------------------------------------------------------------------------|
| 1          | - - - - -    | Engine KAWA Model No.<br>FR730V-ES04 (445363)(Order<br>parts from engine manufacturer.) |
| 2          | 589 81 87-01 | Muffler                                                                                 |
| 9          | 501 83 26-02 | Keeper Asm. Belt Engine                                                                 |
| 11         | 587 24 14-01 | Clutch Electric                                                                         |
| 12         | 532 19 43-43 | Pulley Engine                                                                           |
| 15         | 532 42 28-04 | Tank Fuel                                                                               |
| 18         | 584 24 87-02 | Cap Asm                                                                                 |
| 20         | 532 42 43-41 | Control Throttle                                                                        |
| 21         | 532 41 63-58 | Screw #10 x 0.750 BOS Thread                                                            |
| 22         | 532 18 95-41 | Control Choke                                                                           |
| 28         | 532 40 11-35 | Fuel Line                                                                               |
| 29         | 532 13 71-80 | Spark Arrester Kit                                                                      |
| 37         | 532 12 34-87 | Clamp Hose                                                                              |
| 41         | 532 12 61-97 | Washer 1-1/2 OD x 15/32 ID x .250                                                       |
| 42         | 539 99 02-47 | Washer 7/16                                                                             |
| 45         | 873 51 04-00 | Nut Keps Hex 1/4-20 unc                                                                 |
| 62         | 532 43 40-17 | Shield Heat Muffler                                                                     |
| 69         | 532 17 81-51 | Gasket                                                                                  |
| 70         | 583 95 56-01 | Tube Exhaust LH                                                                         |
| 71         | 583 95 57-01 | Tube Exhaust RH                                                                         |
| 81         | 532 14 84-56 | Oil Tube Drain                                                                          |
| 85         | 501 60 69-01 | Bolt 7/16-20 x 3.0 x Gr. 5                                                              |
| 86         | 532 18 43-62 | Nut Hex M8-1.25                                                                         |
| 90         | 817 00 06-16 | Screw 3/8-16 x 1                                                                        |
| 91         | 532 18 74-95 | Bushing                                                                                 |
| 92         | 817 12 06-16 | Screw 3/8-16 x 1                                                                        |
| 102        | 817 00 05-12 | Screw 5/16 x 3/4                                                                        |
| 116        | 539 13 26-24 | Knob Soft Touch                                                                         |
| 117        | 532 42 08-28 | Valve Fuel Reserve                                                                      |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

## STEERING ASSEMBLY 41




**TRACTOR - - MODEL NO. TS 354 (96041042800), PRODUCT NO. 960 41 04-28**  
**STEERING ASSEMBLY 41**

| KEY<br>NO. | PART<br>NO.  | DESCRIPTION                         |
|------------|--------------|-------------------------------------|
| 1          | 532 43 97-40 | Wheel, Steering                     |
| 2          | 532 19 59-68 | Axle Asm., Front                    |
| 4          | 532 40 30-89 | Spindle Asm. LH                     |
| 5          | 532 40 30-90 | Spindle Asm. RH                     |
| 6          | 532 00 62-66 | Washer .75 x 1.230                  |
| 7          | 532 12 17-48 | Washer 25/32 x 1-5/8 x 16 Ga.       |
| 8          | 812 00 00-29 | Ring, Clip #T5304-75                |
| 9          | 532 12 12-32 | Cap, Spindle                        |
| 13         | 532 12 17-49 | Washer 25/32 x 1-1/4 x 16 Ga.       |
| 14         | 539 99 01-18 | Washer 3/8                          |
| 15         | 873 54 06-00 | Nut, Crown Lock 3/8-24 unf          |
| 16         | 587 01 60-02 | Steering Shaft                      |
| 19         | 532 19 47-29 | Plate Steering                      |
| 21         | 586 84 02-01 | Adapter Wheel Steering              |
| 22         | 585 02 99-01 | Bearing                             |
| 26         | 532 43 97-43 | Insert, Wheel Steering              |
| 27         | 819 21 16-16 | Washer                              |
| 28         | 817 00 06-12 | Screw 3/8-16 x 3/4                  |
| 35         | 532 19 47-32 | Gear, Sector Plate                  |
| 45         | 587 01 64-01 | Washer 3/8 ID 2-3/8 OD 12 Ga. PLTD  |
| 50         | 873 90 06-00 | Nut Lock Flg 3/8-16 unc             |
| 53         | 532 18 89-67 | Washer Hardened .793 x 1.637 x .060 |
| 54         | 874 76 06-36 | Bolt Hex 3/8-16 unc x 2-1/4         |
| 55         | 532 41 47-36 | Bolt Hex 3/8-16 unc x 2-1/4         |
| 58         | 532 19 47-47 | Bolt Shoulder Sector Pivot CFM      |
| 59         | 532 19 47-48 | Washer Thrust Sector Steering       |
| 60         | 873 97 10-00 | Nut Flange Lock 5/8-11              |
| 61         | 588 79 44-02 | Draglink, LH                        |
| 62         | 588 79 45-02 | Draglink, RH                        |
| 63         | 817 00 05-12 | Screw 5/16-18 x 3/4                 |
| 64         | 532 19 98-49 | Retainer Clip Spring Steering       |
| 65         | 532 19 47-34 | Brace Axle Front                    |
| 66         | 871 02 07-48 | Bolt Hex Fghd 7/16-14 x 3 Serr      |
| 67         | 532 19 47-37 | Bushing PM Front Axle               |
| 68         | 873 90 07-00 | Nut Lock Flange 7/16-14 Gr. 5       |
| 69         | 532 19 91-62 | Washer 1.5 x .505 x .118            |
| 70         | 585 33 88-01 | Bracket Deck Susp. Front            |
| 75         | 580 68 37-01 | Pinion                              |
| 76         | 580 68 36-01 | Screw Head Sock                     |
| 78         | 532 05 70-79 | Washer Thrust                       |
| 122        | 532 44 49-62 | Cap Gear Sector                     |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

## 44




**TRACTOR - - MODEL NO. TS 354 (96041042800), PRODUCT NO. 960 41 04-28**  
**MOWER DECK 44**

| KEY<br>NO. | PART<br>NO.  | DESCRIPTION                    | KEY<br>NO. | PART<br>NO.  | DESCRIPTION                       |
|------------|--------------|--------------------------------|------------|--------------|-----------------------------------|
| 1          | 592 61 88-01 | Kit SVC Weldment               | 48         | 574 19 65-01 | Tube Roller                       |
| 6          | 590 30 43-03 | Cover Mandrel LH               | 49         | 873 90 06-00 | Nut, Lock Flg. 3/8-16 unc         |
| 7          | 590 30 42-03 | Cover Mandrel RH               | 51         | 574 16 96-01 | Roller Guage                      |
| 8          | 532 19 30-03 | Bolt/Washer Am 7/16-20         | 52         | 532 19 73-79 | Pulley Idler 4.50                 |
| 11         | 582 76 05-08 | Blade 54cc                     | 53         | 872 14 08-64 | RHSNB 1/2-13 x 8 Gr. 5 ZD         |
| 14         | 539 13 18-98 | Housing, Mandrel               | 54         | 521 99 11-01 | Nut 1/2-13 Hex Flg Nyloc ZD       |
| 20         | 532 19 72-36 | Spacer Idler Pulley            | 61         | 532 40 03-37 | Rod Anti-Sway                     |
| 22         | 817 49 06-28 | Screw THDROL 3/8-16 x 1-3/4    | 62         | 819 13 13-12 | Washer 13/32 x 13/16 x 12 Ga.     |
| 23         | 588 43 83-01 | Screw 7/16-14 x 2.125 Washer   | 63         | 532 19 42-08 | Pin Cotter 5/16 Bow Tie Lock      |
| 24         | 532 10 53-04 | Cap Sleeve                     | 66         | 590 73 25-01 | Bumper Asm 54cc                   |
| 25         | 587 35 47-01 | Spring, Torsion                | 97         | 532 17 85-15 | Washer Hardened                   |
| 26         | 532 11 04-52 | Nut, Push                      | 98         | 587 35 84-01 | Spring Drive                      |
| 27         | 590 63 22-01 | Deflector Shield               | 116        | 532 19 34-06 | Bolt, Shoulder                    |
| 28         | 539 11 55-74 | Bolt Eye 5/16 x 3-1/2          | 117        | 589 52 73-01 | Gauge Wheel                       |
| 29         | 532 13 14-91 | Rod, Hinge                     | 184        | 873 90 05-00 | Nut Lock Hex Flange 5/16-18       |
| 31         | 532 18 76-90 | Washer Spacer Mandrel          | 187        | 532 19 51-61 | Stud Fastener w/"D" Anti-Rotation |
| 32         | 532 15 35-35 | Pulley, Mandrel                | 189        | 587 14 05-02 | Arm Susp. Mower Rear              |
| 33         | 532 40 02-34 | Nut, Flg. Top Lock             | 190        | 532 19 65-39 | Bolt Shoulder                     |
| 34         | 873 68 06-00 | Nut Crownlock 3/8-16 unc       | 192        | 532 19 84-68 | Keeper Belt Idler                 |
| 36         | 539 99 05-85 | Nut 5/16-18 Hex                | 196        | 539 12 81-01 | Bolt Carriage 3/8-16 x 2-1/2      |
| 37         | 532 17 01-65 | Bolt Shoulder 5/16-18          | 242        | 532 41 55-98 | Port Washout                      |
| 41         | 584 95 39-01 | Bolt Hex Wshr .313 - 18 x 1.19 | --         | 532 41 64-05 | Coupling Quick Connect            |
| 42         | 596 95 22-01 | Plug, Hole, Square             | --         | 592 61 89-01 | Replacement Mower, Complete       |
| 43         | 582 21 96-02 | Arm, Idler                     |            |              |                                   |
| 46         | 532 13 77-29 | Screw, Thdroll. 1/4-20 x 5/8   |            |              |                                   |
| 47         | 582 23 63-01 | V-Belt, Mower                  |            |              |                                   |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - - MODEL NO. TS 354 (96041042800), PRODUCT NO. 960 41 04-28**  
**MOWER LIFT 45**




lift-tex\_24

| KEY NO. | PART NO.     | DESCRIPTION                  |
|---------|--------------|------------------------------|
| 2       | 532 42 20-27 | Shaft Asm., Lift             |
| 3       | 532 19 52-30 | Lever Asm., Lift RH          |
| 7       | 580 96 23-01 | Grip, Lever                  |
| 10      | 532 19 63-14 | Spring Torsion               |
| 41      | 532 17 59-94 | Nut Lift Link                |
| 87      | 532 19 42-09 | Pin Cotter 7/16 Bow Tie Lock |
| 88      | 532 19 53-04 | Spring Lift Assist           |
| 89      | 819 19 19-12 | Washer Clear Zinc            |

| KEY NO. | PART NO.     | DESCRIPTION                 |
|---------|--------------|-----------------------------|
| 91      | 532 40 34-07 | Link Lift Susp Mower Rear   |
| 96      | 532 19 52-63 | Bushing Spherical           |
| 97      | 817 00 06-12 | Screw 3/8-16 x .75          |
| 98      | 589 31 87-03 | Link Lift Susp. Front Mower |
| 114     | 873 36 07-00 | Nut Jam 7/16-20             |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - - MODEL NO. TS 354 (96041042800), PRODUCT NO. 960 41 04-28**  
**SEAT ASSEMBLY 42**



seat-tex\_6.5PB

| KEY NO. | PART NO.     | DESCRIPTION                   |
|---------|--------------|-------------------------------|
| 1       | 590 33 73-01 | Seat                          |
| 2       | 590 33 66-02 | Bracket Pivot Fender          |
| 3       | 590 77 76-02 | Brkt, Asm Fender              |
| 6       | 521 99 65-01 | Nut 3/8-16 Hex Fig Nyloc      |
| 7       | 590 81 23-01 | Spring, Seat Cprsn            |
| 8       | 532 17 18-77 | Bolt 5/16-18 unc x 3/4 w/Sems |
| 10      | 590 48 17-02 | Seat, Plate, Brkt.            |
| 19      | 590 69 15-01 | Knob Seat 5/16-18 x 3/4       |

| KEY NO. | PART NO.     | DESCRIPTION                  |
|---------|--------------|------------------------------|
| 21      | 532 16 96-12 | Bolt, Shoulder 5/16-18       |
| 37      | 539 11 28-99 | Nut, Hex 5/16-18 unc         |
| 42      | 532 19 93-71 | Washer Cup                   |
| 47      | 590 35 11-01 | Washer Nylon 50 x 1.12 x 003 |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

