

# YTH150 Twin

**Spare parts**

**Ersatzteile**

**Pièces détachées**

**Reserve onderdelen**

**Repuestos**

**Reservdelar**

**GPL®**

# **ILLUSTRATED PARTS LIST**


**MFG. ID NO. 96041002200**

**CUSTOMER CATALOG NO. YTH150TWIN**

**PRODUCT NO. 960 41 00-22**




TRACTOR - MODEL NO. YTH150TWIN (96041002200), PRODUCT NO. 960 41 00-22  
DECALS



| KEY NO. | PART NO.     | DESCRIPTION                |
|---------|--------------|----------------------------|
| 1       | 532 18 21-66 | Decal, Cutfinger Warning   |
| 2       | 532 40 21-28 | Decal, Hood Insert         |
| 3       | 532 19 63-57 | Decal, Warning Symbol      |
| 4       | 532 14 08-37 | Decal, Brake Parking       |
| 5       | 532 40 03-89 | Decal, Warning Symbol CE   |
| 6       | 532 18 04-32 | Decal, Fender DB/CE        |
| 7       | 532 15 97-37 | Decal, Brake/Clutch Symbol |
| 8       | 532 16 03-96 | Decal, Mower Sch.          |
| 9       | 532 14 50-05 | Decal, Battery Dnge/Poi    |
| 10      | 532 15 97-36 | Decal, Hot Muffler         |

| KEY NO. | PART NO.     | DESCRIPTION         |
|---------|--------------|---------------------|
| 11      | 532 19 68-42 | Decal Cutfinger     |
| 13      | 532 40 44-84 | Decal, Steering Whl |
| 14      | 532 40 85-98 | Decal, Panel Side   |
| 16      | 532 40 28-32 | Decal, Hood Logo    |
| 17      | 532 41 11-53 | Decal, Replacement  |
| --      | 532 16 69-60 | Decal, Bypass       |
| --      | 532 16 25-98 | Decal, Load Limit   |
| --      | 532 40 17-71 | Pad, Footrest, LH   |
| --      | 532 40 17-70 | Pad, Footrest, RH   |
| --      | 532 40 83-85 | Manual Oper. Euro   |

WHEELS AND TIRES




| KEY NO. | PART NO.     | DESCRIPTION                        |
|---------|--------------|------------------------------------|
| 1       | 532 05 91-92 | Cap, Valve, Tire                   |
| 2       | 532 06 51-39 | Stem, Valve                        |
| 3       | 532 13 83-36 | Rim Assembly, Front                |
| 4       | 532 05 99-04 | Tube, Front (Service Item Only)    |
| 5       | 532 10 62-22 | Tire, Front                        |
| 6       | 532 12 49-57 | Fitting, Grease (Front Wheel Only) |
| 7       | 532 12 49-59 | Bearing, Flange (Front Wheel Only) |
| 8       | 532 17 50-39 | Cap, Axle                          |
| 9       | 532 12 20-82 | Tire, Rear                         |
| 10      | 532 12 49-26 | Tube, Rear (Service Item Only)     |
| 11      | 532 13 83-37 | Rim Assembly, Rear                 |
| --      | 532 14 43-34 | Sealant, Tire (10 oz. Tube)        |


NOTE: All component dimensions given in U.S. inches  
1 inch = 25.4 mm

TRACTOR - MODEL NO. YTH150TWIN (96041002200), PRODUCT NO. 960 41 00-22  
SCHEMATIC

03025-194276\_Regulated-Tex (12V)



TRACTOR - MODEL NO. YTH150TWIN (96041002200), PRODUCT NO. 960 41 00-22  
ELECTRICAL




**TRACTOR - MODEL NO. YTH150TWIN (96041002200), PRODUCT NO. 960 41 00-22  
ELECTRICAL**

| <b>KEY<br/>NO.</b> | <b>PART<br/>NO.</b> | <b>DESCRIPTION</b>               |
|--------------------|---------------------|----------------------------------|
| 1                  | 532 14 49-27        | Battery                          |
| 2                  | 874 76 04-12        | Bolt Hex Hd 1/4-20 unc x 3/4     |
| 8                  | 532 18 64-91        | Battery Box                      |
| 16                 | 532 17 61-38        | Switch Interlock                 |
| 21                 | 532 18 37-59        | Harness Socket Light             |
| 22                 | 532 00 41-52        | Bulb, Light # 1156               |
| 24                 | 532 40 02-53        | Cable Battery                    |
| 25                 | 532 19 88-93        | Cable Starter                    |
| 26                 | 532 17 51-58        | Fuse                             |
| 27                 | 873 51 04-00        | Nut Keps Hex 1/4-20 unc          |
| 28                 | 532 14 54-91        | Cable Ground 21" Blk 6 Ga.       |
| 29                 | 532 40 15-45        | Switch Seat                      |
| 30                 | 532 19 33-50        | Switch Ign                       |
| 33                 | 532 14 04-01        | Key Ign Molded Generic           |
| 34                 | 532 11 07-12        | Switch Light/Reset               |
| 40                 | 532 19 42-76        | Harness Ign                      |
| 41                 | 817 72 04-08        | Screw Thd Cut 1/4-20 x 1/2       |
| 42                 | 532 13 15-63        | Cover Terminal Red               |
| 43                 | 532 19 25-07        | Solenoid                         |
| 46                 | 532 40 17-63        | Gauge Hourmeter                  |
| 50                 | 532 17 46-51        | Switch PTO                       |
| 55                 | 817 06 05-12        | Screw Thdrol 5/16-18 x 3/4       |
| 71                 | 532 40 11-04        | Harness Ign. Dash                |
| 90                 | 532 40 07-24        | Cover Terminal Battery           |
| 91                 | 532 19 02-70        | Strap Battery                    |
| 92                 | 532 19 66-15        | Harness Pigtail Console          |
| 93                 | 532 19 25-40        | Screw Plastic 10-14 x 2.0        |
| 94                 | 532 19 18-34        | Module Reverse                   |
| 99                 | 817 67 04-12        | Screw Hexwsh Thdrol 1/4-20 x 3/4 |
| 100                | 819 09 14-16        | Washer 9/32 x 7/8 x 16 Ga.       |
| 101                | 532 19 83-17        | Pigtail Harness                  |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# TRACTOR - MODEL NO. YTH150TWIN (96041002200), PRODUCT NO. 960 41 00-22

## CHASSIS



chassis-tex\_19-gt-husq


# TRACTOR - MODEL NO. YTH150TWIN (96041002200), PRODUCT NO. 960 41 00-22 CHASSIS

| KEY NO. | PART NO.     | DESCRIPTION                    |
|---------|--------------|--------------------------------|
| 5       | 532 40 87-01 | Dash                           |
| 14      | 532 41 10-46 | Hood                           |
| 15      | 532 19 89-07 | Lens LH                        |
| 18      | 532 40 48-21 | Grille                         |
| 25      | 532 19 89-06 | Lens RH                        |
| 34      | 532 19 61-25 | Plate Engine                   |
| 36      | 817 06 05-12 | Screw 5/16-18 x 3/4            |
| 37      | 532 40 18-25 | Fender                         |
| 52      | 873 68 05-00 | Nut Crown Lock 5/16-18         |
| 58      | 532 19 43-14 | Bracket Fender                 |
| 68      | 817 49 05-08 | Screw 5/16-18 x 1/2            |
| 99      | 532 40 66-42 | Rod Bypass Asm.                |
| 130     | 532 19 16-11 | Screw 10 x 3/4 Single Lead Hex |
| 150     | 532 19 85-14 | Duct Heat Hood                 |
| 152     | 532 19 95-35 | Shield Browning/Debris         |
| 161     | 532 40 18-26 | Console Fuel Window            |
| 162     | 532 14 24-32 | Screw Hex Wsh Hi-Lo 1/4 x 1/2  |
| 165     | 532 19 68-26 | Bracket Support Tank           |
| 175     | 532 19 63-04 | Crossmember                    |
| 176     | 532 40 07-76 | Screw 10-24 x 5/8 Rnd Qdrx     |
| 177     | 532 19 52-27 | Bushing Steering               |
| 178     | 532 19 97-82 | Cargo Asm. Net                 |
| 180     | 532 40 15-59 | Chassis                        |
| 181     | 532 40 30-25 | Bushing Mtg. Fender Crgo.      |
| 182     | 532 19 47-87 | Dash Lower                     |
| 183     | 874 78 05-20 | Bolt Hex 5/16-18 x 1-1/4       |
| 189     | 817 00 05-12 | Screw 5/16-18 x 3/4            |
| 194     | 873 90 05-00 | Nut Lock Hex Flange 5/16-18    |

| KEY NO. | PART NO.     | DESCRIPTION                   |
|---------|--------------|-------------------------------|
| 195     | 532 40 41-37 | Plug 12v Adapter              |
| 196     | 532 40 02-99 | Console Asm. Deck Lift        |
| 199     | 532 19 82-59 | Plate Deck Lift               |
| 202     | 532 40 30-48 | Vent Side Hood RH             |
| 203     | 532 40 30-76 | Vent Side Hood LH             |
| 204     | 532 19 89-04 | Vent Asm Hood Top             |
| 205     | 532 40 17-09 | Skirt Hood Side RH            |
| 206     | 532 40 17-11 | Skirt Hood Side LH            |
| 207     | 532 19 71-98 | Bezel RH                      |
| 208     | 532 19 71-99 | Bezel LH                      |
| 209     | 532 19 91-30 | Insert Hex Top RH             |
| 210     | 532 19 91-31 | Insert Hex Top LH             |
| 211     | 532 19 91-32 | Insert Hex Bottom RH          |
| 212     | 532 19 91-33 | Insert Hex Bottom LH          |
| 213     | 874 76 05-12 | Bolt Hex Hd 5/16-18 unc x 3/4 |
| 214     | 532 19 91-45 | Clip Retainer                 |
| 217     | 532 15 65-24 | Rod Pivot                     |
| 218     | 532 19 63-95 | Hood Stop                     |
| 221     | 532 19 89-09 | Reflector LH                  |
| 228     | 532 19 51-61 | Stud Fastner                  |
| 235     | 532 40 61-29 | Spacer Fender                 |
| 236     | 873 93 05-00 | Nut Center Lock 5/16-18 unc   |
| 237     | 532 40 37-04 | Plug Mount Cargo              |
| --      | 532 40 35-71 | Phone Holder                  |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - MODEL NO. YTH150TWIN (96041002200), PRODUCT NO. 960 41 00-22  
DRIVE**



drive-tex\_17-husq-hydro\_0610\_FS

# TRACTOR - MODEL NO. YTH150TWIN (96041002200), PRODUCT NO. 960 41 00-22 DRIVE


| KEY NO. | PART NO.     | DESCRIPTION                                            |
|---------|--------------|--------------------------------------------------------|
| 1       | -----        | Transaxle, Hydro 351-0510 (Order From Transaxle Mfgr.) |
| 2       | 532 12 35-83 | Key 1/4 x 2.5                                          |
| 15      | 819 13 13-16 | Washer 13/32 x 13/16 x 16 Ga.                          |
| 17      | 532 19 72-96 | Spring, Brake                                          |
| 22      | 532 40 05-04 | Shifter Asm                                            |
| 23      | 532 12 12-74 | Knob                                                   |
| 26      | 532 19 96-79 | Spring Return Cruise                                   |
| 29      | 532 19 94-67 | Rod, Brake                                             |
| 33      | 812 00 00-01 | Ring E                                                 |
| 35      | 532 19 95-91 | Rod, Brake, Park                                       |
| 37      | 532 12 17-49 | Washer                                                 |
| 42      | 532 12 48-72 | Cover, Foot Pedal                                      |
| 49      | 872 11 06-14 | Bolt                                                   |
| 50      | 532 19 43-27 | Pulley Idler Flat                                      |
| 51      | 873 90 06-00 | Lock Nut 3/8-16                                        |
| 52      | 532 40 72-87 | Idler V-Groove 1.688 OFFSET                            |
| 56      | 532 14 02-18 | V-Belt, Drive                                          |
| 64      | 532 19 62-00 | Shaft Asm. Pedal Brake Control                         |
| 70      | 532 40 02-98 | Console Asm.                                           |
| 73      | 874 49 05-60 | Bolt 5/16-18 x 3.75                                    |
| 74      | 532 14 24-32 | Screw 1/4 x 1/2                                        |
| 93      | 532 19 82-54 | Link Shift                                             |
| 114     | 873 80 05-00 | Nut Lock 5/16-18                                       |
| 116     | 873 90 05-00 | Nut Lock Hex Flange 5/16-18                            |
| 125     | 817 00 05-12 | Screw 5/16-18 x 3/4                                    |
| 143     | 817 49 05-08 | Screw Thdrol 5/16-18 x 1/2                             |
| 159     | 876 02 04-12 | Pin Cotter 1/8 x 3/4                                   |
| 160     | 532 16 94-84 | Retainer Clip                                          |
| 161     | 532 19 54-03 | Spring, Return, Clutch                                 |
| 162     | 532 19 57-85 | Spacer Transaxle                                       |
| 166     | 532 19 72-90 | Nut Push .625                                          |
| 167     | 532 40 52-57 | Latch Brake Parking                                    |
| 170     | 532 19 43-22 | Keeper Belt Centerspan                                 |

| KEY NO. | PART NO.            | DESCRIPTION                       |
|---------|---------------------|-----------------------------------|
| 171     | 872 11 06-22        | Bolt RDHD 3/8-16UNC x 2-3/4 Gr. 5 |
| 172     | <b>532 19 76-56</b> | Strap Torque LH                   |
| 173     | 532 19 74-24        | Strap Torque RH                   |
| 175     | 532 19 76-53        | Shaft Asm. Shift                  |
| 176     | 532 19 62-14        | Arm Clevis Rod Shift              |
| 178     | 532 19 74-56        | Spring Shift                      |
| 183     | 532 13 70-57        | Spacer Split                      |
| 184     | 532 40 31-18        | Handle Parking Brake              |
| 185     | 872 11 06-20        | Bolt Rdhd Sqnk 3/8-16 x 2-1/2     |
| 186     | 532 19 43-21        | Spacer Retainer                   |
| 187     | 819 13 32-10        | Washer                            |
| 188     | 532 19 43-23        | Link Clutch Ground Drive          |
| 189     | 532 19 43-17        | Bellcrank Ground Drive            |
| 190     | 532 19 43-18        | Keeper Bellcrank Ground Drive     |
| 195     | 532 19 80-12        | Bracket Rod Brake                 |
| 196     | 817 00 06-16        | Screw 3/8-16 x 1                  |
| 197     | 532 19 58-04        | Bracket Clutch Anti-Rotation      |
| 198     | 532 19 94-96        | Screw                             |
| 199     | 872 14 05-08        | Bolt 5/16-18 x 1                  |
| 200     | 873 93 05-00        | Nut Lock 5/16-18 UNC              |
| 201     | 532 16 96-12        | Bolt Shoulder 5/16-18 UNC         |
| 203     | 819 11 11-16        | Washer 11/32 x 11/16 x 16 Ga.     |
| 206     | 532 19 78-67        | Bracket Mount Latch Cruise        |
| 211     | 532 19 62-12        | Bushing                           |
| 216     | 532 19 61-31        | Bracket Pulley Idler              |
| 220     | 532 19 89-08        | Reflector RH                      |
| 221     | 532 40 31-87        | Retainer Spring Clip Handle       |
| 276     | 874 78 07-16        | Bolt 7/16 - 14 x 1 Gr. 5          |
| 277     | 532 40 52-96        | Washer Serrated                   |
| 278     | 532 19 72-89        | Nut Push                          |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# TRACTOR - MODEL NO. YTH150TWIN (96041002200), PRODUCT NO. 960 41 00-22

## STEERING ASSEMBLY




steering-tex\_4-husq

| KEY NO. | PART NO.     | DESCRIPTION                   |
|---------|--------------|-------------------------------|
| 1       | 532 19 36-51 | Wheel, Steering               |
| 2       | 532 19 59-68 | Axle Asm., Front              |
| 4       | 532 40 30-87 | Spindle Asm., LH              |
| 5       | 532 40 30-88 | Spindle Asm., RH              |
| 6       | 532 12 49-31 | Bearing, Race Thrust Harden   |
| 7       | 532 12 17-48 | Washer 25/32 x 1-5/8 x 16 Ga. |
| 8       | 812 00 00-29 | Ring, Klip #T5304-75          |
| 9       | 532 12 12-32 | Cap, Spindle                  |
| 13      | 532 12 17-49 | Washer 25/32 x 1-1/4 x 16 Ga. |
| 14      | 810 04 06-00 | Washer, Lock Hvy Hlcl Spr 3/8 |
| 15      | 873 54 06-00 | Nut, Crown Lock 3/8-24 unf    |
| 16      | 532 19 47-46 | Shaft Steering                |
| 19      | 532 19 47-29 | Plate Steering                |
| 21      | 532 18 67-37 | Adapter, Wheel Steering       |
| 22      | 532 19 48-45 | Bushing, Strg. Blk            |
| 26      | 532 19 36-52 | Insert, Wheel Steering        |
| 28      | 817 00 06-12 | Screw 3/8-16 x 3/4            |
| 35      | 532 19 47-32 | Gear, Sector Plate            |
| 45      | 819 18 38-12 | Washer 9/16 x 2-3/8 x 12 Ga.  |

| KEY NO. | PART NO.     | DESCRIPTION                         |
|---------|--------------|-------------------------------------|
| 51      | 873 94 08-00 | Nut Hex Jam Toplock 1/2-20 unf      |
| 53      | 532 18 89-67 | Washer Hardened .793 x 1.637 x .060 |
| 57      | 532 40 74-65 | Bracket Upstop                      |
| 58      | 532 19 47-47 | Bolt Shoulder Sector Pivot CFM      |
| 59      | 532 19 47-48 | Washer Thrust Sector Steering       |
| 60      | 873 97 10-00 | Nut Flange Lock 5/8-11              |
| 61      | 532 19 47-40 | Draglink LH                         |
| 62      | 532 19 47-41 | Draglink, RH                        |
| 63      | 817 00 05-12 | Screw 5/16-18 x 3/4                 |
| 64      | 532 19 98-49 | Retainer Clip Spring Steering       |
| 66      | 871 02 07-48 | Bolt Hex Fghd 7/16-14 x 3 Serr      |
| 67      | 532 19 47-37 | Bushing PM Front Axle               |
| 68      | 873 90 07-00 | Nut Lock Flange 7/16-14 Gr. 5       |
| 69      | 532 19 91-62 | Washer 1.5 x .505 x .118            |
| 70      | 532 19 61-97 | Bracket Deck Susp. Front            |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# TRACTOR - MODEL NO. YTH150TWIN (96041002200), PRODUCT NO. 960 41 00-22 ENGINE



## SPARK ARRESTER KIT

engine-tex\_7-kawa

| KEY NO. | PART NO.     | DESCRIPTION                        |
|---------|--------------|------------------------------------|
| 1       | -----        | Engine Kawa Model No. FW430V       |
| 2       | 532 14 97-23 | Muffler                            |
| 9       | 532 19 43-19 | Keeper Belt Engine                 |
| 11      | 532 18 05-05 | Clutch Electric                    |
| 12      | 532 19 43-38 | Pulley Engine                      |
| 15      | 532 19 34-99 | Tank Fuel 4.0                      |
| 18      | 532 19 42-67 | Cap Asm                            |
| 20      | 532 18 29-37 | Control Throttle                   |
| 21      | 532 19 16-11 | Screw 10 x 3/4 Single Lead Hex     |
| 22      | 532 18 95-41 | Control Choke                      |
| 28      | 532 14 21-58 | Fuel Line                          |
| 29      | 532 13 71-80 | Spark Arrester Kit                 |
| 31      | 532 14 50-06 | Clip Push-In                       |
| 37      | 532 12 34-87 | Clamp Hose                         |
| 41      | 532 12 61-97 | Washer 1-1/2 OD x 15/32 ID x .250  |
| 42      | 810 04 07-00 | Washer Lock 7/16                   |
| 45      | 873 51 04-00 | Nut Keps Hex 1/4-20 unc            |
| 62      | 532 14 66-29 | Shield Heat Muffler                |
| 69      | -----        | Gasket (Order part from Eng. Mfg.) |
| 70      | 532 18 14-44 | Tube Exhaust LH                    |
| 71      | 532 18 14-42 | Tube Exhaust RH                    |


| KEY NO. | PART NO.     | DESCRIPTION                      |
|---------|--------------|----------------------------------|
| 81      | 532 14 84-56 | Tube Drain Oil Easy              |
| 85      | 532 17 39-37 | Bolt Hex 7/16-20 x 4 x Gr. 5-1.5 |
| 86      | 532 18 43-62 | Nut Hex Flange Toplock M8-1.2    |
| 87      | 532 19 82-39 | Bolt 5/16-18 unc x 1 w/Sems      |
| 90      | 817 00 06-16 | Screw 3/8-16 x 1                 |
| 92      | 817 12 06-16 | Screw 3/8-16 x 1                 |
| 102     | 817 00 05-12 | Screw 5/16 - 18 x 3/4            |
| 105     | 532 41 05-28 | Shield Side LH                   |
| 106     | 532 41 05-29 | Shield Side RH                   |
| 107     | 532 13 77-29 | Screw 1/4 - 20 x 5/8             |
| 108     | 532 41 05-32 | Cover Asm Engine                 |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

For engine service and replacement parts, call the toll free number for your engine manufacturer listed below:

|                   |                |
|-------------------|----------------|
| Briggs & Stratton | 1-800-233-3723 |
| Kohler Co.        | 1-800-544-2444 |
| Tecumseh Products | 1-800-558-5402 |
| Honda Engines     | 1-800-426-7701 |
| Kawasaki          | 1-949-460-5688 |

**TRACTOR - MODEL NO. YTH150TWIN (96041002200), PRODUCT NO. 960 41 00-22**  
**SEAT ASSEMBLY**




seat-tex\_7-vgt

| KEY NO. | PART NO.     | DESCRIPTION                  |
|---------|--------------|------------------------------|
| 1       | 532 40 66-21 | Seat                         |
| 2       | 532 18 01-66 | Bracket Pivot Fender         |
| 3       | 532 14 06-75 | Strap, Asm Fender            |
| 6       | 873 80 06-00 | Nut, Lock W/Ins. 3/8-16 unc  |
| 7       | 532 12 41-81 | Spring, Seat Cprsn           |
| 8       | 532 17 18-77 | Bolt 5/16-18 uncx 3/4 w/Sems |
| 10      | 532 19 69-77 | Pan, Seat                    |
| 21      | 532 17 18-52 | Bolt, Shoulder 5/16-18       |
| 37      | 873 80 05-00 | Nut, Lock 5/16-18 unc        |

| KEY NO. | PART NO.     | DESCRIPTION                   |
|---------|--------------|-------------------------------|
| 40      | 532 19 76-61 | Handle Slide Seat             |
| 41      | 532 19 82-00 | Spring Latch Seat             |
| 43      | 874 76 06-12 | Bolt 3/8-16 x 3/4             |
| 44      | 819 13 38-12 | Washer 13/32 x 2-3/8 x 12 Ga. |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm


**TRACTOR - MODEL NO. YTH150TWIN (96041002200), PRODUCT NO. 960 41 00-22**  
**MOWER LIFT**



| KEY NO. | PART NO.     | DESCRIPTION                  |
|---------|--------------|------------------------------|
| 2       | 532 19 52-23 | Shaft Asm., Lift             |
| 3       | 532 19 52-30 | Lever Asm., Lift Rh          |
| 7       | 532 41 15-55 | Grip, Lever                  |
| 10      | 532 19 63-14 | Spring Torsion               |
| 87      | 532 19 42-09 | Pin Cotter 7/16 Bow Tie Lock |
| 88      | 532 19 53-04 | Spring Lift Assist           |
| 89      | 819 19 19-12 | Washer Clear Zinc            |

| KEY NO.                                                                        | PART NO.     | DESCRIPTION                      |
|--------------------------------------------------------------------------------|--------------|----------------------------------|
| 90                                                                             | 532 19 42-08 | Pin Cotter 5/16 Bow Tie Lock     |
| 91                                                                             | 532 19 51-81 | Link Lift Susp Mower Rear        |
| 97                                                                             | 817 06 06-12 | Screw 3/8-16 x .75 Smgml Tap/R.Z |
| 98                                                                             | 532 19 52-70 | Link Lift Susp. Front Mower      |
| 100                                                                            | 873 93 06-00 | Nut Lock 3/8 - 16 UNC            |
| <b>NOTE:</b> All component dimensions given in U.S. inches<br>1 inch = 25.4 mm |              |                                  |

**TRACTOR - MODEL NO. YTH150TWIN (96041002200), PRODUCT NO. 960 41 00-22**  
**MOWER DECK**



42\_D\_elec-Tex\_6

# TRACTOR - MODEL NO. YTH150TWIN (96041002200), PRODUCT NO. 960 41 00-22 MOWER DECK

| KEY NO. | PART NO.     | DESCRIPTION                                                         | KEY NO. | PART NO.     | DESCRIPTION                                                                                            |
|---------|--------------|---------------------------------------------------------------------|---------|--------------|--------------------------------------------------------------------------------------------------------|
| 1       | 532 19 64-95 | Mower Deck Assembly, 42"                                            | 56      | 532 19 90-92 | Spacer, Retainer                                                                                       |
| 6       | 532 19 51-86 | Arm Susp. Rear                                                      | 57      | 817 00 06-16 | Screw 3/8-16 x 1                                                                                       |
| 8       | 532 19 30-03 | Bolt/Washer Asm 7/16-20 unf<br>(The following Blades are available) | 59      | 532 14 10-43 | Guard TUV Idler                                                                                        |
| 11      | 532 13 89-71 | Blade Mower 42" Hi-Lift (for bag-<br>ging and discharging)          | 62      | 872 11 06-16 | Bolt Rdhd Sqnk 3/8-16 unc x 2                                                                          |
| 13      | 532 19 28-72 | Shaft Assembly, Mandrel                                             | 68      | 532 14 49-59 | V-Belt, 42" Mower                                                                                      |
| 14      | 532 18 72-81 | Housing, Mandrel                                                    | 69      | 872 14 05-05 | Bolt, Carriage 5/16-18 x 5/8                                                                           |
| 15      | 532 11 04-85 | Bearing, Ball, Mandrel                                              | 97      | 532 17 85-15 | Washer Flat Hardened                                                                                   |
| 16      | 532 17 44-93 | Stripper, Mandrel Deck                                              | 116     | 532 12 48-42 | Bolt, Shoulder                                                                                         |
| 19      | 532 19 65-39 | Bolt, Shoulder                                                      | 117     | 532 18 86-06 | Wheel, Gauge                                                                                           |
| 20      | 532 15 97-70 | Baffle, Vortex                                                      | 118     | 873 12 14-14 | Nut Centerlock 3/8-16                                                                                  |
| 21      | 873 68 05-00 | Nut                                                                 | 119     | 819 13 20-12 | Washer 13/32 x 1-1/4 x 12 Ga.                                                                          |
| 23      | 532 19 25-57 | Bracket, Deflector Mower 42"                                        | 145     | 532 19 31-97 | Pulley Idler                                                                                           |
| 24      | 532 10 53-04 | Cap, Sleeve 80 x 112 Blk Mower                                      | 188     | 532 19 51-61 | Stud Fastner W/D Anti-Rotation                                                                         |
| 25      | 532 19 70-26 | Spring, Torsion, Deflector                                          | 189     | 873 90 05-00 | Nut Lock Hex Flange 5/16-18                                                                            |
| 26      | 532 11 04-52 | Nut, Push Phos & Oil                                                | 190     | 532 19 72-51 | Spring Mower Drive                                                                                     |
| 27      | 532 41 14-85 | Shield, Deflector 42"                                               | 197     | 532 40 92-58 | Cover Mandrel RH                                                                                       |
| 29      | 532 13 14-91 | Rod, Hinge 42" 6 75 W/G                                             | 198     | 532 40 92-59 | Cover Mandrel LH                                                                                       |
| 30      | 532 17 39-84 | Screw Thdrol                                                        | 199     | 817 67 06-08 | Screw 3/8 - 16 x 1/2                                                                                   |
| 31      | 532 18 76-90 | Washer, Spacer Mower Vented                                         | --      | 532 19 28-70 | Mandrel Assembly (Includes Hous-<br>ing Shaft and Shaft Hardware Only<br>- Pulley Not Included)        |
| 32      | 532 15 35-35 | Pulley, Mandrel                                                     | --      | 532 40 85-50 | Replacement Mower, Complete (Std.<br>deck Order separately gauge wheel<br>componants Key Nos. 116-119) |
| 33      | 532 40 02-34 | Nut, Toplock                                                        |         |              |                                                                                                        |
| 34      | 872 11 06-12 | Bolt Carr SH 3/8-16 x 1-1/2 Gr.5                                    |         |              |                                                                                                        |
| 36      | 532 19 73-79 | Pulley, Idler, Flat                                                 |         |              |                                                                                                        |
| 40      | 873 90 06-00 | Nut Lock 3/8-16                                                     |         |              |                                                                                                        |
| 46      | 532 13 77-29 | Screw 1/4 - 20 x 5/8                                                |         |              |                                                                                                        |
| 55      | 532 19 72-49 | Arm, Idler                                                          |         |              |                                                                                                        |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

