


# YTH1542 XP

**Spare parts**  
**Ersatzteile**  
**Pièces détachées**  
**Reserve onderdelen**  
**Repuestos**  
**Reservdelar**


**GPL®**

TRACTOR - MODEL NO.YTH1542XP (HAU15H42J), PRODUCT NO. 954 17 02-25  
SCHEMATIC



# REPAIR PARTS

TRACTOR - MODEL NO. YTH1542XP (HAU15H42J), PRODUCT NO. 954 17 02-25  
ELECTRICAL



# REPAIR PARTS

TRACTOR - MODEL NO. YTH1542XP (HAU15H42J), PRODUCT NO. 954 17 02-25  
ELECTRICAL

| KEY<br>NO. | PART<br>NO.  | DESCRIPTION                           |
|------------|--------------|---------------------------------------|
| 1          | 532 14 49-27 | Battery                               |
| 2          | 874 76 04-12 | Bolt Hex Hd 1/4-20 unc x 3/4          |
| 8          | 532 12 48-86 | Tray Battery                          |
| 10         | 532 14 52-11 | Bolt Brt Frt 1/4-20 x 75 A uuinc      |
| 11         | 532 15 01-09 | Holddown Battery Front Mount          |
| 12         | 532 14 57-69 | Nut Push Nylon 1/4" Battery Frt       |
| 16         | 532 17 61-38 | Switch Interlock Push-In              |
| 21         | 532 17 56-88 | Harness Asm Light W/4152j             |
| 22         | 532 00 41-52 | Bulb Light #1156                      |
| 24         | 532 14 61-48 | Cable Battery 6 Ga. 22" red w/16 wire |
| 25         | 532 00 88-60 | Cable Battery                         |
| 26         | 532 17 51-58 | Fuse                                  |
| 27         | 873 51 04-00 | Nut Keps Hex 1/4-20 unc               |
| 28         | 532 14 54-91 | Cable Ground 6 Ga 21" black           |
| 29         | 532 12 13-05 | Switch Plunger Nc Gray                |
| 30         | 532 17 55-66 | Switch Ign                            |
| 33         | 532 14 04-01 | Key Ign Molded Generic                |
| 40         | 532 18 80-30 | Harness Ign.                          |
| 41         | 817 72 04-08 | Screw 1/4-20 x 1/2                    |
| 42         | 532 13 15-63 | Cover Terminal Red                    |
| 43         | 532 17 88-61 | Solenoid                              |
| 45         | 532 17 75-00 | Ammeter                               |
| 46         | 532 17 75-01 | Meter Hour                            |
| 50         | 532 17 46-51 | Switch PTO                            |
| 79         | 532 17 52-42 | Socket Asm. Bulb Twistlock            |

**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm.

## REPAIR PARTS

TRACTOR - MODEL NO.YTH1542XP (HAU15H42J), PRODUCT NO. 954 17 02-25

CHASSIS AND ENCLOSURES

## REPAIR PARTS

TRACTOR - MODEL NO. YTH1542XP (HAU15H42J), PRODUCT NO. 954 17 02-25

CHASSIS AND ENCLOSURES



# REPAIR PARTS

TRACTOR - MODEL NO. YTH1542XP (HAU15H42J), PRODUCT NO. 954 17 02-25  
CHASSIS AND ENCLOSURES

## Correction:

### Key No.

9 532 19 58-86 Dash


| KEY NO. | PART NO.     | DESCRIPTION                      |
|---------|--------------|----------------------------------|
| 1       | 532 17 46-19 | Chassis Stamping                 |
| 2       | 532 17 65-54 | Drawbar                          |
| 9       | 532 18 90-25 | Dash                             |
| 10      | 872 14 06-08 | Bolt Rdhd Sqnk 3/8-16 unc x 1    |
| 11      | 532 16 72-03 | Panel Dash Lh                    |
| 13      | 532 17 82-98 | Panel Dash Rh                    |
| 14      | 817 49 06-08 | Screw Thdrol 3/8-16 x 1/2        |
| 17      | 532 19 00-55 | Hood                             |
| 20      | 532 16 20-26 | Plate Mtg Battery/Fuel Tank      |
| 26      | 873 80 06-00 | Nut Lock w/Insert 3/8-16 unc     |
| 28      | 532 18 28-73 | Grille                           |
| 29      | 532 18 82-12 | Light Box Asm (w/Lens)           |
| 30      | 532 19 18-15 | Fender                           |
| 31      | 532 13 99-76 | Bracket                          |
| 37      | 817 49 05-08 | Screw Thdrol 5/16-18 x 1/2       |
| 38      | 532 17 57-10 | Bracket Asm Pivot Mower Rear     |
| 54      | 532 16 14-64 | Screw Hex Wshd 8-18 x 7/8        |
| 58      | 532 18 98-75 | Duct Air                         |
| 59      | 532 18 74-95 | Bushing Snap                     |
| 60      | 872 14 06-06 | Bolt RDHD SQNK 3/8-16 x 3/4      |
| 64      | 532 17 49-97 | Dash Lower Stlt                  |
| 74      | 873 68 06-00 | Nut Crownlock 3/8-16             |
| 90      | 532 12 43-46 | Nut Self-thd Wsh-Hd 1/4          |
| 142     | 532 17 57-02 | Plate Reinforcement              |
| 143     | 532 18 66-89 | Bracket Swaybar Chassis          |
| 144     | 532 17 55-82 | Bracket Ft Rest                  |
| 145     | 532 15 65-24 | Rod Pivot Chassis Hood           |
| 154     | 532 16 18-97 | Bracket Dash RH                  |
| 155     | 532 16 19-00 | Bracket Dash LH                  |
| 158     | 532 16 20-37 | Parking Brake Brkt               |
| 159     | 532 18 54-34 | Cupholder                        |
| 161     | 532 16 46-55 | Extrusion Bumper                 |
| 206     | 532 17 01-65 | Bolt Shoulder 5/16-18            |
| 209     | 817 00 06-12 | Screw Hexwsh Thdr 3/8-16 c-x 3/4 |
| 213     | 532 17 75-87 | Skirt Grille LH                  |
| 214     | 532 17 75-86 | Skirt Grille RH                  |
| 217     | 532 18 54-36 | Console Fuel Window              |
| 278     | 532 19 16-11 | Screw 10 x 3/4 Single Lead-Hex   |

**NOTE:** All component dimensions given in U. S. inches  
1 inch = 25.4 mm

## REPAIR PARTS

TRACTOR - MODEL NO. YTH1542XP (HAU15H42J), PRODUCT NO. 954 17 02-25  
DRIVE

**TRACTOR - MODEL NO. YTH1542XP (HAU15H42J), PRODUCT NO. 954 17 02-25  
DRIVE**



# REPAIR PARTS

## TRACTOR - MODEL NO. YTH1542XP (HAU15H42J), PRODUCT NO. 954 17 02-25 DRIVE


| KEY NO. | PART NO.            | DESCRIPTION                                                                           |
|---------|---------------------|---------------------------------------------------------------------------------------|
| 1       | -----               | Transaxle (Order parts from trans-<br>axle manufacturer)<br>Hydro gear Model 336-0510 |
| 6       | 817 06 05-12        | Screw 5/16-18                                                                         |
| 9       | <b>532 18 05-05</b> | Clutch                                                                                |
| 15      | 874 49 05-44        | Bolt Hex Flghd 5/16-18 Gr. 5                                                          |
| 16      | 873 80 05-00        | Nut Lock Hex W/Ins. 5/16-18 unc                                                       |
| 17      | <b>532 12 61-97</b> | Washer 1-1/2 x 15/32 x .25                                                            |
| 19      | 873 80 06-00        | Nut Lock Hex W/Wsh 3/8-16 unc                                                         |
| 20      | <b>532 17 39-37</b> | Bolt                                                                                  |
| 21      | 532 18 14-54        | Knob Custom Control Cruise                                                            |
| 22      | 532 17 58-96        | Rod, Brake                                                                            |
| 24      | 873 35 06-00        | Nut, Hex Jam 3/8-16 unc                                                               |
| 25      | <b>532 19 20-36</b> | Spring, Brake Rod                                                                     |
| 26      | 819 13 13-16        | Washer                                                                                |
| 27      | 876 02 04-12        | Pin Cotter 1/8 x 3/4 CAD.                                                             |
| 28      | 532 17 57-65        | Rod, Parking Brake                                                                    |
| 29      | 532 07 16-73        | Cap, Brake, Park                                                                      |
| 30      | 532 16 95-92        | Bracket, Transaxle                                                                    |
| 32      | 874 76 05-12        | Bolt Hex Hd 5/16-18 unc x 3/4                                                         |
| 33      | 872 14 05-06        | Bolt                                                                                  |
| 34      | 532 17 55-78        | Shaft, Foot Pedal                                                                     |
| 35      | 532 12 01-83        | Bearing, Nylon                                                                        |
| 36      | 819 21 16-16        | Washer                                                                                |
| 37      | 532 12 49-63        | Pin, Roll                                                                             |
| 38      | 532 17 91-14        | Pulley, Composite                                                                     |
| 39      | 872 11 06-22        | Bolt Rdhd 3/8-16 unc x 2-3/4 Gr. 5                                                    |
| 41      | 532 17 55-56        | Keeper, Belt Idler Flat                                                               |
| 47      | 532 12 77-83        | Pulley, Idler, V-Groove                                                               |
| 48      | 532 15 44-07        | Bellcrank Clutch Grnd Drw Stl                                                         |
| 49      | 532 12 32-05        | Retainer, Belt                                                                        |
| 50      | 872 11 06-12        | Bolt Carr. SH 3/8-16 x 1-1/2 Gr. 5                                                    |
| 51      | 873 68 06-00        | Nut Crownlock 3/8-16 unc                                                              |
| 52      | 873 68 05-00        | Nut, Crownlock 5/16-18 unc                                                            |
| 53      | 532 10 57-10        | Link, Clutch                                                                          |
| 55      | 532 10 57-09        | Spring, Return, Clutch                                                                |
| 56      | 817 06 06-20        | Screw 3/8-16 x 1-1/4                                                                  |
| 57      | 532 14 02-94        | V-Belt, Ground Drive                                                                  |
| 59      | 532 16 96-91        | Keeper, Center Span                                                                   |
| 61      | 817 12 06-14        | Screw 3/8-16 x .875                                                                   |
| 62      | 532 12 48-72        | Cover, Pedal                                                                          |
| 63      | <b>532 17 46-07</b> | Pulley, Engine                                                                        |
| 64      | <b>532 17 39-37</b> | Bolt, Hex 7/16-20 x 4 Gr. 5 - 1.5 Thr.                                                |
| 65      | 810 04 07-00        | Washer                                                                                |
| 66      | 532 15 47-78        | Keeper Belt Engine                                                                    |
| 69      | 532 14 24-32        | Screw Hex Wsh Hi-Lo 1/4-1/2 unc                                                       |
| 74      | 532 13 70-57        | Spacer, Axle                                                                          |

| KEY NO. | PART NO.            | DESCRIPTION                       |
|---------|---------------------|-----------------------------------|
| 75      | 532 12 17-49        | Washer 25/32 x 1-1/4 x 16 Ga.     |
| 76      | 812 00 00-01        | E-Ring                            |
| 77      | 532 12 35-83        | Key, Square                       |
| 78      | 532 12 17-48        | Washer 25/32 x 1-5/8 x 16 Ga.     |
| 89      | 532 19 19-15        | Console, Shift                    |
| 95      | 532 18 08-25        | Rod Bypass                        |
| 96      | 532 12 47-88        | Retainer Spring                   |
| 120     | 873 90 06-00        | Nut Lock Flg 3/8-16 unc           |
| 150     | 532 17 54-56        | Spacer Retainer                   |
| 151     | 819 13 32-10        | Washer 13/32 x 2 x 10 Ga.         |
| 202     | 872 11 06-14        | Bolt Carr Sh 3/8-16 x 1-3/4 Gr. 5 |
| 214     | 532 17 47-35        | Link Transaxle                    |
| 217     | 532 17 94-33        | Pedal Reverse                     |
| 218     | 532 17 47-13        | Arm Control Pedal Reverse         |
| 219     | 532 17 48-39        | Bracket Frest Pdl Ctrl. Hyd       |
| 220     | 532 17 47-11        | Bracket Mtg. Pedal Control        |
| 221     | 872 14 06-06        | Bolt Rdhd Sqnk 3/8-16 unc x 3/4   |
| 222     | 873 68 07-00        | Nut Crownlock 7/16-14 unc         |
| 223     | 532 17 48-40        | Washer Nylon 11/16 ID x .060      |
| 224     | 532 17 47-36        | Pedal Forward                     |
| 225     | 532 17 47-12        | Arm Control Pedal Forward         |
| 226     | 532 17 49-02        | Bolt Pivot Spacer                 |
| 227     | 532 17 47-10        | Cam Reverse Pedal LT              |
| 228     | 532 17 90-32        | Bolt Shoulder 5/16-18             |
| 229     | 532 17 64-51        | Washer Serrated 5/16 x .75        |
| 231     | 532 17 45-73        | Strap Torque                      |
| 232     | 532 17 55-70        | Actuator Cruise Disengage         |
| 233     | 532 17 48-56        | Pawl Control Cruise               |
| 234     | 532 17 48-58        | Lever Control Cruise              |
| 235     | 532 17 48-57        | Sector Control Cruise             |
| 236     | 532 12 89-03        | Bolt Shoulder 3/8-16 unc 1/44     |
| 237     | 532 17 01-65        | Bolt Shoulder 5/16-18             |
| 238     | 532 17 58-07        | Arm Mtg. Cruise Sector            |
| 239     | 817 49 05-08        | Screw Thdrol 5/16 x 1/2           |
| 240     | 532 17 56-10        | Spring Return Cruise Control      |
| 241     | 873 93 04-00        | Nut Centerlock 1/4-20 unc         |
| 242     | 874 78 04-12        | Bolt Fin Hex 1/4-20 unc x .75     |
| 243     | <b>532 19 07-36</b> | Bracket, Anti-Rotation            |
| 244     | 817 49 05-10        | Screw 5/16-18 x 5/8               |
| 251     | 817 06 05-16        | Screw 5/16-18 x 1                 |
| 253     | 532 17 94-22        | Washer .312 x .615 x 16 Ga.       |
| 254     | <b>817 00 06-16</b> | Screw                             |
| 263     | 817 00 06-12        | Screw 3/8-16 x 3/4                |
| 272     | 817 67 05-08        | Screw Thdrol 5/16-18 x 1/2        |
| 273     | 532 17 96-10        | Pad Pedal Reverse                 |
| 274     | 532 17 56-46        | Cover Pedal Forward               |
| 276     | <b>532 17 80 62</b> | Clip Retainer                     |

**NOTE:**All component dimensions give in U.S. inches.  
1 inch = 25.4 mm.

# REPAIR PARTS

TRACTOR - MODEL NO. YTH1542XP (HAU15H42J), PRODUCT NO. 954 17 02-25  
STEERING ASSEMBLY



steering\_stealth\_prem\_3

# REPAIR PARTS


TRACTOR - MODEL NO. YTH1542XP (HAU15H42J), PRODUCT NO. 954 17 02-25  
STEERING ASSEMBLY

| KEY NO. | PART NO.     | DESCRIPTION                    |
|---------|--------------|--------------------------------|
| 1       | 532 16 66-27 | Wheel Steering                 |
| 2       | 532 18 47-06 | Axle Cast Lt Machined          |
| 3       | 532 16 98-40 | Spindle Asm LH                 |
| 4       | 532 16 98-39 | Spindle Asm RH                 |
| 5       | 532 12 49-31 | Bearing Race Thrust Harden     |
| 6       | 532 12 17-48 | Washer 25/32 x 1-5/8 x 16 Ga.  |
| 8       | 812 00 00-29 | Ring Klip #t5304-75            |
| 10      | 532 17 51-21 | Link Drag                      |
| 11      | 810 04 06-00 | Washer Lock Hvy Hlcl Spr 3/8   |
| 12      | 873 94 08-00 | Nut Hex Jam Toplock 1/2-20 unf |
| 13      | 532 13 65-18 | Spacer Brg Axle Front          |
| 15      | 532 14 52-12 | Nut Hex Flange Lock            |
| 17      | 532 17 78-83 | Shaft Asm Strg                 |
| 29      | 817 00 06-12 | Screw 3/8-16 x 3/4             |
| 32      | 532 17 18-88 | Rod Tie                        |
| 33      | 819 11 12-16 | Washer 11/32 x 3/4 x 16 Ga.    |
| 34      | 810 04 05-00 | Washer Lock Hvy Helical 5/16   |
| 35      | 873 54 05-00 | Nut Crown Lock 5/16-24 unf     |
| 36      | 532 15 51-05 | Bushing Strg                   |
| 37      | 532 15 29-27 | Screw                          |
| 38      | 532 16 66-26 | Insert Cap Strg Wh             |
| 39      | 819 18 24-11 | Washer 9/16 x 1-1/2            |
| 40      | 873 54 06-00 | Lock nut                       |
| 41      | 532 15 99-45 | Adaptor Wheel Strg             |
| 42      | 532 19 01-12 | Boot Steering                  |
| 43      | 532 12 17-49 | Washer 25/32 x 1 1/4 x 16 Ga.  |
| 46      | 532 12 12-32 | Cap Spindle Fr Top Blk         |
| 65      | 532 16 03-67 | Spacer Brace Axle              |
| 67      | 872 11 06-18 | Bolt Rdhd Sq 3/8-16 x 2-1/4    |
| 68      | 532 16 98-27 | Axle, Brace                    |
| 71      | 532 17 51-46 | Steering Asm                   |
| 73      | 532 17 75-93 | Extension Steering             |
| 82      | 532 16 98-35 | Bracket Susp Chassis Front     |
| 87      | 532 17 39-66 | Washer Flat .781 x 1-1/2 x .14 |
| 88      | 532 17 51-18 | Bolt Shoulder 7/16-20          |
| 91      | 532 17 55-53 | Clip Steering                  |
| 95      | 532 18 89-67 | Washer Hardened                |

**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm.

# REPAIR PARTS

TRACTOR - MODEL NO. YTH1542XP (HAU15H42J), PRODUCT NO. 954 17 02-25  
ENGINE



engine-kawasaki\_7

| KEY NO. | PART NO.     | DESCRIPTION                                               |
|---------|--------------|-----------------------------------------------------------|
| 1       | 532 17 83-85 | Control Throttle Flg                                      |
| 2       | 532 17 18-75 | Screw HWHD Hi-Low # 13-16 x 5/8                           |
| 3       | -----        | Engine KAWA FH430V (Order Parts from Engine Manufacturer) |
| 4       | 532 14 97-23 | Muffler Asm Twin Lo-Tone                                  |
| 5       | 532 18 14-44 | Exhaust Tube Lh                                           |
| 6       | 532 18 14-42 | Exhaust Tube Rh                                           |
| 8       | 532 17 18-77 | Bolt 5/16-18 unc x 3/4 W/Sems                             |
| 10      | 532 14 66-29 | Shield Browning                                           |
| 13      | -----        | Gasket Muffler (Order from Engine Manufacturer)           |
| 14      | 532 14 84-56 | Tube Drain Oil Easy                                       |
| 23      | 532 16 98-37 | Shield Browning                                           |
| 25      | 532 19 15-96 | Control Choke                                             |
| 29      | 532 13 71-80 | Kit Spark Arrestor (Flat Scrn)                            |
| 31      | 532 17 90-22 | Tank Fuel                                                 |

| KEY NO. | PART NO.     | DESCRIPTION                                                |
|---------|--------------|------------------------------------------------------------|
| 32      | 532 18 18-03 | Cap Asm Fuel                                               |
| 33      | 532 12 34-87 | Clamp Hose Blk                                             |
| 37      | 532 14 21-58 | Line Fuel                                                  |
| 38      | -----        | Plug Drain Oil Easy (Order Parts from Engine Manufacturer) |
| 41      | 532 13 92-77 | Stem Tank Fuel                                             |
| 45      | 817 00 06-12 | Screw Hexwsh Thdr 3/8-16 x 3/4                             |
| 81      | 873 51 04-00 | Nut Keps Hex 1/4-20                                        |
| 101     | 532 18 43-62 | Nut Flange M8-1.25                                         |
| 105     | 817 12 06-16 | Screw 3/8-16 x 1                                           |
| 112     | 532 12 49-52 | Bushing                                                    |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - MODEL NO. YTH1542XP (HAU15H42J), PRODUCT NO. 954 17 02-25  
SEAT ASSEMBLY**




| KEY NO. | PART NO.     | DESCRIPTION                     |
|---------|--------------|---------------------------------|
| 14      | 872 05 04-12 | Bolt Rdhd Sqnk 1/4-20 x 1-1/2   |
| 15      | 532 12 12-49 | Spacer Split 28 x .88 Zinc      |
| 16      | 532 12 37-40 | Spring Cprsn Plate              |
| 17      | 532 12 39-76 | Nut Lock 1/4 Lge Flg Gr. 5 Zinc |
| 21      | 532 17 18-52 | Bolt Shoulder 5/16-18 unc       |
| 22      | 873 80 05-00 | Nut Hex Lock W/Ins 5/16-18      |
| 24      | 819 17 19-12 | Washer 17/32 x 1 -3/16 x 12 Ga. |
| 25      | 532 12 70-18 | Bolt Shoulder 5/16-18 x 62      |

37

REPAIR PARTS


TRACTOR - MODEL NO. YTH1542XP (HAU15H42J), PRODUCT NO. 954 17 02-25  
DECALS



| KEY NO. | PART NO.     | DESCRIPTION                    |
|---------|--------------|--------------------------------|
| 1       | 532 16 88-69 | Decal Tick Mark                |
| 2       | 532 14 50-05 | Decal Battery                  |
| 3       | 532 18 89-21 | Decal Hood RH/LH               |
| 4       | 532 17 83-02 | Decal Operator Cruise          |
| 6       | 532 14 08-37 | Decal Brake Parking            |
| 7       | 532 18 89-25 | Decal Wheel Steering           |
| 9       | 532 18 99-14 | Decal Fender Husq              |
| 10      | 532 14 54-98 | Decal Read Owner's Manual Syms |
| 12      | 532 19 11-62 | Decal Hood                     |
| 13      | 532 18 21-66 | Decal Cutfinger                |

| KEY NO. | PART NO.     | DESCRIPTION               |
|---------|--------------|---------------------------|
| 14      | 532 16 03-96 | Decal V-Belt Schematic    |
| 15      | 532 17 91-28 | Decal Deck "B" 42"        |
| 16      | 532 15 97-37 | Decal Brake/Clutch Symbol |
| 17      | 532 15 97-36 | Decal Chassis Hot Muffler |
| --      | 532 16 25-98 | Decal Draw Bar Load Limit |
| --      | 532 18 14-95 | Pad Footrest LH           |
| --      | 532 18 14-96 | Pad Footrest RH           |
| --      | 532 16 69-60 | Decal By Pass Hydro       |
| --      | 532 19 22-98 | Manual Owner's (English)  |

WHEELS & TIRES




| KEY NO. | PART NO.     | DESCRIPTION                       |
|---------|--------------|-----------------------------------|
| 1       | 532 05 91-92 | Cap Valve Tire                    |
| 2       | 532 06 51-39 | Stem Valve                        |
| 3       | 532 10 62-22 | Tire F Ts 15 x 6 0 - 6 Service    |
| 4       | 532 05 99-04 | Tube Front (Service Item Only)    |
| 5       | 532 13 83-36 | Rim Asm 6" front Silver Service   |
| 6       | 532 12 49-57 | Fitting Grease (Front Wheel Only) |
| 7       | 532 12 49-59 | Bearing Flange (Front Wheel Only) |
| 8       | 532 13 83-37 | Rim Asm 8" rear Silver Service    |
| 9       | 532 12 20-82 | Tire R Ts 20 x 10-8 C Service     |
| 10      | 532 12 49-26 | Tube Rear (Service Item Only)     |
| 11      | 532 17 50-39 | Cap Axle Blk 1 50 x 1 00          |
| --      | 532 14 43-34 | Sealant, Tire ( 10 oz. Tube)      |

NOTE: All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# REPAIR PARTS

TRACTOR - MODEL NO. YTH1542XP (HAU15H42J), PRODUCT NO. 954 17 02-25  
MOWER LIFT



lift-rh.1pc.stlt\_10


| KEY NO. | PART NO.     | DESCRIPTION                        |
|---------|--------------|------------------------------------|
| 1       | 532 15 94-61 | Wire Asm Inner/Spring W/Plunger LT |
| 2       | 532 15 94-76 | Shaft Asm Lift RH w/Inf            |
| 3       | 532 18 88-22 | Pin Groove                         |
| 4       | 812 00 00-02 | E Ring # 5133-62                   |
| 5       | 819 21 16-21 | Washer 21/32 x 1 x 21 Ga.          |
| 6       | 532 12 01-83 | Bearing Nylon Blk 629 Id           |
| 7       | 532 12 56-31 | Grip Handle Fluted Blk             |
| 8       | 532 12 45-26 | Button Plunger Black               |
| 11      | 532 13 98-65 | Link Lift LH                       |
| 12      | 532 13 98-66 | Link Lift RH                       |
| 13      | 532 12 46-70 | Retainer Spring                    |
| 15      | 532 17 32-88 | Link Front                         |
| 16      | 873 35 08-00 | Nut Jam Hex 1/2-13 unc             |
| 17      | 532 17 56-89 | Trunnion                           |
| 18      | 873 80 08-00 | Nut Lock w/Wsh 1/2-13 unc          |
| 19      | 532 13 98-68 | Arm Suspension Rear                |
| 20      | 532 16 35-52 | Retainer Spring                    |
| 23      | 532 11 08-07 | Nut Special                        |

| KEY NO. | PART NO.     | DESCRIPTION                    |
|---------|--------------|--------------------------------|
| 24      | 819 13 10-16 | Washer 13/32 x 5/8 x 16 Ga.    |
| 25      | 532 16 40-24 | Spring                         |
| 26      | 532 16 94-84 | Retainer Clip                  |
| 27      | 532 16 45-43 | Rod Adj Lift                   |
| 28      | 873 35 06-00 | Nut Hex Jam 3/8-16 unc         |
| 29      | 532 13 80-57 | Knob Inf 3/8-16 unc Blk W/sym  |
| 30      | 532 15 02-33 | Trunnion Infin Height          |
| 31      | 532 16 98-65 | Bearing PVT Lift               |
| 32      | 873 54 06-00 | Nut Crownlock 3/8-24           |
| 36      | 532 15 50-97 | Indicator Height STL           |
| 37      | 532 12 39-35 | Plug Hole Blk 1.485/1.515 Dia. |
| 38      | 817 06 05-16 | Screw 5/16-18 x 1              |
| 40      | 819 11 24-10 | Washer 11/32 x 1-1/2 10 Ga.    |
| 41      | 532 15 50-98 | Scale Ind. Height Blk.         |
| 49      | 532 14 52-12 | Nut Hex Flange Lock            |
| 50      | 532 11 04-52 | Nut, Push Phos & Oil           |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# REPAIR PARTS

TRACTOR - MODEL NO. YTH1542XP (HAU15H42J), PRODUCT NO. 954 17 02-25  
MOWER DECK



# REPAIR PARTS

**TRACTOR - MODEL NO. YTH1542XP (HAU15H42J), PRODUCT NO. 954 17 02-25**  
**MOWER DECK**

| KEY NO. | PART NO.     | DESCRIPTION                       | KEY NO. | PART NO.     | DESCRIPTION                                                                                                                                       |
|---------|--------------|-----------------------------------|---------|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| 1       | 532 18 54-38 | Mower Deck Assembly, 42"          | 68      | 532 17 48-83 | V-Belt                                                                                                                                            |
| 2       | 872 14 05-06 | Bolt                              | 91      | 532 18 05-32 | Bracket Asm Noseroller Lh                                                                                                                         |
| 3       | 532 13 80-17 | Bracket Assembly, Sway Bar, Front | 92      | 873 80 06-00 | Nut Lock Hex 3/8-16                                                                                                                               |
| 4       | 532 16 54-60 | Bracket Sway Bar 42" Deck         | 94      | 532 13 22-64 | Roller Nose 38"-50"                                                                                                                               |
| 5       | 532 12 46-70 | Retainer Spring                   | 95      | 532 18 05-33 | Bracket Asm Noseroller Rh                                                                                                                         |
| 6       | 532 17 80-24 | Bar Sway Deck                     | 113     | 817 06 05-12 | Screw 5/16-18 x 3/4 Tap R                                                                                                                         |
| 8       | 532 85 08-57 | Bolt, Hex 3/8-24 x 1.25 Gr. 8     | 116     | 532 18 42-19 | Bolt, Shoulder                                                                                                                                    |
| 9       | 810 03 06-00 | Washer, Lock                      | 117     | 532 13 39-57 | Wheel, Gauge                                                                                                                                      |
| 10      | 532 14 02-96 | Washer, Hardened                  | 118     | 873 93 06-00 | Nut, Centerlock 3/8-16                                                                                                                            |
| 11      | 532 13 89-71 | Blade Mower                       | 119     | 819 12 14-14 | Washer 3/8 x 7/8 x 14 Ga.                                                                                                                         |
| 13      | 532 13 76-45 | Shaft Assembly, Mandrel, Vented   | 129     | 819 13 13-12 | Washer 13/32 x 13/16 x Ga.                                                                                                                        |
| 14      | 532 12 87-74 | Housing, Mandrel, Vented          | 130     | 874 78 06-16 | Bolt Fin Hex 3/8-16 unc x 1 Gr.5                                                                                                                  |
| 15      | 532 11 04-85 | Bearing, Ball, Mandrel            | 131     | 872 14 06-08 | Bolt Rdhd Sqnk 3/8-16 unc x 1                                                                                                                     |
| 16      | 532 17 44-93 | Stripper                          | 132     | 817 00 06-12 | Screw 3/8-16 x .75                                                                                                                                |
| 18      | 872 14 05-05 | Bolt, Carriage 5/16-18 x 5/8      | 134     | 532 15 69-41 | Pin Head Rivet                                                                                                                                    |
| 19      | 532 13 28-27 | Bolt, Shoulder                    | 135     | 532 17 80-74 | Bracket Asm Whl GA R LH                                                                                                                           |
| 20      | 532 15 97-70 | Baffle, Vortex                    | 136     | 532 15 59-86 | Bar Adjusting GA WHL                                                                                                                              |
| 21      | 873 68 05-00 | Nut Crownlock 5/16-18 unc         | 138     | 532 17 80-75 | Bracket Asm Whl GA R RH                                                                                                                           |
| 23      | 532 17 75-63 | Bracket, Deflector                | 139     | 532 17 80-77 | Bracket Asm Whl GA F RH                                                                                                                           |
| 24      | 532 10 53-04 | Cap, Sleeve                       | 140     | 532 17 80-76 | Bracket Asm Whl GA F LH                                                                                                                           |
| 25      | 532 12 37-13 | Spring, Torsion, Deflector        | 143     | 532 15 71-09 | Bracket Arm Idler 42"                                                                                                                             |
| 26      | 532 11 04-52 | Nut, Push                         | 144     | 532 17 34-41 | Keeper Belt 42" Clutch Cable                                                                                                                      |
| 27      | 532 17 18-59 | Shield, Deflector                 | 145     | 532 17 34-37 | Pulley Idler Flat                                                                                                                                 |
| 28      | 819 11 10-16 | Washer 11/32 x 5/8 x 16 Ga.       | 146     | 532 17 34-43 | Bolt Carriage Idler                                                                                                                               |
| 29      | 532 13 14-91 | Rod, Hinge                        | 148     | 532 16 90-22 | Spring Return Idler                                                                                                                               |
| 30      | 532 17 39-84 | Screw Thdrol Hex                  | 149     | 532 16 58-98 | Retainer Spring Yellow Zinc                                                                                                                       |
| 31      | 532 18 76-90 | Washer, Spacer                    | 150     | 819 09 12-10 | Washer 9/32 x 3/4 x 10 Ga.                                                                                                                        |
| 32      | 532 17 34-36 | Pulley, Mandrel                   | 159     | 872 14 06-14 | Bolt Rdhd Sqn 3/8-16 unc x 1- 3/4                                                                                                                 |
| 33      | 532 17 83-42 | Nut, Toplock, Flanged             | 182     | 532 17 91-26 | Rod Roller Nose                                                                                                                                   |
| 34      | 872 11 06-12 | Bolt                              | 183     | 532 16 35-52 | Retainer Spring                                                                                                                                   |
| 36      | 532 17 34-38 | Pulley, Idler, Flat               | 184     | 819 13 14-10 | Washer 13/32 x 7/8 x 10 Ga.                                                                                                                       |
| 40      | 873 90 06-00 | Nut Lock Flg. 3/8-16 unc          | - -     | 532 13 07-94 | Mandrel Assembly (Includes Housing, Shaft and Shaft Hardware Only - Pulley Not Included)                                                          |
| 44      | 532 14 00-88 | Guard, Mandrel, L.H.              | - -     | 532 17 60-50 | Replacement Mower, Complete (Std. Deck-Order separately nose roller and guage wheel components key nos. 91, 94, 95, 132, 182, 183 and 5, 116-119) |
| 45      | 532 12 47-88 | Retainer                          |         |              |                                                                                                                                                   |
| 46      | 532 13 77-29 | Screw, Thd. Roll 1/4-20 x 5/8     |         |              |                                                                                                                                                   |
| 54      | 532 17 85-15 | Washer, Hardened                  |         |              |                                                                                                                                                   |
| 55      | 532 15 50-46 | Arm, Idler                        |         |              |                                                                                                                                                   |
| 56      | 532 12 20-52 | Spacer, Retainer                  |         |              |                                                                                                                                                   |
| 59      | 532 17 34-42 | Guard, TUV Idler                  |         |              |                                                                                                                                                   |
| 61      | 532 17 48-82 | Spring Ext Elect Clutch 42" Dck   |         |              |                                                                                                                                                   |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm