



## Parts Manual

YTH24V54XLS / 96043011402

Gasoline containing up to 10% ethanol (E10) is acceptable for use in this machine.  
The use of any gasoline exceeding 10% ethanol (E10) will void the product warranty.

**532 44 50-50**



Please read the owner's manual carefully and make sure you understand the instructions before using the machine.




**English**

TRACTOR - MODEL NO. YTH24V54XLS (96043011402), PRODUCT NO. 960 43 01-14


SCHEMATIC

SCH12



**TRACTOR - MODEL NO. YTH24V54XLS (96043011402), PRODUCT NO. 9604301-14**  
**ELECTRICAL**

T15S




**TRACTOR - MODEL NO. YTH24V54XLS (96043011402), PRODUCT NO. 9604301-14  
ELECTRICAL**

| KEY<br>NO. | PART<br>NO.  | DESCRIPTION                      |
|------------|--------------|----------------------------------|
| 1          | 532 16 34-65 | Battery                          |
| 2          | 874 76 04-12 | Bolt Hex Head 1/4-20 x 3/4       |
| 8          | 532 18 64-91 | Box Battery                      |
| 16         | 532 17 61-38 | Switch Interlock Push-In         |
| 21         | 532 40 02-52 | Harness Socket Light w/4152J     |
| 22         | 532 00 41-52 | Bulb Light                       |
| 24         | 532 40 02-53 | Cable Battery 8"                 |
| 25         | 532 41 28-95 | Cable Starter                    |
| 26         | 532 17 51-58 | Fuse                             |
| 27         | 873 51 04-00 | Nut Keps Hex 1/4-20 unc          |
| 28         | 532 14 54-91 | Cable, Ground                    |
| 29         | 532 40 15-45 | Switch, Seat                     |
| 30         | 532 19 33-50 | Switch, Ign                      |
| 33         | 532 41 19-33 | Key/Chain                        |
| 34         | 532 11 07-12 | Switch Light / Reset             |
| 40         | 532 40 21-67 | Harness Ign. Dash                |
| 41         | 817 72 04-08 | Screw Thd Cut 1/4-20 x 1/2       |
| 42         | 532 13 15-63 | Cover, Terminal                  |
| 43         | 532 19 25-07 | Solenoid                         |
| 45         | 532 42 52-70 | Ammeter Gauge Round Snap-In      |
| 46         | 532 42 52-71 | Gauge Hrmtr                      |
| 50         | 532 17 46-51 | Switch PTO                       |
| 55         | 817 06 05-12 | Screw Thdrol 5/16-18 x 3/4 TYTT  |
| 59         | 532 40 03-03 | Outlet 12-Volt                   |
| 71         | 532 19 42-76 | Harness Ign. Chassis             |
| 79         | 532 17 52-42 | Socket Asm Bulb Twistlock        |
| 90         | 532 43 53-95 | Cover Terminal                   |
| 91         | 532 19 02-70 | Strap Battery Mount Front        |
| 99         | 817 67 04-12 | Screw Hexwsh Thdrol 1/4-20 x 3/4 |
| 100        | 819 09 14-16 | Washer 9/32 x 7/8 x 16 Ga.       |
| 102        | 532 40 44-54 | Harness Pigtail                  |
| 103        | 532 42 17-47 | Harness 12-Volt Pigtail          |
| 105        | 532 40 75-68 | Switch Reverse TT Pedal Control  |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - MODEL NO. YTH24V54XLS (96043011402), PRODUCT NO. 9604301-14 CHASSIS**



chassis-tex\_GT HUSQ II\_19\_r2


# TRACTOR - MODEL NO. YTH24V54XLS (96043011402), PRODUCT NO. 9604301-14 CHASSIS

| KEY NO. | PART NO.     | DESCRIPTION                 |
|---------|--------------|-----------------------------|
| 3       | 532 43 97-52 | Applique                    |
| 5       | 532 43 74-70 | Dash                        |
| 14      | 532 44 11-77 | Hood                        |
| 15      | 532 43 97-33 | Lens LH                     |
| 18      | 532 43 77-62 | Grille                      |
| 25      | 532 44 33-85 | Lens RH                     |
| 34      | 532 19 61-25 | Plate Engine                |
| 36      | 817 06 05-12 | Screw 5/16-18 x 3/4         |
| 37      | 532 44 11-78 | Fender                      |
| 52      | 873 68 05-00 | Nut Crown Lock 5/16-18      |
| 58      | 532 41 22-80 | Drawbar Upper               |
| 68      | 817 49 05-08 | Screw Thdrol 5/16-18 x 1/2  |
| 130     | 532 41 63-58 | Screw 10 x .750 BOS Thread  |
| 137     | 532 40 75-90 | Bumper Dash                 |
| 150     | 532 43 97-74 | Air Duct                    |
| 151     | 532 43 66-70 | Bracket Pivot Hood          |
| 152     | 532 43 98-70 | Shield Browning             |
| 159     | 817 00 06-12 | Screw 3/8-16 x 3/4          |
| 161     | 532 43 97-81 | Window, Fuel                |
| 162     | 532 14 24-32 | Screw Hex Wsh 1/4 x 1/2 unc |
| 165     | 532 19 68-26 | Support Tank Rear           |
| 175     | 532 19 63-04 | Crossmember                 |
| 176     | 532 40 07-76 | Screw 10-24 x 5/8           |
| 177     | 532 19 52-27 | Bushing Steering            |
| 178     | 532 19 97-82 | Cargo Net Asm.              |
| 180     | 532 41 50-63 | Chassis                     |
| 182     | 532 40 68-59 | Dash Lower                  |
| 183     | 874 52 05-20 | Bolt 5/16-18 x1-1/4         |
| 189     | 817 00 05-12 | Screw 5/16-18 x 3/4         |
| 191     | 532 43 74-55 | Insert Reflective RH        |
| 194     | 873 90 05-00 | Nut Lock Hex Flange 5/16-18 |
| 199     | 532 41 34-85 | Plate Deck Lift             |
| 202     | 532 43 97-28 | Vent Side Hood RH           |

| KEY NO. | PART NO.     | DESCRIPTION                    |
|---------|--------------|--------------------------------|
| 203     | 532 43 97-27 | Vent Side Hood LH              |
| 204     | 532 43 74-61 | Vent Top Hood                  |
| 205     | 532 43 97-30 | Skirt Hood Side RH             |
| 206     | 532 43 97-29 | Skirt Hood Side LH             |
| 207     | 532 43 97-34 | Bezel RH                       |
| 208     | 532 43 97-35 | Bezel LH                       |
| 213     | 874 76 05-12 | Bolt Hex HD. 5/16-18 unc x 3/4 |
| 214     | 532 19 91-45 | Clip Retainer Tinner           |
| 217     | 532 40 91-67 | Rod Pivot                      |
| 218     | 532 19 63-95 | X-Piece Hood Stop              |
| 228     | 532 19 51-61 | Stud Fastner                   |
| 233     | 532 19 65-39 | Bolt, Shoulder                 |
| 234     | 532 40 47-42 | Bumper Hood                    |
| 235     | 532 40 61-29 | Spacer Fender                  |
| 236     | 873 93 05-00 | Nut Lock 5/16-18 unc           |
| 282     | 532 41 41-10 | Clip Retainer                  |
| 283     | 532 43 98-61 | Console Deck Lift              |
| 284     | 532 43 98-23 | Console Cntrl. Pdl.            |
| 285     | 532 41 63-15 | Console Insert RH              |
| 286     | 532 41 63-17 | Console Insert LH              |
| 287     | 817 60 04-06 | Screw Hex Washead 1/4-20 x 3/8 |
| 297     | 532 43 74-56 | Insert Reflective LH           |
| 335     | 532 43 98-47 | Cover Lower RH                 |
| 336     | 532 43 98-46 | Cover Lower LH                 |
| 337     | 532 43 81-37 | Fastener                       |
| 346     | 532 12 64-71 | Clip Insulator                 |
| - -     | 532 42 49-18 | Kit Guard Brush                |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - MODEL NO. YTH24V54XLS (96043011402), PRODUCT NO. 9604301-14**  
**DRIVE**




drive-tex\_K46\_pedal\_27\_r2

# TRACTOR - MODEL NO. YTH24V54XLS (96043011402), PRODUCT NO. 9604301-14 DRIVE

| KEY NO. | PART NO.     | DESCRIPTION                                                                 | KEY NO. | PART NO.     | DESCRIPTION                         |
|---------|--------------|-----------------------------------------------------------------------------|---------|--------------|-------------------------------------|
| 1       | — — — — —    | Transaxle, TUFFTORQ K46CR (426121)(Order parts from transaxle manufacturer) | 184     | 532 44 14-55 | Handle Parking Brake                |
| 2       | 532 12 35-83 | Key                                                                         | 185     | 872 11 06-22 | Bolt Rdhd Sqnk 3/8-16 x 2-3/4 Gr. 5 |
| 15      | 819 13 13-16 | Washer 13/32 x 13/16 x 16 Ga.                                               | 186     | 532 19 43-21 | Spacer Retainer                     |
| 17      | 532 41 36-78 | Spring, Brake                                                               | 187     | 819 13 32-10 | Washer                              |
| 26      | 532 19 96-79 | Spring Return Cruise                                                        | 188     | 532 19 43-23 | Link Clutch Ground Drive            |
| 29      | 532 40 38-06 | Rod, Brake                                                                  | 189     | 532 19 43-17 | Bellcrank Ground Drive              |
| 33      | 812 00 00-01 | Ring E                                                                      | 190     | 532 19 43-18 | Keeper Bellcrank Ground Drive       |
| 35      | 532 43 54-86 | Rod, Brake, Park                                                            | 196     | 817 00 06-16 | Screw 3/8-16 x 1                    |
| 42      | 532 12 48-72 | Cover, Foot Pedal                                                           | 197     | 532 19 58-04 | Bracket Clutch Anti-Rotation        |
| 49      | 872 11 06-14 | Bolt                                                                        | 205     | 532 12 17-48 | Washer                              |
| 50      | 532 19 43-27 | Pulley Idler Flat                                                           | 206     | 532 19 78-67 | Bracket Mount Latch Cruise          |
| 51      | 873 90 06-00 | Lock Nut 3/8-16                                                             | 207     | 532 19 78-68 | Latch Control Cruise                |
| 52      | 532 19 43-26 | Idler V-Groove 910" Offset                                                  | 208     | 532 19 78-69 | Gear Sector Control Cruise          |
| 56      | 532 13 09-69 | V-Belt, Drive                                                               | 209     | 532 19 95-92 | Rod Control Cruise                  |
| 64      | 532 19 78-65 | Shaft Asm. Pedal Brake Control                                              | 210     | 532 40 09-80 | Rocker Asm. Pedal Control           |
| 73      | 874 49 05-40 | Bolt Hex Flghd 5/16-18 Gr. 5                                                | 211     | 532 12 01-83 | Bearing Nylon                       |
| 80      | 532 44 06-19 | Strap Torque                                                                | 213     | 532 40 31-19 | Knob Control Cruise                 |
| 92      | 874 76 05-20 | Bolt Fin Hex 5/16-18 unc x 1.25                                             | 214     | 532 41 68-63 | Pedal Forward                       |
| 99      | 532 41 57-42 | Rod Spring Bypass                                                           | 215     | 532 40 17-23 | Pedal Reverse                       |
| 116     | 873 90 05-00 | Nut Lock Hex Flange 5/16-18                                                 | 216     | 532 19 61-31 | Bracket Pulley Idler                |
| 125     | 817 00 05-12 | Screw 5/16-18 x 3/4                                                         | 221     | 532 40 31-87 | Retainer Spring Clip Handle         |
| 143     | 817 49 05-08 | Screw 5/16-18 x 1/2                                                         | 222     | 879 21 20-10 | Washer 21/32 x 1-1/4 x 10 Ga.       |
| 153     | 532 12 47-88 | Retainer Spring                                                             | 225     | 532 40 33-19 | Keeper Belt Trans.                  |
| 159     | 876 02 04-12 | Pin Cotter 1/8 x 3/4                                                        | 226     | 532 40 15-64 | Bracket Mount Touque                |
| 160     | 532 16 94-84 | Retainer Clip                                                               | 227     | 817 49 05-12 | Screw 5/16-18 x 3/4                 |
| 161     | 532 10 57-09 | Spring, Return, Clutch                                                      | 230     | 532 18 89-67 | Washer Hardened                     |
| 163     | 532 40 10-34 | Rod Pedal Control                                                           | 231     | 532 40 72-87 | Idler V-Groove                      |
| 166     | 532 42 91-64 | Nut Push                                                                    | 284     | 532 41 76-93 | Nut U CHNL 1/4-20 550DP .350 PNL    |
| 167     | 532 40 52-57 | Latch Brake Parking                                                         | 307     | 874 18 04-12 | Screw 1/4-20 x 3/4                  |
| 170     | 532 41 34-30 | Keeper Belt Centerspan                                                      |         |              |                                     |
| 183     | 532 13 70-57 | Spacer Split                                                                |         |              |                                     |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# TRACTOR - MODEL NO. YTH24V54XLS (96043011402), PRODUCT NO. 960 43 01-14 ENGINE



engine-tex\_Kawa-2cyl\_6\_r1

| KEY NO. | PART NO.     | DESCRIPTION                                                                      |
|---------|--------------|----------------------------------------------------------------------------------|
| 1       | ---          | Engine KAWA Model No. FR691V-AS15 (438924)(Order parts from engine manufacturer) |
| 2       | 532 14 97-23 | Muffler                                                                          |
| 9       | 532 19 43-20 | Keeper Belt Engine                                                               |
| 11      | 532 40 00-08 | Clutch                                                                           |
| 12      | 532 40 50-97 | Pulley Engine                                                                    |
| 14      | 532 14 84-56 | Tube Drain Oil                                                                   |
| 15      | 532 43 80-80 | Tank Fuel                                                                        |
| 18      | 532 43 92-08 | Cap Asm                                                                          |
| 20      | 532 42 43-41 | Control Throttle                                                                 |
| 21      | 532 41 63-58 | Screw #10 x .750 BOS Thread                                                      |
| 22      | 532 19 15-96 | Control Choke                                                                    |
| 28      | 532 14 21-58 | Fuel Line                                                                        |
| 29      | 532 13 71-80 | Spark Arrester Kit                                                               |
| 37      | 532 12 34-87 | Clamp Hose                                                                       |
| 41      | 532 12 61-97 | Washer 1-1/2 OD x 15/32 ID x .250                                                |
| 42      | 810 04 07-00 | Washer Lock 7/16                                                                 |
| 45      | 873 51 04-00 | Nut Keps Hex 1/4-20 unc                                                          |

| KEY NO. | PART NO.     | DESCRIPTION                          |
|---------|--------------|--------------------------------------|
| 62      | 532 43 40-17 | Heat Shield                          |
| 69      | 532 17 81-51 | Gasket                               |
| 70      | 532 42 47-65 | Tube Exhaust LH                      |
| 71      | 532 42 47-66 | Tube Exhaust RH                      |
| 85      | 532 17 39-37 | Bolt Hex 7/16-20 x 4 x Gr. 5-1.5 Thr |
| 86      | 532 18 43-62 | Nut Hex Flange Toplock M8-1.25       |
| 87      | 537 17 18-77 | Bolt 5/16-18 UNC x 3/4 w/Sems        |
| 90      | 817 00 06-16 | Screw 3/8-16 x 1                     |
| 91      | 532 18 74-95 | Bushing                              |
| 92      | 817 12 06-16 | Screw 3/8-16 x 1                     |
| 116     | 539 13 26-24 | Knob Soft Touch                      |


**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

For engine service and replacement parts, call the toll free number for your engine manufacturer listed below:

Kawasaki 1-949-460-5688

# TRACTOR - MODEL NO. YTH24V54XLS (96043011402), PRODUCT NO. 960 43 01-14

## STEERING ASSEMBLY




| KEY NO. | PART NO.     | DESCRIPTION                    |
|---------|--------------|--------------------------------|
| 1       | 532 43 97-40 | Wheel, Steering                |
| 2       | 532 19 59-68 | Axle Asm., Front               |
| 4       | 532 40 30-87 | Spindle Asm. LH                |
| 5       | 532 40 30-88 | Spindle Asm. RH                |
| 6       | 532 12 49-31 | Bearing, Race Thrust Harden    |
| 7       | 532 12 17-48 | Washer 25/32 x 1-5/8 x 16 Ga.  |
| 8       | 812 00 00-29 | Ring, Clip #T5304-75           |
| 9       | 532 12 12-32 | Cap, Spindle                   |
| 13      | 532 12 17-49 | Washer 25/32 x 1-1/4 x 16 Ga.  |
| 14      | 810 04 06-00 | Washer, Lock Hvy Hlcl Spr 3/8  |
| 15      | 873 54 06-00 | Nut, Crown Lock 3/8-24 unf     |
| 16      | 532 40 82-19 | Shaft Steering                 |
| 19      | 532 19 47-29 | Plate Steering                 |
| 21      | 532 18 67-37 | Adapter, Wheel Steering        |
| 22      | 532 42 05-37 | Steering Support Lower         |
| 26      | 532 43 97-43 | Insert, Wheel Steering         |
| 28      | 817 00 06-12 | Screw 3/8-16 x 3/4             |
| 35      | 532 19 47-32 | Gear, Sector Plate             |
| 45      | 819 18 38-12 | Washer 9/16 x 2-3/8 x 12 Ga.   |
| 51      | 873 94 08-00 | Nut Hex Jam Toplock 1/2-20 unf |

| KEY NO. | PART NO.     | DESCRIPTION                         |
|---------|--------------|-------------------------------------|
| 53      | 532 18 89-67 | Washer Hardened .793 x 1.637 x .060 |
| 57      | 532 19 72-46 | Bracket Upstop                      |
| 58      | 532 19 47-47 | Bolt Shoulder Sector Pivot CFM      |
| 59      | 532 19 47-48 | Washer Thrust Sector Steering       |
| 60      | 873 97 10-00 | Nut Flange Lock 5/8-11              |
| 61      | 532 19 47-40 | Draglink, LH                        |
| 62      | 532 19 47-41 | Draglink, RH                        |
| 63      | 817 00 05-12 | Screw 5/16-18 x 3/4                 |
| 64      | 532 19 98-49 | Retainer Clip Spring Steering       |
| 66      | 871 02 07-48 | Bolt Hex Fghd 7/16-14 x 3 Serr      |
| 67      | 532 19 47-37 | Bushing PM Front Axle               |
| 68      | 873 90 07-00 | Nut Lock Flange 7/16-14 Gr. 5       |
| 69      | 532 19 91-62 | Washer 1.5 x .505 x .118            |
| 70      | 532 19 61-97 | Bracket Deck Susp. Front            |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - MODEL NO. YTH24V54XLS (96043011402), PRODUCT NO. 9604301-14**  
**MOWER DECK**




mower\_deck 54-tex\_16\_r2

# TRACTOR - MODEL NO. YTH24V54XLS (96043011402), PRODUCT NO. 9604301-14 MOWER DECK

| KEY NO. | PART NO.     | DESCRIPTION                     | KEY NO. | PART NO.     | DESCRIPTION                                                                                                                   |
|---------|--------------|---------------------------------|---------|--------------|-------------------------------------------------------------------------------------------------------------------------------|
| 1       | 532 44 50-61 | Deck Weldment Mower             | 59      | 532 18 73-44 | Baffle Left                                                                                                                   |
| 6       | 532 19 60-66 | Cover Mandrel LH                | 60      | 532 18 76-07 | Baffle Center                                                                                                                 |
| 7       | 532 19 71-81 | Cover Mandrel RH                | 97      | 532 17 85-15 | Washer Hardened                                                                                                               |
| 8       | 532 19 30-03 | Bolt 7/16 Asm. Blade            | 98      | 532 19 61-05 | Spring Drive                                                                                                                  |
| 11      | 532 18 72-56 | Blade                           | 113     | 872 11 05-08 | Bolt Rdhd. Sqnk. 5/16-18 x 3/4                                                                                                |
| 12      | 532 40 48-51 | Rod Anti-Sway                   | 114     | 532 18 75-56 | Rod Tension Relief                                                                                                            |
| 13      | 532 18 72-91 | Shaft Asm. w/Lower Bearing      | 116     | 532 19 34-06 | Bolt, Shoulder                                                                                                                |
| 14      | 532 18 72-81 | Housing, Mandrel                | 117     | 532 17 48-73 | Gauge Wheel                                                                                                                   |
| 15      | 532 11 04-85 | Bearing, Ball, Mandrel          | 120     | 819 13 20-12 | Washer 13/32 x 1-1/4 x 12 Ga.                                                                                                 |
| 16      | 819 13 13-12 | Washer 13/32 x 13/16 x 12 Ga.   | 122     | 532 18 75-57 | Bushing Tension Relief                                                                                                        |
| 18      | 872 14 05-05 | Bolt 5/16-18 x 5/8              | 184     | 873 90 05-00 | Nut Lock Hex Flange                                                                                                           |
| 19      | 532 19 42-08 | Pin Cotter 5/16 Bow Tie Lock    | 185     | 873 90 07-00 | Nut Lock Flange 7/16-14 Gr. 5                                                                                                 |
| 21      | 873 68 05-00 | Nut, Crownlock 5/16-18 unc      | 187     | 532 19 51-61 | Stud Fastener w/"D" Anti-Rotation                                                                                             |
| 24      | 532 10 53-04 | Cap Sleeve                      | 189     | 532 19 51-85 | Arm Susp. Mower Rear                                                                                                          |
| 25      | 532 17 81-02 | Spring, Torsion                 | 190     | 532 19 65-39 | Bolt Shoulder                                                                                                                 |
| 26      | 532 11 04-52 | Nut, Push                       | 192     | 532 19 84-68 | Keeper Belt Idler                                                                                                             |
| 27      | 532 18 89-38 | Deflector Shield                | 194     | 874 49 07-36 | Bolt Hex Washead 7/16                                                                                                         |
| 29      | 532 13 14-91 | Rod, Hinge                      | 196     | 872 14 06-20 | Bolt 3/8-16 x 2-1/2 Gr. 5                                                                                                     |
| 30      | 532 17 39-84 | Screw, Thdrol. Washer Head      | 197     | 872 14 05-08 | Bolt 5/16-18 unc x 1                                                                                                          |
| 31      | 532 18 76-90 | Washer, Spacer Mower Vented     | 241     | 532 15 29-27 | Screw TT #10-32.5 3/8 Flange                                                                                                  |
| 32      | 532 15 35-35 | Pulley, Mandrel                 | 242     | 532 41 55-98 | Port Washout                                                                                                                  |
| 33      | 532 40 02-34 | Nut, Flg. Top Lock              | - -     | 532 18 72-92 | Mandrel Assembly (Includes housing, shaft assembly, and bearing only - pulley/nut/washer and blade bolt/washers not included) |
| 34      | 873 68 06-00 | Nut Crownlock 3/8-16 unc        | - -     | 532 41 82-29 | Replacement Mower, Complete                                                                                                   |
| 39      | 532 19 73-80 | Pulley, Idler, Stationary LH    |         |              |                                                                                                                               |
| 43      | 532 19 60-65 | Arm, Idler                      |         |              |                                                                                                                               |
| 46      | 532 13 77-29 | Screw, Thdrol. 1/4-20 x 5/8     |         |              |                                                                                                                               |
| 47      | 532 19 61-03 | Belt Deck Drive                 |         |              |                                                                                                                               |
| 49      | 873 90 06-00 | Nut, Lock Flg. 3/8-16 unc       |         |              |                                                                                                                               |
| 50      | 872 11 06-16 | Bolt Rdhd. Sqnk. 3/8-16 unc x 2 |         |              |                                                                                                                               |
| 52      | 532 19 73-79 | Pulley Idler                    |         |              |                                                                                                                               |
| 58      | 532 18 73-42 | Baffle Right                    |         |              |                                                                                                                               |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - MODEL NO. YTH24V54XLS (96043011402), PRODUCT NO. 960 43 01-14**  
**MOWER LIFT**




| KEY NO. | PART NO.     | DESCRIPTION                  |
|---------|--------------|------------------------------|
| 2       | 532 42 20-27 | Shaft Asm., Lift             |
| 3       | 532 19 52-31 | Lever Asm., Lift RH          |
| 7       | 532 41 15-55 | Grip, Lever                  |
| 10      | 532 19 63-14 | Spring Torsion               |
| 87      | 532 19 42-09 | Pin Cotter 7/16 Bow Tie Lock |
| 88      | 532 41 07-10 | Spring Lift Assist           |
| 89      | 819 19 19-12 | Washer Clear Zinc            |

| KEY NO. | PART NO.     | DESCRIPTION                  |
|---------|--------------|------------------------------|
| 90      | 532 19 42-08 | Pin Cotter 5/16 Bow Tie Lock |
| 91      | 532 40 34-07 | Link Lift Susp Mower Rear    |
| 97      | 817 00 06-12 | Screw 3/8-16 x .75           |
| 98      | 532 19 52-64 | Link Lift Susp. Front Mower  |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# TRACTOR - MODEL NO. YTH24V54XLS (96043011402), PRODUCT NO. 9604301-14 SEAT ASSEMBLY




seat-tex\_6.5SL\_2

| KEY NO. | PART NO.     | DESCRIPTION                   |
|---------|--------------|-------------------------------|
| 1       | 532 42 40-71 | Seat                          |
| 2       | 532 18 01-66 | Bracket Pivot Fender          |
| 3       | 532 14 06-75 | Strap, Asm Fender             |
| 6       | 873 80 06-00 | Nut, Lock w/Ins. 3/8-16 unc   |
| 7       | 532 12 41-81 | Spring, Seat Cprsn            |
| 8       | 532 17 18-77 | Bolt 5/16-18 unc x 3/4 w/Sems |
| 10      | 532 19 69-77 | Pan, Seat                     |
| 21      | 532 17 18-52 | Bolt, Shoulder 5/16-18        |

| KEY NO. | PART NO.     | DESCRIPTION                   |
|---------|--------------|-------------------------------|
| 37      | 873 80 05-00 | Nut, Lock 5/16-18 unc         |
| 40      | 532 43 98-71 | Handle Slide Seat             |
| 41      | 532 19 82-00 | Spring Latch Seat             |
| 43      | 874 76 06-12 | Bolt Fin Hex 3/8-16 unc x 3/4 |
| 44      | 819 13 38-12 | Washer 13/32 x 2-3/8 x 12 Ga. |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm


TRACTOR - MODEL NO. YTH24V54XLS (96043011402), PRODUCT NO. 960 43 01-14  
DECALS



| KEY NO. | PART NO.     | DESCRIPTION                  |
|---------|--------------|------------------------------|
| 1       | 532 41 16-57 | Decal, Operators             |
| 2       | 532 42 91-96 | Decal, Hood Badge            |
| 3       | 532 44 06-33 | Decal, Panel SD              |
| 4       | 532 19 87-85 | Decal, Sch.                  |
| 5       | 532 42 38-29 | Decal, Customer Respons.     |
| 6       | 532 44 02-33 | Decal, Replacement           |
| 7       | 532 41 86-00 | Decal, Pedal Husq. Crown     |
| 8       | 532 17 05-63 | Decal, Warn. Keep Hands Away |

| KEY NO. | PART NO.     | DESCRIPTION               |
|---------|--------------|---------------------------|
| 9       | 532 14 50-05 | Decal, Battery Dnge/Poi   |
| 10      | 532 17 84-55 | Caution Tension AR.       |
| --      | 532 16 69-60 | Decal, Bypass             |
| --      | 532 43 96-81 | Pad, Footrest, LH         |
| --      | 532 43 96-82 | Pad, Foot Pedal, RH       |
| --      | 532 44 50-50 | Manual, Owner's (English) |
| --      | 532 44 50-51 | Manual, Owner's (Spanish) |

WHEELS AND TIRES



| KEY NO. | PART NO.     | DESCRIPTION                       |
|---------|--------------|-----------------------------------|
| 1       | 532 05 91-92 | Cap Valve Tire                    |
| 2       | 532 06 51-39 | Stem Valve                        |
| 3       | 532 13 83-36 | Rim Front Service                 |
| 4       | 532 05 99-04 | Tube Front (Service Item Only)    |
| 5       | 532 10 62-22 | Tire TM Front 16 x 6-6            |
| 6       | 532 12 49-57 | Fitting Grease (Front Wheel Only) |
| 7       | 532 12 49-59 | Bearing Flange (Front Wheel Only) |
| 8       | 532 17 50-39 | Cap Axle Blk 1 50 x 1 00          |
| 9       | 532 13 84-68 | Tire R. 20 x 8-8                  |
| 10      | 532 12 49-26 | Tube Rear (Service Item Only)     |
| 11      | 532 13 83-37 | Rim Asm 8" rear Service           |
| --      | 532 14 43-34 | Sealant, Tire (10 oz. Tube)       |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

## SUGGESTED GUIDE FOR SIGHTING SLOPES FOR SAFE OPERATION

