


# ILLUSTRATED PARTS LIST

**MFG. ID NO. 96041040300**

**CUSTOMER CATALOG NO. YTH2642TDF**


**PRODUCT NO. 960 41 04-03**



**47**

**590501401**


**TRACTOR - - MODEL NO. YTH2642TDF (96041040300), PRODUCT NO. 960 41 04-03**  
**DECALS 27**



| KEY NO. | PART NO.     | DESCRIPTION                  |
|---------|--------------|------------------------------|
| 1       | 581 57 97-01 | Decal, Engine Warn.          |
| 2       | 590 88 49-01 | Decal, Deck Warn.            |
| 3       | 589 35 79-01 | Decal, Warn. No Step         |
| 4       | 586 04 73-02 | Decal, Tractor Saddle        |
| 5       | 586 97 88-01 | Decal, Deflect. Warn.        |
| 8       | 581 58 00-01 | Decal, Mower Sch.            |
| 10      | 587 01 51-01 | Decal, Reserve Fuel Selector |
| 14      | 590 51 19-01 | Decal, Panel Side            |
| 15      | 590 50 14-01 | Decal, Rep. Parts            |

| KEY NO. | PART NO.     | DESCRIPTION                         |
|---------|--------------|-------------------------------------|
| 16      | 581 62 73-01 | Decal, Hood Logo                    |
| 18      | 581 57 96-01 | Decal, Chassis Hot Muffler          |
| --      | 501 74 90-01 | Decal, Drawbar Locking Differential |
| --      | 581 72 46-01 | Decal, Drawbar                      |
| --      | 581 72 48-01 | Decal, Bypass                       |
| --      | 532 43 98-82 | Pad, Footrest, LH                   |
| --      | 532 43 98-81 | Pad, Footrest, RH                   |
| --      | 115 88 07-80 | Manual, Operator's (English)        |

**WHEELS AND TIRES**




| KEY NO. | PART NO.     | DESCRIPTION                        |
|---------|--------------|------------------------------------|
| 1       | 532 05 91-92 | Cap, Valve, Tire                   |
| 2       | 532 06 51-39 | Stem, Valve                        |
| 3       | 532 13 83-36 | Rim Assembly, Front                |
| 4       | 532 05 99-04 | Tube, Front (Service Item Only)    |
| 5       | 532 17 04-55 | Tire, Front 15 x 6-6               |
| 6       | 532 00 02-78 | Fitting, Grease (Front Wheel Only) |
| 7       | 532 00 90-40 | Bearing, Flange (Front Wheel Only) |
| 8       | 532 17 50-39 | Cap, Axle                          |
| 9       | 532 17 04-56 | Tire, Rear 20 x 10-8               |
| 10      | 532 00 71-52 | Tube, Rear (Service Item Only)     |
| 11      | 532 13 83-37 | Rim Assembly, Rear                 |
| --      | 532 14 43-34 | Sealant, Tire (10 oz. Tube)        |


**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

TRACTOR - - MODEL NO. YTH2642TDF (96041040300), PRODUCT NO. 960 41 04-03  
SCHEMATIC 38

SCH12



**TRACTOR - - MODEL NO. YTH2642TDF (96041040300), PRODUCT NO. 960 41 04-03**  
**ELECTRICAL 32**




**TRACTOR - - MODEL NO. YTH2642TDF (96041040300), PRODUCT NO. 960 41 04-03**  
**ELECTRICAL 32**

| KEY<br>NO. | PART<br>NO.  | DESCRIPTION                      |
|------------|--------------|----------------------------------|
| 1          | 532 16 34-65 | Battery                          |
| 2          | 874 76 04-12 | Bolt Hex Head 1/4-20 x 3/4       |
| 8          | 587 20 51-01 | Box Battery                      |
| 16         | 532 17 61-38 | Switch Interlock                 |
| 21         | 532 40 02-52 | Harness Light                    |
| 22         | 532 00 41-52 | Bulb Light                       |
| 24         | 585 55 56-01 | Cable Battery                    |
| 25         | 585 55 55-01 | Cable Starter                    |
| 26         | 532 17 51-58 | Fuse                             |
| 27         | 873 51 04-00 | Nut Keps Hex 1/4-20 unc          |
| 28         | 532 41 65-88 | Cable, Ground                    |
| 29         | 532 40 15-45 | Switch, Seat                     |
| 30         | 532 19 33-50 | Switch, Ign.                     |
| 33         | 532 41 19-35 | Key/Chain                        |
| 34         | 532 11 07-12 | Switch Light                     |
| 40         | 501 13 29-01 | Harness Ign. Dash                |
| 41         | 817 72 04-08 | Screw Thd Cut 1/4-20 x 1/2       |
| 42         | 532 13 15-63 | Cover, Terminal                  |
| 43         | 582 04 28-01 | Solenoid                         |
| 46         | 594 91 91-01 | Gauge Hourmeter Delta Snapin     |
| 50         | 582 10 76-01 | Switch PTO                       |
| 55         | 817 06 05-12 | Screw 5/16-18 x 3/4              |
| 71         | 532 19 42-76 | Harness Ign. Chassis             |
| 79         | 532 17 52-42 | Socket Asm Bulb Twistlock        |
| 90         | 532 43 53-95 | Cover Terminal Battery           |
| 99         | 817 67 04-12 | Screw Hexwsh Thdrol 1/4-20 x 3/4 |
| 100        | 819 09 14-16 | Washer 9/32 x 7/8 x 16 Ga.       |
| 102        | 532 40 44-54 | Harness Pigtail                  |
| 105        | 532 40 75-68 | Switch Reverse TT Pedal Control  |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - - MODEL NO. YTH2642TDF (96041040300), PRODUCT NO. 960 41 04-03**  
**CHASSIS AND ENCLOSURES 39**




**TRACTOR - - MODEL NO. YTH2642TDF (96041040300), PRODUCT NO. 960 41 04-03**  
**CHASSIS AND ENCLOSURES 39**

| KEY NO. | PART NO.     | DESCRIPTION                 |
|---------|--------------|-----------------------------|
| 2       | 532 41 22-82 | Drawbar Lower               |
| 3       | 532 44 44-81 | Applique                    |
| 5       | 590 74 88-11 | Dash                        |
| 14      | 532 44 11-77 | Hood                        |
| 15      | 532 43 97-33 | Lens LH                     |
| 18      | 587 52 34-01 | Grille                      |
| 25      | 532 44 33-85 | Lens RH                     |
| 36      | 817 06 05-12 | Screw 5/16-18 x 3/4         |
| 37      | 532 44 12-08 | Fender                      |
| 58      | 532 41 22-81 | Drawbar Upper               |
| 68      | 539 99 08-58 | Screw Thdrol 5/16-18 x 1/2  |
| 125     | 581 68 48-01 | Clip Fuel Line              |
| 130     | 532 41 63-58 | Screw 10 x .750 BOS Thread  |
| 137     | 532 40 75-90 | Bumper Dash                 |
| 146     | 581 85 79-01 | Bolt                        |
| 150     | 532 43 97-74 | Air Duct                    |
| 151     | 532 43 66-70 | Bracket Pivot Hood          |
| 152     | 532 43 98-70 | Shield Browning             |
| 159     | 817 00 06-12 | Screw 3/8-16 x 3/4          |
| 161     | 532 43 99-29 | Window, Fuel                |
| 162     | 532 14 24-32 | Screw Hex Wsh 1/4 x 1/2 unc |
| 165     | 532 19 43-30 | Support Tank Rear           |
| 175     | 590 60 77-02 | Crossmember                 |
| 176     | 532 40 07-76 | Screw 10-24 x 5/8           |
| 177     | 532 19 52-28 | Bushing Steering            |
| 180     | 593 34 63-02 | Chassis                     |
| 182     | 532 40 68-59 | Dash Lower                  |
| 183     | 874 52 05-20 | Bolt 5/16-18 x1-1/4         |
| 189     | 817 00 05-12 | Screw 5/16-18 x 3/4         |

| KEY NO. | PART NO.     | DESCRIPTION                 |
|---------|--------------|-----------------------------|
| 191     | 532 43 74-55 | Insert Reflective RH        |
| 194     | 873 90 05-00 | Nut Lock Hex Flange 5/16-18 |
| 195     | 532 40 41-37 | Plug Hole Dash              |
| 196     | 532 43 97-16 | Console Deck Lift           |
| 199     | 532 19 82-59 | Plate Deck Lift             |
| 202     | 532 43 97-28 | Vent Side Hood RH           |
| 203     | 532 43 97-27 | Vent Side Hood LH           |
| 204     | 532 43 57-14 | Vent Top Hood               |
| 205     | 532 43 97-30 | Trim Hood Side RH           |
| 206     | 532 43 97-29 | Trim Hood Side LH           |
| 207     | 587 46 48-01 | Bezel RH                    |
| 208     | 587 46 45-01 | Bezel LH                    |
| 214     | 532 19 91-45 | Clip Retainer Tinner        |
| 217     | 532 40 91-67 | Rod Pivot                   |
| 221     | 532 19 89-09 | Reflector LH                |
| 228     | 532 19 51-61 | Stud Fastner                |
| 235     | 532 40 61-29 | Spacer Fender               |
| 236     | 873 93 05-00 | Nut Lock 5/16-18 unc        |
| 281     | 817 00 06-16 | Screw 3/8-16 x 1 Sgml       |
| 297     | 532 43 74-56 | Insert Reflective LH        |
| 306     | 873 90 06-00 | Nut Lock                    |
| 335     | 532 44 82-04 | Cover RH Lower Close Out    |
| 336     | 532 44 53-09 | Cover LH Lower Close Out    |
| 350     | 532 44 51-43 | Clip X-mas Tree             |
| 375     | 586 90 82-01 | Dash Clip-On Bumper         |
| - -     | 532 40 09-44 | Bumper                      |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

TRACTOR - - MODEL NO. YTH2642TDF (96041040300), PRODUCT NO. 960 41 04-03  
 DRIVE **40**




drive-tex\_K46\_pedal\_204

**TRACTOR - - MODEL NO. YTH2642TDF (96041040300), PRODUCT NO. 960 41 04-03**  
**DRIVE 40**

| KEY NO. | PART NO.     | DESCRIPTION                                                                      | KEY NO. | PART NO.     | DESCRIPTION                    |
|---------|--------------|----------------------------------------------------------------------------------|---------|--------------|--------------------------------|
| 1       | — — — — —    | Transaxle, TUFFTORQ K46CR (501051401) (Order parts from transaxle manufacturer.) | 184     | 587 65 37-01 | Handle Parking Brake           |
| 2       | 532 12 35-83 | Key                                                                              | 185     | 872 11 06-22 | Bolt Rdhd Sqnk 3/8-16 x 2-1/2  |
| 15      | 819 13 13-16 | Washer 13/32 x 13/16 x 16 Ga.                                                    | 186     | 532 19 43-21 | Spacer Retainer                |
| 17      | 532 41 36-78 | Spring, Brake                                                                    | 187     | 819 13 32-10 | Washer                         |
| 26      | 532 19 96-79 | Spring Return Cruise                                                             | 188     | 582 21 70-01 | Link Clutch Ground Drive, Long |
| 29      | 532 40 38-06 | Rod, Brake                                                                       | 189     | 532 19 43-17 | Bellcrank Ground Drive         |
| 33      | 812 00 00-01 | Ring E                                                                           | 190     | 532 19 43-18 | Keeper Bellcrank Ground Drive  |
| 35      | 583 86 45-02 | Rod, Brake, Park                                                                 | 196     | 817 00 06-16 | Screw 3/8-16 x 1               |
| 37      | 532 18 89-67 | Washer Hardened                                                                  | 197     | 587 40 20-01 | Bracket Clutch Anti-Rotation   |
| 42      | 532 00 88-83 | Cover, Foot Pedal                                                                | 205     | 532 12 17-48 | Washer                         |
| 49      | 872 11 06-14 | Bolt                                                                             | 206     | 532 44 85-96 | Bracket Mount Latch Cruise     |
| 50      | 532 19 43-27 | Pulley Idler Flat                                                                | 207     | 587 03 14-01 | Latch Control Cruise           |
| 51      | 873 90 06-00 | Lock Nut 3/8-16                                                                  | 208     | 532 19 78-69 | Gear Sector Control Cruise     |
| 52      | 532 19 43-26 | Idler V-Groove                                                                   | 209     | 532 19 95-92 | Rod Control Cruise             |
| 56      | 592 85 52-01 | V-Belt, Drive                                                                    | 210     | 532 19 78-60 | Rocker Asm. Pedal Control      |
| 64      | 532 19 78-65 | Shaft Asm. Pedal Brake Control                                                   | 211     | 532 12 01-83 | Bearing Nylon                  |
| 69      | 532 42 33-03 | Hairpin Soft Zink .059 x 1.125                                                   | 213     | 532 40 31-19 | Knob Control Cruise            |
| 70      | 532 43 96-61 | Console Shift                                                                    | 214     | 532 41 12-63 | Pedal Forward                  |
| 73      | 874 49 05-40 | Bolt Hex Flghd 5/16-18 x 2-1/2 Gr. 5                                             | 215     | 586 60 65-02 | Pedal Reverse                  |
| 74      | 532 14 24-32 | Screw Hex Wsh. Hi-Lo 1/4 x 1/2 unc                                               | 220     | 532 19 89-08 | Reflector RH                   |
| 92      | 874 76 05-20 | Bolt Fin Hex 5/16-18 unc x 1.25                                                  | 221     | 532 40 31-87 | Retainer Spring Clip Handle    |
| 99      | 582 40 45-01 | Rod Spring Bypass                                                                | 222     | 879 21 20-10 | Washer 21/32 x 1-1/4 x 10 Ga.  |
| 116     | 873 90 05-00 | Nut Lock Hex Flange 5/16-18                                                      | 225     | 532 40 33-19 | Keeper Belt Trans.             |
| 125     | 817 00 05-12 | Screw 5/16-18 x 3/4                                                              | 227     | 817 49 05-12 | Screw Thdrol 5/16-18 x 3/4     |
| 153     | 532 00 44-97 | Retainer Spring                                                                  | 231     | 532 40 72-87 | Idler V-Groove                 |
| 159     | 876 02 04-12 | Pin Cotter 1/8 x 3/4                                                             | 325     | 586 43 12-02 | Torque Strap K46 LT RH         |
| 160     | 532 16 94-84 | Retainer Clip                                                                    | 326     | 586 00 11-02 | Bracket Trq Stp 46 20" Tire RH |
| 161     | 532 10 57-09 | Spring, Return, Clutch                                                           | 336     | 587 25 96-01 | Bolt 5/16-18 x 1-3/4 Flanged   |
| 163     | 532 44 82-75 | Rod Pedal Control                                                                |         |              |                                |
| 166     | 532 42 91-64 | Nut Push                                                                         |         |              |                                |
| 167     | 532 40 52-57 | Latch Brake Parking                                                              |         |              |                                |
| 170     | 532 41 34-30 | Keeper Belt Centerspan                                                           |         |              |                                |
| 183     | 532 13 70-57 | Spacer Split                                                                     |         |              |                                |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm



**TRACTOR - - MODEL NO. YTH2642TDF (96041040300), PRODUCT NO. 960 41 04-03  
ENGINE 24**

| <b>KEY PART<br/>NO. NO.</b> | <b>DESCRIPTION</b>                                                                         |
|-----------------------------|--------------------------------------------------------------------------------------------|
| 1    - - - - -              | Engine Kohl Model No. KT745-3054<br>(588076401) (Order parts from engine<br>manufacturer.) |
| 2    589 81 87-01           | Muffler                                                                                    |
| 9    501 83 26-02           | Keeper Belt Engine                                                                         |
| 11   587 25 50-01           | Clutch Electric                                                                            |
| 12   586 89 96-01           | Pulley Engine                                                                              |
| 15   532 42 28-04           | Tank Fuel                                                                                  |
| 18   584 24 87-02           | Cap                                                                                        |
| 20   532 18 29-37           | Control Throttle                                                                           |
| 21   532 41 63-58           | Screw #10 x .750 BOS Thread                                                                |
| 22   532 19 15-96           | Control Choke                                                                              |
| 28   587 04 46-60           | Fuel Line                                                                                  |
| 29   532 13 71-80           | Spark Arrester Kit                                                                         |
| 37   532 12 34-87           | Clamp Hose                                                                                 |
| 41   532 12 61-97           | Washer 1-1/2 OD x 15/32                                                                    |
| 42   539 99 02-47           | Washer Lock 7/16                                                                           |
| 45   873 51 04-00           | Nut Keps Hex 1/4-20 unc                                                                    |
| 62   532 43 40-17           | Heat Shield                                                                                |
| 69   532 18 60-54           | Gasket                                                                                     |
| 70   583 95 45-01           | Tube Exhaust LH                                                                            |
| 71   583 95 48-01           | Exhaust Tube RH                                                                            |
| 81   532 14 84-56           | Tube Drain Oil Easy                                                                        |
| 82   532 42 82-87           | Valve Oil Drain                                                                            |
| 85   501 60 67-01           | Bolt Hex 7/16-20 x 5 Gr. 5                                                                 |
| 86   532 18 43-62           | Nut.Hex.Flange                                                                             |
| 90   817 00 06-16           | Screw 3/8-16 x 1                                                                           |
| 91   532 18 74-95           | Bushing 1.375 OD                                                                           |
| 92   817 12 06-16           | Screw 3/8-16 x 1                                                                           |
| 102 817 00 05-12            | Screw 5/16 x 3/4                                                                           |
| 117 532 42 08-28            | Valve Fuel Reserve                                                                         |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

## 41



**TRACTOR - - MODEL NO. YTH2642TDF (96041040300), PRODUCT NO. 960 41 04-03**  
**STEERING ASSEMBLY [41]**

| KEY NO. | PART NO.     | DESCRIPTION                         |
|---------|--------------|-------------------------------------|
| 1       | 532 43 97-40 | Wheel, Steering                     |
| 2       | 532 19 59-68 | Axle Asm., Front                    |
| 4       | 586 72 40-01 | Spindle Asm., LH                    |
| 5       | 586 72 41-01 | Spindle Asm., RH                    |
| 6       | 532 00 62-66 | Washer, Thrust .75 x 1.230          |
| 7       | 532 12 17-48 | Washer 25/32 x 1-5/8 x 16 Ga.       |
| 8       | 812 00 00-29 | Ring, Clip #T5304-75                |
| 9       | 532 12 12-32 | Cap, Spindle                        |
| 13      | 532 12 17-49 | Washer 25/32 x 1-1/4 x 16 Ga.       |
| 14      | 539 99 01-18 | Washer, Lock 3/8                    |
| 15      | 873 54 06-00 | Nut, Crown Lock 3/8-24 unf          |
| 16      | 587 01 60-02 | Steering Shaft                      |
| 19      | 532 19 47-29 | Plate Steering                      |
| 21      | 586 84 02-01 | Adapter Wheel Steering              |
| 22      | 585 02 98-02 | Bearing                             |
| 26      | 532 43 97-43 | Insert, Wheel Steering              |
| 27      | 819 21 16-16 | Washer                              |
| 28      | 817 00 06-12 | Screw 3/8-16 x 3/4                  |
| 35      | 532 19 47-32 | Gear, Sector Plate                  |
| 45      | 587 01 64-01 | Washer 3/8 ID 2-3/8 OD 12 Ga. PLTD  |
| 50      | 873 90 06-00 | Nut Lock Flg 3/8-16 unc             |
| 53      | 532 18 89-67 | Washer Hardened .793 x 1.637 x .060 |
| 54      | 874 76 06-36 | Bolt Hex 3/8-16 unc x 2-1/4         |
| 55      | 532 41 47-36 | Spacer Brace Axle                   |
| 58      | 532 19 47-47 | Bolt Shoulder Sector Pivot CFM      |
| 59      | 532 19 47-48 | Washer Thrust Sector Steering       |
| 60      | 873 97 10-00 | Nut Flange Lock 5/8-11              |
| 61      | 588 79 44-02 | Draglink, LH                        |
| 62      | 588 79 45-02 | Draglink, RH                        |
| 63      | 817 00 05-12 | Screw 5/16-18 x 3/4                 |
| 64      | 532 19 98-49 | Retainer Clip Spring Steering       |
| 65      | 532 19 47-34 | Brace Axle Front                    |
| 66      | 871 02 07-48 | Bolt Hex Fghd 7/16-14 x 3 Serr      |
| 67      | 532 19 47-37 | Bushing PM Front Axle               |
| 68      | 873 90 07-00 | Nut Lock Flange 7/16-14 Gr. 5       |
| 69      | 532 19 91-62 | Washer 1.5 x .505 x .118            |
| 70      | 585 33 88-01 | Bracket Deck Susp. Front            |
| 75      | 580 68 37-01 | Pinion                              |
| 76      | 580 68 36-01 | Screw Head Sock                     |
| 78      | 532 05 70-79 | Washer Thrust                       |
| 122     | 532 44 49-62 | Cap Gear                            |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

## 44




**TRACTOR - - MODEL NO. YTH2642TDF (96041040300), PRODUCT NO. 960 41 04-03**  
**MOWER DECK** **44**

| KEY NO. | PART NO.     | DESCRIPTION                      |
|---------|--------------|----------------------------------|
| 1       | 587 93 90-01 | Kit, SVC, Weldment               |
| 2       | 539 11 21-70 | Housing Assembly                 |
| 3       | 532 18 76-90 | Washer-Spacer                    |
| 5       | 532 40 02-34 | Nut Lock Flange Top              |
| 6       | 586 91 81-01 | Blade                            |
| 7       | 532 19 30-03 | Bolt/Washer Asm 7/16-20 unf      |
| 8       | 532 17 60-66 | Roller, Nose                     |
| 9       | 532 17 91-27 | Rod, Roller, Nose                |
| 10      | 539 19 42-08 | Clip Retainer                    |
| 12      | 587 35 47-01 | Spring                           |
| 13      | 532 13 14-91 | Rod Hinge 42/46/48/54            |
| 14      | 532 19 51-61 | Stud, Fasten w/ Anti- Rotate     |
| 17      | 873 90 05-00 | Nut Lock Hex Flanged 5/16-18     |
| 24      | 539 11 28-99 | Nut 5/16-18 Hex Flange Nyloc     |
| 26      | 532 17 85-15 | Washer, Flat Hardened            |
| 27      | 532 19 61-04 | Pulley, Idler Spec. Hub          |
| 28      | 586 87 40-02 | Arm 42 FCS                       |
| 29      | 539 12 81-01 | Bolt 3/8-16                      |
| 30      | 532 19 61-06 | Pulley, Idler                    |
| 34      | 873 68 06-00 | Nut Crownlock 3/8-16 unc         |
| 40      | 589 52 73-01 | Gauge Wheel                      |
| 41      | 532 19 34-06 | Bolt Shoulder                    |
| 42      | 587 14 05-02 | Arm Susp. Rear                   |
| 43      | 873 90 06-00 | Nut Lock FLG 3/8-16 unc          |
| 44      | 532 19 65-39 | Bolt Shoulder                    |
| 46      | 587 27 01-01 | Belt 42 FCS                      |
| 47      | 539 99 03-16 | RHSNB 5/16-18 x 3/4 Gr. 5 ZD     |
| 51      | 532 19 97-91 | Pulley, Mandrel                  |
| 52      | 588 43 83-01 | Screw 7/16-14 x 2.125 Hex Wsh Hd |
| 53      | 532 41 55-98 | Washout Port                     |
| 55      | 539 11 55-74 | Eyebolt 5/16 x 3-1/2             |
| 56      | 587 35 84-01 | Spring                           |
| 57      | 539 99 05-85 | Nut 5/16-18 Hex                  |
| 61      | 584 95 39-01 | Bolt Hex Wsh Hd 3/16-18 x 1.19   |
| 65      | 532 11 04-52 | Nut Push Phos & Oil              |
| 66      | 587 30 57-01 | Deflector Assy. 42 FCS           |
| 67      | 532 13 77-29 | Screw                            |
| 68      | 532 19 84-68 | Keeper Belt Idler                |
| 69      | 586 93 68-02 | Cover 42" Mandrel                |
| 75      | 582 68 32-03 | Bumper                           |
| 78      | 501 80 83-02 | Gauge Wheel Bracket RH           |
| 79      | 590 43 90-02 | Gauge Wheel Bracket LH           |
| 81      | 582 36 05-01 | Bushing Nose Roller              |
| 82      | 819 12 14-14 | Washer 5/16 Flat                 |
| 84      | 532 17 01-65 | Bolt Shoulder 5/16-18            |
| --      | 590 52 08-01 | Mower Deck Complete              |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - - MODEL NO. YTH2642TDF (96041040300), PRODUCT NO. 960 41 04-03**  
**MOWER LIFT 45**




lift-tex\_24

| KEY NO. | PART NO.     | DESCRIPTION                  |
|---------|--------------|------------------------------|
| 2       | 532 42 20-27 | Shaft Asm., Lift             |
| 3       | 532 19 52-30 | Lever Asm., Lift RH          |
| 7       | 580 96 23-01 | Grip, Lever                  |
| 10      | 532 19 63-14 | Spring Torsion               |
| 41      | 532 17 59-94 | Nut, Lift Link               |
| 87      | 532 19 42-09 | Pin Cotter 7/16 Bow Tie Lock |
| 88      | 532 41 07-10 | Spring Lift Assist           |
| 89      | 819 19 19-12 | Washer Clear Zinc            |

| KEY NO. | PART NO.     | DESCRIPTION                 |
|---------|--------------|-----------------------------|
| 91      | 532 40 34-07 | Link Lift Susp Mower Rear   |
| 96      | 532 19 52-63 | Bushing, Spherical          |
| 97      | 817 00 06-12 | Screw 3/8-16 x .75          |
| 98      | 574 82 25-01 | Link Lift Susp. Front Mower |
| 114     | 873 36 07-00 | Nut Jam 7/16-20             |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

TRACTOR - - MODEL NO. YTH2642TDF (96041040300), PRODUCT NO. 960 41 04-03  
SEAT ASSEMBLY **42**



seat-tex\_6.5SL\_15

| KEY NO. | PART NO.     | DESCRIPTION                   |
|---------|--------------|-------------------------------|
| 1       | 532 43 98-22 | Seat                          |
| 2       | 532 18 01-66 | Bracket Pivot Fender          |
| 6       | 873 80 06-00 | Nut, Lock W/Ins. 3/8-16 unc   |
| 7       | 589 48 35-01 | Spring, Seat Cprsn            |
| 8       | 532 17 18-77 | Bolt 5/16-18 unc x 3/4 w/Sems |
| 10      | 596 65 74-02 | Plate, Seat                   |
| 21      | 587 90 78-01 | Bolt, Shoulder 5/16-18 x 5/8  |
| 37      | 873 80 05-00 | Nut, Lock 5/16-18 unc         |

| KEY NO. | PART NO.     | DESCRIPTION                   |
|---------|--------------|-------------------------------|
| 40      | 532 19 76-61 | Handle Slide Seat             |
| 41      | 532 19 82-00 | Spring Latch Seat             |
| 43      | 874 76 06-12 | Bolt Fin Hex 3/8-16 unc x 3/4 |
| 44      | 501 05 18-01 | Washer Winged                 |
| 46      | 588 09 04-01 | Bolt 3/8-16 x 1, 1.25         |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

