

ILLUSTRATED PARTS LIST


MODEL NUMBER R 152SVSW

PRODUCT NUMBER 961 41 00-64

MFG. ID. NUMBER 96141006409



HUSQVARNA ROTARY LAWN MOWER - MODEL NO. R 152SVSW (96141006409) PRODUCT NO. 961 41 00-64



HUSQVARNA ROTARY LAWN MOWER - MODEL NO. R 152SVSW (96141006409) PRODUCT NO. 961 41 00-64

KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	532 19 05-82	Handle, Grassbag, Rear	38	532 19 06-21	Adjustment Bracket, Lower Handle, RH
2	532 06 53-22	Hairpin Cotter	39	532 19 15-74	Bolt, Handle
3	532 18 34-83	Rod, Rear Handle, Grassbag	40	532 06 64-26	Wire Tie
4	532 40 18-98	Grassbag	42	532 18 70-96	Handle Assembly, Lower
5	532 18 85-06	Frame, Grassbag	43	532 42 68-12	Bail, Control
6	812 00 00-14	E-Ring	44	532 18 27-48	Grip, Foam
7	532 19 05-81	Door, Grassbag	45	532 18 62-96	Handle Assembly, Upper (Includes Foam Grip)
8	532 18 34-79	Rod, Pivot	46	532 40 88-85	Cable, Engine Zone Control
9	872 14 04-05	Bolt, Carriage 1/4-20	47	532 17 88-48	Screw, Hex Washer Head #10-16 x 5/8
10	873 80 04-00	Nut, Hex, Nylock 1/4-20	48	532 43 00-34	Bracket, Upstop
11	532 19 06-92	Tube, Skirt	49	532 13 20-04	Nut, Hex
15	532 15 04-06	Bolt, Engine Mounting	50	532 18 85-01	Rope Guide
16	532 41 50-76	Blade, 21"	51	532 43 34-29	Kit, Housing
17	532 85 10-74	Washer, Hardened	52	- - -	Engine, Briggs & Stratton, Model Number 100602-2980-B8 (Order parts from Engine Manufacturer)
18	532 85 02-63	Washer, Lock	53	532 40 18-96	Grassbag Assembly, Complete
19	532 19 17-60	Bolt, Hex Head, Grade 8	54	532 43 33-59	Discharge Chute Assembly
20	532 18 67-66	Adapter, Blade	55	532 19 41-92	Stud, Shoulder T45
21	532 19 05-16	Debris Shield	56	812 00 00-58	E-Ring
22	817 60 04-06	Screw, Hex Head, Serrated	86	532 43 22-34	Bolt, Captive
27	532 18 21-66	Decal, Danger	- -	532 18 21-34	Decal, Warning (not shown)
28	532 43 33-69	Mulcher Door Assembly	- -	532 43 46-76	Operator's Manual, European
34	532 19 06-19	Adjustment Bracket, Lower Handle, LH	- -	532 43 46-77	Operator's Manual, Scandinavian
35	532 18 23-98	Knob, Star	- -	532 43 46-78	Opeator's Manual, East Bloc
36	532 19 41-87	Bolt, Shoulder	- -	532 43 46-82	Opeator's Manual, Baltic
37	532 18 59-96	Discharge Deflector Assembly			

NOTE: All component dimensions given in U.S. inches. 1 inch = 25.4 mm. **IMPORTANT:** Use only Original Equipment Manufacturer (O.E.M.) replacement parts. Failure to do so could be hazardous, damage your lawn mower and void your warranty.

This diagram illustrates the exploded view of a mechanical assembly, likely a pump or motor component. The parts are numbered 1 through 69. The assembly includes a central housing (20) with a large circular opening. A drive shaft (15) is connected to a pulley (30) and a gear (32). The gear (32) is part of a larger assembly (34) that includes a belt (35) and a pulley (36). The assembly also features a motor (46) with a fan (47) and a pump head (48). The motor is connected to a power source (49) via a cable (50). The assembly is mounted on a base (60) with wheels (61) and a handle (62). The diagram shows the relationship between various components, including bolts (12, 13, 14, 16, 17, 18, 19, 22, 24, 25, 26, 27, 28, 29, 31, 33, 37, 38, 39, 43, 44, 45, 47, 48, 49, 57, 58, 59, 63, 64, 65, 66, 67, 68, 69), washers (11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69), and other fasteners (1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69).

HUSQVARNA ROTARY LAWN MOWER - MODEL NO. R 152SVSW (96141006409) PRODUCT NO. 961 41 00-64

KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	532 42 56-65	Drive Control Assembly (Includes Cable)	33	532 40 91-48	Nut, Hex
6	532 18 16-98	Screw, Torx Head #8-5/8	34	532 18 34-42	Hubcap
7	532 40 07-23	Mounting Bracket, Drive Control	35	532 42 52-42	Knob, Star
9	532 19 70-11	Cable, Drive Control	37	532 40 48-45	Pawl
12	812 00 00-12	Ring, Retaining	38	812 00 00-58	E-Ring
13	532 19 41-86	Screw	39	532 40 38-49	Pinion
14	532 40 80-27	Bearing / Axle Support	43	532 19 05-20	Lever, Selector, Wheel Height, Rear
15	532 41 92-11	Gear Case Assembly, Complete	44	532 16 96-75	Clip, Retainer
16	532 40 65-58	Spring, Return	45	532 18 50-51	Spring
17	532 40 80-05	Belt Keeper	46	532 18 50-54	Rod, Lock
18	532 16 34-09	Screw	47	532 40 91-49	Nut, Hex, Flangelock
19	532 44 32-62	Pulley, Drive	48	532 18 89-06	Washer, Flat 1/2
20	532 41 69-63	Drive Cover Assembly (Includes Mounting Screws and Retainers)	49	532 19 59-96	Bushing
21	532 19 74-80	O-Ring, Rear Wheel	50	532 40 80-31	Belt, Drive
22	532 19 37-91	Pulley Assembly, V-Groove	53	532 41 67-40	Rear Axle Assembly
23	532 18 81-52	O-Ring, Caster Wheel	57	532 41 70-63	Bracket, Caster Wheel, LH
24	532 40 91-49	Nut, Hex, Flangelock	58	532 18 72-48	Wing Nut 5/16-18
25	873 93 05-00	Nut, Hex, Lock	59	532 18 51-11	Spacer
26	532 41 67-36	Idler Arm	60	532 19 22-34	Wheel Assembly, Front 9 x 2-1/4
27	532 16 60-43	Pulley, Idler	61	872 27 05-28	Bolt, Carriage 5/16-18 x 3-1/2
28	532 16 08-29	Bolt, Hex Head, Shoulder	62	532 18 74-74	Bolt, Carriage 5/16-18 x 7/8
29	817 06 04-10	Screw 1/4-20 x 1/16	63	532 18 84-75	Strap, Front
30	532 18 34-57	Cover, Dust, Wheel	64	532 41 40-70	Support Tube Assembly, LH
31	532 08 83-48	Washer, Flat 3/8	65	532 41 70-64	Bracket, Caster Wheel, RH
32	532 19 26-22	Wheel Assembly, Rear 9 x 2-1/4	66	532 41 40-69	Support Tube Assembly, RH
			67	532 18 75-55	Bolt, Carriage 5/16-18 x 5/8
			68	532 18 72-63	Nut, Hex 5/16
			69	532 75 10-68	Bearing, Ball (Wheel)

NOTE: All component dimensions given in U.S. inches. 1 inch = 25.4 mm. **IMPORTANT:** Use only Original Equipment Manufacturer (O.E.M.) replacement parts. Failure to do so could be hazardous, damage your lawn mower and void your warranty.